



**Tracy W. Hatch**  
Executive Director-Senior Legal Counsel  
AT&T Florida

AT&T Legal Department  
675 W. Peachtree St, NW  
Suite 4324  
Atlanta, GA 30308-0001

T: 404.927.5291  
F: 404.927.3636  
[th9467@att.com](mailto:th9467@att.com)

February 26, 2016

Carlotta S. Stauffer, Commission Clerk  
Office of the Commission Clerk  
Florida Public Service Commission  
2540 Shumard Oak Boulevard  
Tallahassee, FL 32399-0850

**REDACTED**

COMMISSION  
CLERK

2016 FEB 26 PM 4:33

RECEIVED-FPSC

**Re: Docket No.:** \_\_\_\_\_  
**Petition for Expedited Review of Growth Code Denials by the Number  
Pooling Administrator for the Miami Exchange (Poinciana)**

Dear Ms. Stauffer:

Enclosed are an original and seven copies of BellSouth Telecommunications, LLC d/b/a AT&T Florida's Petition for Expedited Review of Growth Code Denial, which we ask that you file in the above captioned new docket.

A copy of this letter is enclosed. Please mark it to indicate that the original was filed and return the copy to me. Thank you.

Sincerely,

Tracy W. Hatch

TWH/mhs  
Enclosures

cc: Elise R. Banister

1148600

COM	_____
AFD	_____
APA	_____
ECO	_____
ENG	_____
GCL	1 _____
IDM	_____
TEL	10 _____
CLK	_____

**BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION**

In re: Petition for Expedited Review of Growth ) Docket No.  
Code Denials by the Number Pooling Administrator )  
for the Miami exchange (Poinciana) ) Filed: February 26, 2016  
\_\_\_\_\_ )

**PETITION FOR EXPEDITED REVIEW OF NXX-X CODE DENIAL**

BellSouth Telecommunications, LLC d/b/a AT&T Florida (“AT&T Florida”), pursuant to 47 C.F.R. § 52.15(g)(iv), Federal Communications Commission (“FCC”) Order FCC 00-104, and Florida Public Service Commission (“Commission”) Order No. PSC-01-1873-PCO-TL, petitions the Commission to review the Pooling Administrator’s (“NeuStar”) denial of AT&T Florida’s requests for additional numbering resources in the Miami exchange. In support of this petition, AT&T Florida states:

**PARTIES**

1. AT&T Florida is a corporation organized and formed under the laws of the State of Georgia and an incumbent local exchange company (“ILEC”) regulated by the Commission and authorized to provide local exchange telecommunications and intraLATA toll telecommunications in the State of Florida.

2. NeuStar is an independent non-governmental entity, which is responsible for administering and managing the numbering resources in pooling areas. See 47 C.F.R. § 52.20(d).

**JURISDICTION**

3. The Commission has jurisdiction in this matter pursuant to Section 364.16, Florida Statutes and Industry Numbering Committees (INC) Number Pooling Guidelines Sections 3.7 and 12(c). This provision provides that a carrier may challenge NeuStar’s decision to deny numbering resources to the appropriate regulatory authority.

## BACKGROUND AND REQUEST FOR RELIEF

4. The Miami exchange consists of twenty four (24) central offices and twenty eight (28) switching entities that utilize numbering resources: Airport (MIAMFLAPDS0), Alhambra (MIAMFLAEDS0 and MIAMFLAERS0), Allapattah (MIAMFLALDS0), Bayshore (MIAMFLBARP0), Beach (MIAMFLBRDS0), Biscayne (MIAMFLBCDS0), Canal (MIAMFLCADS0), Dadeland (MIAMFLDBRS1), Flagler (MIAMFLFLDS0), Grande (MIAMFLGRDS0 and MIAMFLGRDS1), Hialeah (MIAMFLHLDS0), Indian Creek (MIAMFLICDS0), Key Biscayne (MIAMFLKEDS0), Metro (MIAMFLMERP0 and MIAMFLMERS0), Shores (MIAMFLSHDS0), North Miami (MIAMFLNMDS0), Northside (MIAMFLNSDS0), Opa Locka (MIAMIFLOLDS0), Palmetto (MIAMFLPLDS0 and MIAMFLPLRS0), Poinciana (MIAMFLPBDS0), Red Road (MIAMFLRRDS0), Silver Oaks (MIAMFLSODS0), West Dade (MIAMFLWDDS0) and West Miami (MIAMFLWMDS0).

5. On February 17, 2016, AT&T Florida requested additional numbering resources from NeuStar for the Poinciana (MIAMFLPBDS0) switch. See Attachments 1. Specifically, AT&T Florida requested 3,000 consecutive numbers to meet the request of a specific customer.

6. At the time of the code request, the Miami exchange had a MTE of 1136.06 and a utilization of 53.77%, while the MTE for the Poinciana (MIAMFLPBDS0) switch was 488.33 with a utilization of 71.30%.

7. On February 17, 2016, NeuStar's automated number request system denied AT&T Florida's request for additional numbering resources because AT&T Florida had not met the MTE or utilization based criteria, notwithstanding the fact that

AT&T Florida is unable to provide the numbering resources requested by the specific customer. See Attachment 1. Pursuant to Commission Order No. PSC-01-1973-PCO-TL, attached to this Petition is the MTE and utilization rate for each switch in the Miami exchange and the customers contact information. See Attachment 2.

8. As discussed above, both the FCC Order and the INC guidelines provide that state regulatory authorities have the power and authority to review NeuStar's decision to deny a request for numbering resources. See INC Number Pooling Guidelines Sections 3.7 and 12(c).

9. Under earlier MTE procedures used by NANPA, waivers or exceptions were granted when customer hardships could be demonstrated or when the service provider's inventory did not have a block of sequential numbers large enough to meet the customer's specific request. Under existing procedures, NeuStar nor NANPA looks at the number of MTE and utilization for the entire rate center without exception. The current process is arbitrary and results in (1) decisions contrary to the public interest and welfare of consumers in the State of Florida; and (2) decisions that do not necessarily promote the efficient use of telephone numbers.

10. AT&T Florida requests that the Commission's reverse NeuStar's decision to withhold numbering resources from AT&T Florida on the following grounds:

(a) NeuStar's denial of numbering resources to AT&T Florida interferes with AT&T Florida's ability to serve its customers within the State of Florida.

(b) The MTE at the rate center level requirement is discriminatory against the incumbent LEC, since the ILEC is typically the only local service provider with multiple switches in a rate center. The ILEC deploys multiple switches in a rate center in order to

meet customer demand for telephone service. The new FCC rules for obtaining numbering resources both penalizes and discriminates against the ILECs for deploying multiple switches. AT&T Florida believes that it is patently unfair to require that the ILEC only get six (6) MTE in all the switches it has deployed in a rate center, when the CLECs, which have recently entered the local service market, have to meet the MTE requirement in only the single switch that they have deployed to serve their customers in a single rate center or even multiple rate centers.

(c) As a result of NeuStar's denial of AT&T Florida's request for additional numbering resources, AT&T Florida will be unable to provide telecommunications services to its customers as required under Florida law.

WHEREFORE, AT&T Florida requests:

1. The Commission review the decision of NeuStar to deny AT&T Florida's request for additional numbering resources for the Miami exchange; and
2. The Commission direct NeuStar to provide the requested numbering resources for the Miami exchange as discussed above.

Respectfully submitted this 26th day of February 2016.

BELLSOUTH TELECOMMUNICATIONS, LLC d/b/a AT&T

FLORIDA



Tracy Hatch  
404 West Peachtree St NE  
Suite 4300  
Atlanta, GA 30308  
(404) 927-5291

Pooling Administration System

[Sign Out](#)

@att.com (SP)

Time : 02/17/2016 03:52:49 PM EST

[Printable Version](#)

Central Office Code (NXX) Assignment Request  
Part 1 July 19, 2010

Tracking Number: **305-MIAMI-FL-900721**

**Full NXX: Pool Replenishment**

Type of Application:  New  Change  Delete

1.0 GENERAL INFORMATION

1.1 Contact Information:

Code Applicant:

Company/Entity Name: **BELLSOUTH TELECOMM INC DBA SOUTHERN BELL TEL & TEL**

Headquarters Address: 

City, State, Zip: 

Contact Name: 

Contact Address: 

City, State, Zip: 

Phone:  Fax:   
E-mail: @att.com

Code Administrator:<sup>2</sup>

Name: **Michael Ortega**  
Address: **46000 Center Oak Plaza**

City, State, Zip: **Sterling, VA, 20166**

Phone: **571-434-5348** Fax: **571-434-5502**

1.2 NPA: **305** NXX:<sup>3</sup> **460** LATA: **460**  
OCN:<sup>4</sup> **9417**

Parent Company's OCN(s) **9400**

Switching Identification (Switching Entity/POI)<sup>5</sup>  
**MIAMFLPBDS0**

Locality/City/Wire Center:

Rate Center:  
<sup>6</sup> **MIAMI**

Homing Tandem Operating  
Co.:<sup>7</sup> **AT&T**

Tandem Homing  
CLLI<sup>TM</sup>  
<sup>8</sup> **:NDADFLGG01T**

1.3 Dates: Date of  
Application: **02/17/2016**

Requested Effective  
Date:<sup>9 10</sup>  
**04/23/2016**

By selecting this checkbox, I acknowledge that I am requesting the earliest possible effective date the Administrator can grant. Please note that this only applies to a reduction in the Administrator's processing time, however the request will still be processed in the order received.

Request Expedited Treatment Yes \_\_\_\_\_ No  X   
Expedite Documentation must be provided if "Request Expedite" = Yes

1.4 a) Type of company/entity requesting the code:  Incumbent Local Exchange Carrier (ILEC)  (LEC, IC, CMRS, Other)

b) Types of service:  Wireline  (e.g., Cellular - Type 2)

c) Code Assignment Preference (Optional)  [Redacted]

d) Codes that are undesirable, if any \_\_\_\_\_

e) Type of change (Mark all that apply)

- OCN-Intra-company<sup>11</sup>  Switching Id  Rate Center  Tandem Homing CLLI
- OCN-Inter-company<sup>12</sup>  Effective Date  LATA  Extend Reservation

1.5 Type of Request (Initial, growth, etc.)  Growth

2

If an initial code, attach(1) evidence of certification and (2) proof of ability to place code in service within 60 days. If a growth code, attach months to exhaust worksheet.

Pooling Indicator: <sup>13</sup>  Yes  No

1.6 NPA Jeopardy Criteria Apply:  Yes  No

1.7 Code request for new service (Explain): \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

1.8 It is the code applicant's responsibility to arrange input of Part 2 information into BIRRDS. The 45-calendar day nationwide minimum interval cut-over for BIRRDS will not begin until input into BIRRDS has been completed.

Comments:  
\_\_\_\_\_

I hereby certify that the above information requesting an NXX code is true and accurate to the best of my knowledge and that this application has been prepared in accordance with Central Office Code (NXX) Assignment Guidelines posted to the ATIS web site (<http://www.atis.org/inc/incguides.asp>) as of the date of this application. <sup>14</sup>

  02/17/2016  
Signature of Code Applicant Title Date

<sup>1</sup> Identify type and reason for change(s) in Section 1.4(e).  
<sup>2</sup> A list of the current Code Administrator(s) who can provide assistance in completing this form is available upon request from NANPA.



<sup>3</sup> The NXX field is required for any code request in which there is a change or the NXX is being returned.

<sup>4</sup> Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments may contact NECA (800-228-8597) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignment should direct questions regarding appropriate OCN usage to the iconectiv Telcordia Routing Administration (TRA) on 732-699-6700.

<sup>5</sup> This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the eleven-character iconectiv COMMON LANGUAGE CLLI™ Location Identification of the applicant's switch or POI. (Telcordia and CLLI are trademarks and COMMON LANGUAGE is a registered trademarks of Telcordia Technologies, Inc. dba iconectiv)

<sup>6</sup> Rate Center name must be a tariffed Rate Center associated with toll billing.

<sup>7</sup> Applies to any code applicant connecting to the Public Switched Telephone Network via a tandem owned by a different carrier.

<sup>8</sup> This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI™ Location Identification Code of the switching entity/POI, and is the same on Part 2, Form 1, Page 2 of 2.

<sup>9</sup> Code applicants should request an effective date that is at least 66 calendar days from the submission of this form. It should be noted that interconnection arrangements and facilities need to be in place prior to activation of a code. Such arrangements are outside the scope of these guidelines.

<sup>10</sup> Requests for code assignment shall not be made more than six months prior to the requested effective date.

<sup>11</sup> Select if you are the current Code Holder

<sup>12</sup> Select if you are not the current Code Holder

<sup>13</sup> The Applicant will indicate "YES" if the NXX being requested will be used for thousands-block number pooling and will leave this field blank if it is not.

<sup>14</sup> An incomplete form may result in delays in processing this request.

Back

-----

© 2014 NeuStar, Inc. Legal Notice

Last updated: February 17,  
2016.

5

Pooling Administration System

[Sign Out](#)

[Redacted]@att.com (SP)

Time : 02/17/2016 03:53:17 PM EST

[Printable Version](#)

TBPAG Attachment 1 - January 12, 2015

Thousands-Block Application Form - Part 1A

Tracking Number: **305-MIAMI-FL-900721**

**Full NXX: Pool Replenishment**

Type of Application:  New  Change <sup>i</sup>  Disconnect

GENERAL APPLICATION INFORMATION

1.1 Contact Information:

Block Applicant:

Company Name: **BELLSOUTH TELECOMM INC DBA SOUTHERN BELL TEL & TEL**

Headquarters Address: [Redacted]

City, State, Zip: [Redacted]

Contact Name: [Redacted]

Contact Address: [Redacted]

City, State, Zip: [Redacted]

Phone: [Redacted] Fax: [Redacted] E-mail: [Redacted]@att.com

Pooling Administrator: <sup>ii</sup>

Contact Name: **Dara Flowers**

**1800 Sutter St**

Contact  
 Address:  
 City, State, Concord, CA, 94520  
 Zip:  
 Phone: 925-363-8730 Fax: 925-363-7697  
 E-mail: dara.flowers@neustar.biz

1.2 General Information:

Check one : No LRN needed X LRN needed <sup>iii</sup> \_\_\_\_\_

NPA: 305 LATA: 460 OCN: <sup>iv</sup> 9417 Parent Company's OCN 9400

Number of Thousands-Blocks Requested : 3

Switch Identification (Switching Entity/POI) : <sup>v</sup>  
MIAMFLPBDS0

Rate Center: <sup>vi</sup> MIAMI

1.3 Dates:

Date of Application: <sup>vii</sup> 02/17/2016 Requested Block Effective Date: <sup>viii</sup> 04/23/2016

By selecting this checkbox, I acknowledge that I am requesting the earliest possible effective date the Administrator can grant. Please note that this only applies to a reduction in the Administrator's processing time, however the request will still be processed in the order received.

Request Expedited Treatment? (See Section 8.6) Yes \_\_\_\_\_ No X

1.4 Type of Service Provider Requesting the Thousands-Block :

- a) Type of Service Provider : Incumbent Local Exchange Carrier (ILEC) (LEC, IXC, CMRS, Other)
- b) Primary type of service Blocks to be used for : Wireline

7

- c) Thousands-Block(s) (NXX-X) assignment preference (Optional) \_\_\_\_\_
- d) Thousands-Block(s) (NXX-X) that are undesirable for this assignment , if any \_\_\_\_\_
- e) If requesting a code for LRN purposes, indicate which block(s) you will be keeping (the remainder of the blocks will be given to the pool) N/A

1.5 Type of Request:

Initial block for rate center : Yes \_\_\_\_\_ If Yes, attach evidence of authorization and proof of capability to provide service within 60 days.

Growth block for rate center : Yes X If Yes, attach months to exhaust worksheet

By selecting this checkbox, I acknowledge that I am willing to accept a block in red and explicitly understand that the underlying CO code may not yet be activated in the PSTN and loaded in the NPAC on the block effective date.

Type of change (Mark all that apply)

- OCN: Intra-company<sup>ix</sup>  Switching Id  Part 1B
- OCN: Inter-company<sup>x</sup>  Effective Date

Change block : Yes \_\_\_\_\_ If Yes, list NPA-NXX-X \_\_\_\_\_

1.6 Block Return :

- a) Is this block Contaminated: Yes \_\_\_\_\_ or No \_\_\_\_\_
- b) If Yes how many TNs are NOT available for assignment : \_\_\_\_\_
- c) Have all new Intra SP ports been completed in the NPAC: Yes \_\_\_\_\_ or No \_\_\_\_\_
- d) Has this block been protected from further assignment: Yes \_\_\_\_\_ or No \_\_\_\_\_



Disconnect block : Yes \_\_\_\_\_ If Yes, list NPA-NXX-X \_\_\_\_\_

Remarks:

I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge

8

and that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guidelines ATIS-0300066 available on the ATIS web site (<http://www.atis.org/inc>) or by contacting [inc@atis.org](mailto:inc@atis.org) as of the date of this application.

		<u>02/17/2016</u>
Signature of Block Applicant	Title	Date

Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the iconectiv™ LERG™ Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by iconectiv Telecom Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLI™ tandem of the facilities based provider<sup>xi</sup>. Explanations of these terms may be found in the footnotes.

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. They also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a

9

particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

Section 1.6 Service Providers must indicate the updated/current information in regards to contaminated TNs on the block they are returning to the pool. Blocks with over 10% contamination (101 TNs or more) shall not be returned to the pool unless they meet criteria outlined in section 9.1.2 of these Guidelines. If the block being returned is over 10% contaminated the PA shall seek a new block holder. If question c and/or d have a response of No, the request for return shall be denied.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

Footnotes:

<sup>i</sup> Identify the type of change(s) in Section 1.5.

<sup>ii</sup> The Pool Administrator is available to assist in completing these forms.

<sup>iii</sup> A CO Code application will also need to be submitted to the PA.

<sup>iv</sup> Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).

<sup>v</sup> This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI™ code of the switch /POI.

<sup>vi</sup> Rate Center name must be a tariffed Rate Center.

<sup>vii</sup> Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.

<sup>viii</sup> Please ensure that the NPA-NXX of the LRN to be associated with this block(s) is/will be active in the PSTN prior to the effective date of the block(s).

<sup>ix</sup> Select if you are the current Block Holder.

<sup>x</sup> Select if you are not the current Block Holder

<sup>xi</sup> LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc. dba iconectiv

Back

.....

© 2014 NeuStar, Inc. Legal Notice

Last updated: February 17, 2016.

11



Pooling Administration System

Sign Out

[redacted]att.com (SP)

Time : 02/17/2016 03:53:33 PM EST

Printable Version

January 12, 2015

Appendix 3

MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORK SHEET - TN Level<sup>1</sup>

(Thousands-Block Number Pooling Growth Block Request)

Tracking Number: 305-MIAMI-FL-900721

Date: Wednesday,  
February 17, 2016

OCN:9417

Company Name:BELLSOUTH TELECOMM INC  
DBA SOUTHERN BELL TEL & TEL

Rate Center: MIAMI

List all Codes NPA(s)-NXX(s) and Blocks NPA(s)-NXX-X(s)<sup>2</sup>:305 324 A 305 325 A 305 326 A  
305 326 0 305 326 1 305 326 4 305 326 5 305 326 6 305 326 7 305 326 8 305 326 9 305 329 A 305  
499 A 305 499 1 305 499 2 305 499 3 305 499 4 305 499 5 305 499 6 305 499 7 305 499 8 305 499  
9 305 500 A 305 715 A 305 716 A 305 717 A 305 717 0 305 717 1 305 717 2 305 717 3 305 717 4  
305 717 5 305 717 6 305 718 A 305 347 A 305 348 A 305 349 A 305 349 0 305 349 1 305 349 2  
305 349 4 305 349 5 305 349 6 305 349 7 305 349 8 305 349 9 305 350 A 305 355 A 305 358 A  
305 361 A 305 362 A 305 364 A 305 364 0 305 364 1 305 364 2 305 364 3 305 364 4 305 364 6  
305 364 7 305 512 A 305 513 A 305 514 A 305 514 1 305 514 2 305 514 3 305 514 4 305 514 5  
305 514 6 305 514 7 305 514 8 305 520 A 305 520 1 305 520 2 305 740 A 305 740 0 305 740 2  
305 740 3 305 740 4 305 740 5 305 740 6 305 364 8 305 364 9 305 365 A 305 371 A 305 372 A  
305 373 A 305 374 A 305 375 A 305 376 A 305 377 A 305 379 A 305 380 A 305 381 A 305 381 3  
305 381 4 305 381 6 305 520 3 305 520 4 305 520 6 305 520 7 305 520 8 305 523 A 305 523 0 305  
523 1 305 523 2 305 523 3 305 523 4 305 523 5 305 523 6 305 523 7 305 523 8 305 526 A 305 529  
A 305 530 A 305 531 A 305 532 A 305 533 A 305 534 A 305 535 A 305 536 A 305 740 7 305 740  
8 305 740 9 305 381 7 305 381 8 305 381 9 305 382 A 305 383 A 305 385 A 305 386 A 305 387 A  
305 388 A 305 392 A 305 392 2 305 392 3 305 392 4 305 392 5 305 392 6 305 392 7 305 392 8  
305 392 9 305 538 A 305 539 A 305 539 0 305 539 1 305 539 2 305 539 3 305 539 4 305 539 5  
305 539 6 305 539 7 305 539 9 305 541 A 305 545 A 305 547 A 305 547 0 305 547 1 305 547 2  
305 547 3 305 547 4 305 547 5 305 547 6 305 547 7 305 548 A 305 548 0 305 548 1 305 548 2 305  
548 3 305 548 4 305 548 5 305 548 6 305 548 7 305 549 A 305 755 8 305 755 9 305 756 A 305  
757 A 305 758 A 305 759 A 305 762 A 305 762 1 305 762 3 305 762 4 305 762 5 305 762 6 305  
762 7 305 762 8 305 549 1 305 549 2 305 549 3 305 549 5 305 549 6 305 549 7 305 549 9 305 550  
A 305 551 A 305 552 A 305 553 A 305 554 A 305 556 A 305 557 A 305 558 A 305 559 A 305 560  
A 305 560 2 305 567 A 305 751 A 305 752 A 305 754 A 305 755 A 305 755 0 305 755 1 305 755 5  
305 755 6 305 755 7 305 400 A 305 400 5 305 400 6 305 400 7 305 569 A 305 571 A 305 571 0  
305 571 1 305 571 2 305 571 3 305 571 4 305 571 5 305 571 7 305 571 8 305 571 9 305 572 A 305

12

572 0 305 572 1 305 572 2 305 572 4 305 572 9 305 573 A 305 575 A 305 575 0 305 575 3 305  
575 4 305 575 5 305 575 6 305 575 7 305 575 8 305 576 A 305 577 A 305 406 A 305 408 A 305  
412 A 305 415 A 305 415 0 305 415 1 305 415 2 305 415 3 305 415 4 305 415 5 305 415 6 305  
415 7 305 415 9 305 416 A 305 416 0 305 416 1 305 579 A 305 585 A 305 590 A 305 590 0 305  
590 2 305 590 4 305 590 6 305 590 9 305 591 A 305 592 A 305 593 A 305 594 A 305 595 A 305  
596 A 305 597 A 305 598 A 305 599 A 305 200 A 305 200 1 305 416 2 305 416 3 305 416 4 305  
416 5 305 416 6 305 416 7 305 416 9 305 418 A 305 418 1 305 418 2 305 418 3 305 418 4 305 418  
5 305 418 6 305 418 7 305 418 8 305 418 9 305 603 A 305 603 0 305 603 1 305 603 2 305 603 3  
305 603 4 305 603 5 305 603 6 305 604 A 305 207 A 305 424 A 305 424 0 305 629 A 305 630 A  
305 630 0 305 630 1 305 630 2 305 630 3 305 630 4 305 630 5 305 630 6 305 630 7 305 630 9 305  
220 A 305 221 A 305 222 A 305 222 0 305 222 1 305 222 2 305 222 3 305 222 4 305 222 5 305  
222 6 305 222 8 305 222 9 305 223 A 305 436 A 305 437 A 305 438 A 305 438 0 305 438 1 305  
438 2 305 438 3 305 438 4 305 438 5 305 631 A 305 631 0 305 631 1 305 631 3 305 631 4 305 631  
5 305 631 6 305 631 7 305 631 8 305 631 9 305 633 A 305 634 A 305 635 A 305 636 A 305 637 A  
305 638 A 305 639 A 305 639 1 305 639 2 305 639 3 305 639 4 305 639 5 305 639 6 305 639 7  
305 639 9 305 640 A 305 640 0 305 640 1 305 640 2 305 640 3 305 640 4 305 640 6 305 640 7 305  
640 9 305 642 A 305 643 A 305 644 A 305 646 A 305 225 A 305 226 A 305 227 A 305 228 A 305  
229 A 305 231 A 305 237 A 305 438 9 305 441 A 305 442 A 305 443 A 305 444 A 305 445 A 305  
446 A 305 447 A 305 448 A 305 646 0 305 646 2 305 646 3 305 646 4 305 646 5 305 646 6 305  
646 7 305 646 9 305 648 A 305 648 0 305 648 1 305 648 2 305 648 3 305 648 4 305 648 5 305 648  
7 305 648 8 305 648 9 305 649 A 305 243 A 305 250 A 305 250 0 305 250 2 305 250 3 305 250 4  
305 250 5 305 250 6 305 250 7 305 250 9 305 460 A 305 461 A 305 661 A 305 662 A 305 663 A  
305 665 A 305 666 A 305 667 A 305 668 A 305 669 A 305 670 A 305 671 A 305 671 0 305 671 1  
305 671 2 305 671 4 305 671 5 305 671 6 305 671 7 305 671 8 305 672 A 305 673 A 305 674 A  
305 260 A 305 260 0 305 260 1 305 260 2 305 260 3 305 260 4 305 260 5 305 260 7 305 260 8 305  
260 9 305 261 A 305 262 A 305 263 A 305 263 1 305 263 2 305 263 3 305 263 4 305 263 5 305  
263 6 305 263 7 305 263 8 305 263 9 305 264 A 305 265 A 305 266 A 305 267 A 305 269 A 305  
270 A 305 271 A 305 273 A 305 274 A 305 275 A 305 279 A 305 463 A 305 468 A 305 468 0 305  
468 1 305 468 2 305 468 3 305 468 5 305 468 6 305 468 7 305 468 8 305 468 9 305 470 A 305 471  
A 305 476 A 305 477 A 305 480 A 305 679 A 305 681 A 305 685 A 305 687 A 305 688 A 305 689  
A 305 284 A 305 285 A 305 482 A 305 482 0 305 482 2 305 482 4 305 482 5 305 482 7 305 482 8  
305 482 9 305 485 A 305 487 A 305 487 4 305 487 5 305 487 6 305 487 9 305 492 A 305 492 1  
305 492 4 305 492 6 305 691 A 305 693 A 305 694 A 305 695 A 305 696 A 305 698 A 305 874 A  
305 876 A 305 882 A 305 883 A 305 884 A 305 885 A 305 887 A 305 888 A 305 889 A 305 891 A  
305 892 A 305 893 A 305 895 A 305 899 A 305 938 A 305 938 1 305 938 2 305 938 3 305 938 4  
305 769 A 305 769 0 305 769 1 305 769 2 305 769 3 305 769 4 305 769 5 305 769 6 305 769 7 305  
769 9 305 953 A 305 774 A 305 960 A 305 960 0 305 960 1 305 960 2 305 960 3 305 960 4 305  
960 5 305 960 6 305 960 8 305 960 9 305 961 A 305 961 0 305 961 2 305 961 3 305 961 4 305 961  
5 305 961 6 305 961 7 305 961 8 305 961 9 305 789 A 305 795 A 305 795 1 305 795 2 305 795 3  
305 795 4 305 981 A 305 981 0 305 981 1 305 981 2 305 981 3 305 981 4 305 981 5 305 795 5 305  
795 6 305 795 7 305 795 8 305 795 9 305 805 A 305 808 A 305 808 0 305 808 1 305 808 2 305  
808 4 305 808 5 305 808 6 305 808 7 305 808 8 305 981 7 305 981 8 305 981 9 305 982 A 305 982  
0 305 982 1 305 982 2 305 982 3 305 982 4 305 982 5 305 982 6 305 982 9 305 993 A 305 993 0  
305 993 1 305 808 9 305 810 A 305 810 0 305 810 1 305 810 2 305 810 3 305 810 5 305 810 6 305  
993 3 305 993 4 305 993 5 305 993 6 305 993 7 305 994 A 305 994 0 305 994 1 305 994 2 305 994  
3 305 994 5 305 994 6 305 994 7 305 994 8 305 994 9 305 995 A 305 817 A 305 817 0 305 817 1  
305 817 2 305 817 3 305 817 4 305 817 5 305 817 6 305 817 7 305 817 8 305 817 9 305 818 A 305  
819 A 305 820 A 305 821 A 305 822 A 305 823 A 305 824 A 305 824 0 305 824 1 305 824 2 305  
824 3 305 824 4 305 824 5 305 824 8 305 824 9 305 825 A 305 826 A 305 827 A 305 828 A 305

13

835 A 305 836 A 305 846 A 305 846 3 305 846 4 305 846 5 305 854 A 305 856 A 305 857 A 305  
857 0 305 857 1 305 857 3 305 857 6 305 857 9 305 858 A 305 859 A 305 859 2 305 859 4 305  
859 6 305 859 7 305 859 8 305 859 9 305 860 A 305 861 A 305 863 A 305 864 A 305 865 A 305  
866 A 305 867 A 305 868 A 305 869 A 305 870 A 305 871 A 305 873 A 305 873 0 305 873 2 786  
527 6 786 527 7 786 527 8 786 527 9 786 533 A 786 533 4 786 533 5 786 533 7 786 533 9 786 662  
A 786 662 0 786 662 1 786 662 2 786 662 4 786 662 5 786 662 7 786 662 8 786 845 A 786 263 A  
786 263 0 786 263 4 786 263 5 786 552 A 786 552 0 786 552 1 786 552 4 786 552 5 786 552 6 786  
552 7 786 552 8 786 552 9 786 263 6 786 263 7 786 265 A 786 265 0 786 265 2 786 265 3 786 265  
4 786 265 5 786 265 6 786 265 7 786 265 8 786 265 9 786 268 A 786 268 0 786 268 1 786 268 2  
786 268 3 786 268 4 786 268 5 786 268 6 786 268 7 786 268 8 786 273 A 786 273 3 786 273 4 786  
275 A 786 464 A 786 464 1 786 464 2 786 464 3 786 464 4 786 464 6 786 464 7 786 466 A 786  
467 A 786 467 2 786 467 3 786 467 4 786 275 0 786 275 1 786 275 2 786 275 8 786 275 9 786 276  
A 786 467 5 786 468 A 786 468 2 786 469 A 786 469 2 786 469 3 786 469 4 786 469 5 786 470 A  
786 470 1 786 470 2 786 470 3 786 470 8 786 594 6 786 594 7 786 594 8 786 594 9 786 595 A 786  
596 A 786 597 A 786 388 A 786 597 5 786 394 A 786 394 1 786 394 2 786 394 4 786 394 5 786  
394 6 786 394 8 786 394 9 786 999 A 786 999 1 786 999 7 786 308 A 786 308 2 786 308 3 786  
308 4 786 313 A 786 313 0 786 313 1 786 313 2 786 313 4 786 313 6 786 313 7 786 313 8 786 313  
9 786 314 A 786 314 5 786 315 A 786 315 2 786 315 5 786 316 A 786 316 4 786 317 A 786 216 0  
786 317 5 786 318 A 786 318 1 786 318 3 786 318 5 786 319 A 786 319 5 786 413 A 786 413 3  
786 777 A 786 777 0 786 327 A 786 327 5 786 624 A 786 624 2 786 624 3 786 624 4 786 624 5  
786 624 6 786 777 1 786 777 2 786 777 3 786 777 4 786 777 5 786 777 6 786 777 7 786 331 A 786  
336 A 786 337 A 786 337 4 786 337 6 786 337 7 786 337 8 786 337 9 786 425 A 786 425 0 786  
425 1 786 425 2 786 425 3 786 425 4 786 425 5 786 425 6 786 425 8 786 425 9 786 527 A 786 639  
A

Name of Block Applicant: [REDACTED] Signature: [REDACTED]

Title: [REDACTED] Telephone No. [REDACTED] FAX No. [REDACTED]

E-Mail: [REDACTED]@att.com

A. Available Numbers: [REDACTED]

B. Assigned Numbers: [REDACTED]

C. Total Numbering Resource: [REDACTED]

D. Quantity of numbers activated in the past 90 days (increments of 1,000 or 10,000) and excluded from the Utilization calculation: [REDACTED]

List  
Excluded

14

Code(s) or Block(s):

Month Month Month Month Month Month Month Month Month Month Month Month

#1 #2 #3 #4 #5 #6 #7 #8 #9 #10 #11 #12

E. Growth History - Previous 6 months<sup>4</sup>

[Redacted]

F. Forecast - Next 12 months<sup>5</sup>

[Redacted]

G. Average Monthly Forecast (Sum of months # 1-6 (Part F above) divided by 6

[Redacted]

H. Months to Exhaust<sup>6</sup> =

Numbers Available for Assignment to Customers(A)

Average Monthly Forecast(G)

Block Requested

Available Numbers

Months To Exhaust

1  
2  
3

[Redacted]

[Redacted]

I. Utilization<sup>7</sup> =

Assigned Numbers(B)

X 100 =

53.773

Total Numbering Resources(C)-Excluded Numbers(D)

Explanation: \_\_\_\_\_

15

<sup>1</sup>A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For auditing purposes, the applicant must retain a copy of this document.

<sup>2</sup>Report on all resources for the requested geographic area, including newly acquired blocks/codes.

<sup>3</sup>Quantity of numbers activated in the past 90 days is based on blocks and/or codes received from the administrator and shall be reported in increments of 1,000 or 10,000 TNs (e. g.: 2 blocks received=2,000 and 1 code received =10,000).

<sup>4</sup>Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

<sup>5</sup>Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

<sup>6</sup>To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, section 52.15 (g) (3) (iii)).

<sup>7</sup>Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

Back

© 2014 NeuStar, Inc. Legal Notice

Last updated: February 17,  
2016.

Pooling Administration System

Sign Out



tt.com (SP)

Time : 02/17/2016 03:54:20 PM EST

Printable Version

January 12, 2015

Attachment 3

ATIS-0300066.at3

Pooling Administrator's Response/Confirmation  
TBPAG Part 3

Tracking Number : 305-MIAMI-FL-900721

Date of Application: 02/17/2016 Effective Date: \_\_\_\_\_

Date of Receipt: 02/17/2016 Date of Response: 02/17/2016

Service Provider Name: BELLSOUTH TELECOMM INC DBA SOUTHERN BELL TEL & TEL

(iconectiv™ LERG™ Routing Guide ) OCN: 9417

Parent Company OCN: 9400

NPAC SOA SPID : \_\_\_\_\_

Pooling Administrator Contact Information:

Dara Flowers Phone: 925-363-8730

Signature of Pooling Administrator

Dara Flowers Fax: 925-363-7697

Name (print)

Email: dara.flowers@neustar.biz

17

NPA-NXX  
 or NPA-  
 NXX-X : \_\_\_\_\_

Block  
 Assigned: \_\_\_\_\_

Block  
 Reserved : \_\_\_\_\_

Block  
 Reservation  
 Expiration  
 Date : \_\_\_\_\_

Block/Code  
 Modified : \_\_\_\_\_

Block/Code  
 Disconnected : \_\_\_\_\_

Block Contaminated(Yes or  
 No) : \_\_\_\_\_

If Yes,enter the number of  
 TNs contaminated : \_\_\_\_\_

Switch Identification(Switch  
 Entity/POI): <sup>1</sup> MIAMFLPBDS0

Rate Center: MIAMI

Form Complete, request denied.

Explanation:  
**DR-57: You do not meet the MTE and/or Utilization requirements, therefore this request for a new code is denied. You may proceed with requesting a State Waiver from the appropriate state commission using this Part 3 denial. If you are in disagreement with the disposition of this request, please refer to the Thousands-Block Number (NXX-X) Pooling Administration Guidelines for the appeals process.**

\_\_\_\_\_ Request withdrawn.  
 Explanation:

\_\_\_\_\_ Assignment activity suspended by the administrator.  
 Explanation:

Remarks:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

<sup>1</sup> This is an eleven-character descriptor provided by the owning entity for the purpose of routing calls. This must be the CLLI™ Location Identification code of the switching entity/POI shown on the Part 1A form (LERG ROUTING Guide and CLLI are trademarks of Telcordia Technologies, Inc. dba iconectiv)

Back



© 2014 NeuStar, Inc. [Legal Notice](#)

Last updated: February 17, 2016.

19



Pooling Administration System

[Sign Out](#)

[redacted]@att.com (SP)

Time : 02/17/2016 03:50:45 PM EST

Months to Exhaust and Utilization Certification Worksheet - TN Level  
(Continued)<sup>1</sup>

Your Utilization calculates to 53.773%. The FCC requires a utilization of 75%.  
You have requested more blocks than you will exhaust in six months.

Select One Option and click Submit

- Return to the Months To Exhaust Form
- Need to request a State Waiver
- Received a State Waiver

Submit

Cancel

© 2014 NeuStar, Inc. [Legal Notice](#)

Last updated: February 17,  
2016.

20

**Miami  
Utilization Summary  
Report  
(Silver Oaks)**

Exchange	Central Office	Wire Center CLLI	Blocks	Available TNs	Average Growth	MTE	Util
Miami	Airport	MIAMFLAPDS0	74				
Miami	Alhambra	MIAMFLAEDS0	173				
Miami	Alhambra	MIAMFLAERS0	5				
Miami	Allapattah	MIAMFLALDS0	60				
Miami	Bayshore	MIAMFLBARP0	82				
Miami	Beach	MIAMFLBRDS0	118				
Miami	Biscayne	MIAMFLBCDS0	40				
Miami	Canal	MIAMFLCADS0	185				
Miami	Dadeland	MIAMFLDBRS1	19				
Miami	Flagler	MIAMFLFLDS0	73				
Miami	Grande	MIAMFLGRDS0	36				
Miami	Grande	MIAMFLGRDS1	344				
Miami	Hialeah	MIAMFLHLDS0	218				
Miami	Indian Creek	MIAMFLICDS0	68				
Miami	Key Biscayne	MIAMFLKEDS0	21				
Miami	Metro	MIAMFLMERP0	101				
Miami	Metro	MIAMFLMERS0	7				
Miami	Shores	MIAMFLSHDS0	79				
Miami	North Miami	MIAMFLNMDS0	59				
Miami	Northside	MIAMFLNSDS0	67				
Miami	Opa Locka	MIAMFLOLDS0	61				
Miami	Palmetto	MIAMFLPLDS0	304				
Miami	Palmetto	MIAMFLPLRS0	10				
Miami	Poinciana	MIAMFLPBDS0	97				
Miami	Red Road	MIAMFLRRDS0	132				
Miami	Silver Oaks	MIAMFLSODS0	133				
Miami	West Dade	MIAMFLWDDS0	95				
Miami	West Miami	MIAMFLWMDS0	103				

**Miami  
Utilization Summary  
Report  
(Silver Oaks)**

**Attachment 2**

**Customer Information**

