State of Florida



Public Service Commission

CAPITAL CIRCLE OFFICE CENTER • 2540 SHUMARD OAK BOULEVARD TALLAHASSEE, FLORIDA 32399-0850

-M-E-M-O-R-A-N-D-U-M-

DATE: August 11, 2016

TO: Carlotta S. Stauffer, Commission Clerk, Office of Commission Clerk

FROM: Traci Matthews, Engineering Specialist, Division of Engineering

RE: Docket No.160165-SU-Application for staff-assisted rate case in Gulf County by

ESAD Enterprises, Inc. d/b/a Beaches Sewer Systems, Inc.

Please file the attached "Correspondence regarding the withdrawal of interim rates request" in the above mentioned Docket File.

Thank you.

Terri Jones

From:

Traci Matthews

Sent:

Thursday, August 11, 2016 11:11 AM

To:

Terri Jones

Cc:

Phillip Ellis; Todd Brown

Subject:

FW: Docket No. 160165 Beaches WW

Terri, please have the correspondence below entered into the docket file for the subject docket.

Please use the title, "Correspondence regarding the withdrawal of interim rates request."

Thanks!

From: SEIFERT [mailto:seifert13@msn.com]
Sent: Thursday, August 11, 2016 11:09 AM

To: Traci Matthews

Subject: RE: Docket No. 160165 Beaches WW

Based on the email attached, I withdraw my request for interim rates.

Frank J Seifert, President and CFO Beaches Sewer System

From: tmatthew@PSC.STATE.FL.US

To: seifert13@msn.com

CC: PEllis@PSC.STATE.FL.US; TBrown@PSC.STATE.FL.US

Subject: Docket No. 160165 Beaches WW Date: Thu, 11 Aug 2016 15:01:40 +0000

Good morning Mr. Seifert,

This correspondence is a follow-up to our phone conversation earlier today, wherein I explained to you that your utility is ineligible for interim rates. This situation is due to the revenue exceeding the operating expenses by approximately \$13,400.

In order to have proper documentation for your SARC, please respond to this email with a statement that you withdraw your request for interim rates.

Thank you, and if you have any questions please feel free to contact me at your convenience.

Traci Matthews

Engineer Specialist III
Florida Public Service Commission