Commissioners: Julie I. Brown, Chairman Lisa Polak Edgar Art Graham Ronald A. Brisé Jimmy Patronis

STATE OF FLORIDA



DIVISION OF ENGINEERING TOM BALLINGER DIRECTOR (850) 413-6910

Public Service Commission

September 23, 2016

VIA EMAIL & U S MAIL

Mr. Troy Rendell Lakeside Waterworks, Inc. 4939 Cross Bayou Blvd. New Port Richey FL 34652-3434 trendell@uswatercorp.net

Re: Docket 160195-WS-Application for staff-assisted rate case in Lake County by Lakeside Waterworks, Inc. – Filing Fees.

Dear Mr. Rendell:

Commission staff has reviewed and accepted Lakeside Waterworks, Inc. (Lakeside or Utility) application for a staff-assisted rate case (SARC) as of September 23, 2016. Based on Lakeside's application it appears the Utility has the capacity to serve 515 Equivalent Residential Connections (ERCs) for water and 179 ERCs for wastewater. The resulting filing fees are \$1,000 for water and \$500 for wastewater pursuant to Rule 25-30.020(2)(f), Florida Administrative Code (F.A.C). Therefore, the \$1,200 filing fee received on August 22, 2016, is incorrect. Please remit the correct amount by October 26, 2016, or your application will be denied in accordance with Rule 25-30.455(8), F.A.C.

Section 367.091(2), Florida Statutes, requires the Utility to "mail a copy of the application to the chief executive officer of the governing body of each county within the service area included in the rate request." Therefore, please include with your filing fee and affidavit stating this requirement has been fulfilled. The affidavit and filing fee should be sent to the Commission Clerk, Office of Commission Clerk, 2540 Shumard Oak Blvd., Tallahassee, FL 32399-0850. Members of Commission staff will contact you to schedule a convenient time for examination of Lakeside's books, records, and physical plant. If you have any questions or concerns, please contact Clayton Lewis by telephone at (850) 413-6578 or email clewis@psc.state.fl.us.

Sincerely, Tom Ballinger

Director Division of Engineering

TB:tj

cc: Office of Commission Clerk (Docket No. 160195-WS)