



Carlos A. Gimenez, Mayor

Department of Regulatory and Economic Resources
Environmental Resources Management
701 NW 1st Court, 2nd Floor
Miami, Florida 33136-3912
T 305-372-6784 F 305-372-6419
miamidade.gov

February 14, 2017

Mr. Matthew J. Raffenberg, Director
Environmental Licensing and Permitting
Environmental Services Department
Florida Power & Light Company
700 Universe Blvd. (JES/JB)
Juno Beach, FL 33408

Re: FPL Requested Revisions to DERM Approved Site Assessment Plan (SAP) for Ammonia

Dear Mr. Raffenberg:

This letter is in response to FPL's letter dated December 29, 2016 requesting revisions to DERM's approval of the Site Assessment Plan (SAP). DERM has reviewed the requested revisions including a verbal clarification from Scott Burns confirming that FPL has collected chlorophyll a samples from all required surface water sites outside of the cooling canal system including non-tidal sites as part of the assessment effort. DERM also acknowledges that sampling has been completed.

The requested revisions are hereby accepted including the extension request to submit the Site Assessment Report (SAR) by March 17, 2017.

Please contact me if you have any questions regarding this matter.

Sincerely,

[Handwritten signature]

Craig K. Grossenbacher, Chief
Water Resources Coordination Division

- c: Scott Burns, FPL
Alan Katz, FPL
Lee N. Hefty, Director, Division of Environmental Resources Management (DERM) - RER
Wilbur Mayorga, DERM
Lisa Spadafina, DERM
Barbara Brown, DERM
Virginia Walsh, Ph.D., Water and Sewer Dept.

