

Brian Schultz

From: Brian Schultz on behalf of Records Clerk
Sent: Monday, January 04, 2021 10:44 AM
To: 'dknva3@yahoo.com'
Cc: Consumer Contact
Subject: RE: Docket #20200226-SU

Good Morning, Virginia Leslie

We will be placing your comments below in consumer correspondence in Docket No. 20200226-SU and forwarding your comments to the Office of Consumer Assistance and Outreach.

Sincerely,

Brian Schultz

Commission Deputy Clerk II
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399
850.413.6770

PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are considered to be public records and will be made available to the public and the media upon request. Therefore, your e-mail message may be subject to public disclosure.

From: dknva3@yahoo.com <dknva3@yahoo.com>
Sent: Sunday, January 03, 2021 2:24 PM
To: Records Clerk <CLERK@PSC.STATE.FL.US>
Cc: Bob Madden <bobmadden@islanderproperties.com>
Subject: Docket #20200226-SU

FROM: Virginia R Leslie (property owner) Don Pedro
Island

301 S. Gulf Blvd. (unit 23) Placida, FL 33946

TO: clerk@psc.state.fl.us

Re: Docket # 20200226-SU

Date: January 3, 2021

To Whom It May Concern,

I am writing to you as a property owner on Don Pedro Island (Palm Island Estates), which is within the service area contained in the application from Environmental Utilities, LLC [EU] for central sewer. I object to EU's request for the bifurcation of the certificate and ratemaking proceedings and I object to the granting of a temporary waiver of Rule 25-30.033(1)(p) and (q). Given the inadequate information regarding the applicant's financial strength and management experience as well as the costs to the stakeholders involved with this project, the applicant's request for a waiver should be denied.

As a stakeholder in the proposed service area, it is important to have all of the relevant information regarding the proposed central sewer, including the proposed rates, connection fees, assessments if any, type of system intended for installation and proposed estimates for project start up and completion. I therefore request that EU's request for bifurcation and temporary waiver be denied.

Full transparency and disclosure should be the rule and insisted upon for any proposal effecting tax payers and property owners...

Thank You For Your Time And Consideration Regarding This Matter (Docket #20200226-SU),

Virginia R Leslie

Email: dknva3@yahoo.com