

**Brian Schultz**

---

**From:** Brian Schultz on behalf of Records Clerk  
**Sent:** Monday, January 04, 2021 3:20 PM  
**To:** 'gibmigiano51@gmail.com'  
**Cc:** Consumer Contact  
**Subject:** FW: Docket #20200226-SU\_Don Pedro Island.docx  
**Attachments:** Docket #20200226-SU\_Don Pedro Island.docx

Good Afternoon, Gilbert Migliano

We will be placing your comments below in consumer correspondence in Docket No. 20200226-SU and forwarding your comments to the Office of Consumer Assistance and Outreach.

Sincerely,

*Brian Schultz*

Commission Deputy Clerk II  
Florida Public Service Commission  
2540 Shumard Oak Boulevard  
Tallahassee, Florida 32399  
850.413.6770

*PLEASE NOTE: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are considered to be public records and will be made available to the public and the media upon request. Therefore, your e-mail message may be subject to public disclosure.*

---

**From:** Gib Migliano <gibmigiano51@gmail.com>  
**Sent:** Sunday, January 03, 2021 6:17 AM  
**To:** Records Clerk <CLERK@PSC.STATE.FL.US>  
**Subject:** Fwd: Docket #20200226-SU\_Don Pedro Island.docx

**SUBJECT: Docket #20200226-SU**

To Whom It May Concern,

I am writing to you as a property owner on Palm Island, which is within the service area contained in the application from Environmental Utilities, LLC [EU] for central

sewer. I object to EU's request for the bifurcation of the certificate and rate-making proceedings and I object to the granting of a temporary waiver of Rule 25-30.033(1)(p) and (q). Given the inadequate information regarding the applicant's financial strength and management experience as well as the costs to the stakeholders involved with this project, the applicant's request for a waiver should be denied.

As a stakeholder in the proposed service area, it is important to have all of the relevant information regarding the proposed central sewer, including the proposed rates, connection fees and the type of system intended for installation. I therefore request that EU's request for bifurcation and a temporary waiver be denied.

Yours truly,

Gilbert Migliano

170 North Gulf Boulevard  
Palm Island, Florida

TO: [clerk@psc.state.fl.us](mailto:clerk@psc.state.fl.us)

SUBJECT: **Docket #20200226-SU**

To Whom It May Concern,

I am writing to you as a property owner on [Don Pedro Island], which is within the service area contained in the application from Environmental Utilities, LLC [EU] for central sewer. I object to EU's request for the bifurcation of the certificate and rate-making proceedings and I object to the granting of a temporary waiver of Rule 25-30.033(1)(p) and (q). Given the inadequate information regarding the applicant's financial strength and management experience as well as the costs to the stakeholders involved with this project, the applicant's request for a waiver should be denied.

As a stakeholder in the proposed service area, it is important to have all of the relevant information regarding the proposed central sewer, including the proposed rates, connection fees and the type of system intended for installation. I therefore request that EU's request for bifurcation and a temporary waiver be denied.

Yours truly,

David Bartelt

[Dave.Bartelt@gmail.com](mailto:Dave.Bartelt@gmail.com)