

FLORIDA PUBLIC SERVICE COMMISSION

Item 10

VOTE SHEET

June 15, 2021

FILED 6/15/2021
DOCUMENT NO. 05715-2021
FPSC - COMMISSION CLERK

Docket No. 20190210-EG – Petition for approval of demand-side management plan, by Peoples Gas System.

Issue 1: Should the Commission approve Peoples Gas Systems’ proposed DSM Plan and program standards?

Recommendation: Yes. The DSM Plan proposed by PGS is projected to exceed the annual numeric conservation goals approved by the Commission in the 2019 Goalsetting Order. PGS’s proposed DSM Plan is primarily a continuation, with some minor modifications, of its preliminary DSM portfolio used to establish the goals approved by the Commission in 2019 Goalsetting Order. The programs within PGS’s proposed DSM Plan are projected to be cost-effective based upon both the G-RIM and Participants Tests.

Therefore, staff recommends that the Commission should allow PGS to file for cost recovery of the programs included in its proposed DSM Plan in the Natural Gas Conservation Cost Recovery (NGCCR) proceeding. However, PGS must demonstrate that the expenditures to implement its DSM programs are reasonable and prudent in order to recover those expenditures.

PGS also submitted its administrative program standards with its proposed DSM Plan. Staff has reviewed PGS’s administrative program standards and recommends that they are consistent with the Utility’s proposed DSM Plan submitted for approval by the Commission. Staff requests that PGS notify the Commission prior to any changes being made to the program standards as filed.

APPROVED

COMMISSIONERS ASSIGNED: All Commissioners

COMMISSIONERS’ SIGNATURES

MAJORITY

DISSENTING

[Handwritten signatures in blue ink on five lines]

REMARKS/DISSENTING COMMENTS:

Docket No. 20190210-EG – Petition for approval of demand-side management plan, by Peoples Gas System.

(Continued from previous page)

Issue 2: Should this docket be closed?

Recommendation: Yes. If no person whose substantial interests are affected by the proposed agency action files a protest within 21 days of the issuance of the order, this docket should be closed upon the issuance of a consummating order.

APPROVED