#	ID	Code	Sco	(1) Measure	(2) Summer Peak Reduction (kW)	(3) Winter Peak Reduction (kW)	Upfront Admin Per-unit	(4) Annual energy savings (kWh)	(5) service Life(Yrs)	Tech Code	(7) Member a Incentiv e	Units	Load Shifting %	Rate Class	Blank Column	Blank Column	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	Technical Potential	Summer Demand	Winter Demand Saving
185	RSFS201	RSFS	203	Ceiling Insulation R51 to R605	0.26	0.02	564.32	4.65	30	5	171	51.288	Per End-U	0%	95																											4888868	551	1.5519
186	########	RSFS	203	Ceiling Insulation R51 to R605	0.26	0.02	564.32	4.65	30	0	-	##.###	Per End-U	0%	95																												-	-
191	RSFS201	RSFS	204	Ceiling Insulation R51 to R605	0.26	0.02	########	8.21	30	0	-	##.###	Per End-U	0%	95																												## ###	-	-
196	RSFS201	RSFS	205	Ceiling Insulation R51 to R605	0.33	0.03	########	10.26	30	0	-	##.###	Per End-U	0%	95																												## ###	-	-
197	RSFS201	RSFS	205	Ceiling Insulation R51 to R605	0.33	0.17	########	7.61	30	0	-	##.###	Per End-U	0%	95																												## ###	-	-
198	RSFS201	RSFS	205	Ceiling Insulation R51 to R605	0.33	0.17	########	7.61	30	0	-	51.635	Per End-U	0%	95																												-	-	-
205	RSFS202	RSFS	206	Ceiling Insulation R19 to R605	0.13	0.01	###.##	2.05	30	0	80	##.###	Per End-U	0%	95																												########	4.813	1.1.111
204	RSFS205	RSFS	206	Ceiling Insulation R19 to R930	0.13	0.01	514.95	2.05	30	0	-	8.705	Per End-U	0%	95																												########	1.08	1.11
209	RSFS206	RSFS	207	Ceiling Insulation R19 to R605	0.16	0.16	564.32	4.65	30	0	-	##.###	Per End-U	0%	95																												-	-	-
210	RSFS207	RSFS	207	Ceiling Insulation R19 to R930	0.16	0.16	564.45	4.65	30	0	-	51.288	Per End-U	0%	95																												6.815	2	2
215	RSFS208	RSFS	208	Ceiling Insulation R19 to R605	0.20	0.19	564.32	4.65	30	0	217	51.315	Per End-U	0%	95																												-	-	-
214	RSFS209	RSFS	208	Ceiling Insulation R19 to R930	0.20	0.19	514.95	4.65	30	0	-	8.705	Per End-U	0%	95																												########	61	64
221	RSFS300	RSFS	209	Ceiling Insulation R21 to R301	1.76	0.16	########	50/55	50	0	146	51.222	Per End-U	0%	95																												########	68	70
222	########	RSFS	209	Ceiling Insulation R21 to R301	1.78	0.16	########	50/55	50	0	-	##.###	Per End-U	0%	95																												########	68	70
227	RSFS310	RSFS	210	Ceiling Insulation R21 to R301	1.68	1.65	########	41/39	50	0	-	51.556	Per End-U	0%	95																												########	68	70
228	########	RSFS	210	Ceiling Insulation R21 to R301	1.68	1.65	########	41/39	50	0	-	##.###	Per End-U	0%	95																												95.135	4.5	3.2
233	########	RSFS	211	Ceiling Insulation R21 to R301	1.72	0.85	########	50/55	50	0	146	51.222	Per End-U	0%	95																												########	68	70
234	########	RSFS	211	Ceiling Insulation R21 to R301	1.72	0.85	########	50/55	50	0	-	51.635	Per End-U	0%	95																												########	68	70
239	RSFS212	RSFS	212	Ceiling Insulation R30 to R930	0.04	0.05	514.95	1.05	30	0	-	7.58	Per End-U	0%	95																												########	1.329	912
240	RSFS212	RSFS	212	Ceiling Insulation R30 to R930	0.04	0.05	514.95	1.05	30	0	-	7.58	Per End-U	0%	95																												########	62	59
245	RSFS213	RSFS	213	Ceiling Insulation R30 to R930	0.03	0.03	###.##	1.89	30	0	529	51.748	Per End-U	0%	95																												########	564	577
250	RSFS214	RSFS	214	Ceiling Insulation R30 to R930	0.03	0.02	###.##	1.89	30	0	-	51.748	Per End-U	0%	95																												66.395	7.5	3.5
251	RSFS214	RSFS	214	Ceiling Insulation R30 to R930	0.03	0.02	###.##	88	30	0	-	8.705	Per End-U	0%	95																														
252	RSFS214	RSFS	214	Ceiling Insulation R30 to R930	0.04	0.02	514.57	88	30	0	-	8.705	Per End-U	0%	95																														
				Existing Ceiling Insulation R2 to R10	0.01	0.010		2185.0																																				

100 energy savings based upon 2020 actuals

NonEquipment	Bathroom Faucet Aerators
NonEquipment	Bathroom Faucet Aerators
NonEquipment	Bathroom Faucet Aerators
NonEquipment	Bathroom Faucet Aerators
NonEquipment	Bathroom Faucet Aerators
NonEquipment	Bathroom Faucet Aerators
NonEquipment	Duct Repair
NonEquipment	Duct Repair
NonEquipment	Duct Repair
NonEquipment	Duct Repair
NonEquipment	Duct Repair
NonEquipment	Duct Repair
NonEquipment	Duct Repair
NonEquipment	Duct Repair
NonEquipment	Duct Repair
NonEquipment	Duct Repair
NonEquipment	Duct Repair
NonEquipment	Hot Water Pipe Insulation
NonEquipment	Hot Water Pipe Insulation
NonEquipment	Hot Water Pipe Insulation
NonEquipment	Hot Water Pipe Insulation
NonEquipment	Hot Water Pipe Insulation
NonEquipment	Hot Water Pipe Insulation
NonEquipment	Kitchen Faucet Aerators
NonEquipment	Kitchen Faucet Aerators
NonEquipment	Kitchen Faucet Aerators
NonEquipment	Kitchen Faucet Aerators
NonEquipment	Kitchen Faucet Aerators
NonEquipment	Kitchen Faucet Aerators
NonEquipment	Low Flow Showerhead
NonEquipment	Low Flow Showerhead
NonEquipment	Low Flow Showerhead
NonEquipment	Low Flow Showerhead
NonEquipment	Low Flow Showerhead
NonEquipment	Low Flow Showerhead
NonEquipment	Weather stripping
NonEquipment	Weather stripping
NonEquipment	Weather stripping
NonEquipment	Weather stripping
NonEquipment	Weather stripping
NonEquipment	Weather stripping
NonEquipment	Weather stripping
NonEquipment	Weather stripping
NonEquipment	Weather stripping

NonEquipment	Weather stripping
NonEquipment	Weather stripping
NonEquipment	Window Caulking
NonEquipment	Window Caulking
NonEquipment	Window Caulking
NonEquipment	Window Caulking
NonEquipment	Window Caulking
NonEquipment	Window Caulking
NonEquipment	Window Caulking
NonEquipment	Window Caulking
NonEquipment	Window Caulking
NonEquipment	Window Caulking
NonEquipment	Window Caulking
NonEquipment	Window Caulking
Equipment	LED - 9W_CFL Baseline
Equipment	LED - 9W_CFL Baseline
Equipment	LED - 9W_CFL Baseline
Equipment	LED - 9W_CFL Baseline
Equipment	LED - 9W_CFL Baseline
Equipment	LED - 9W_CFL Baseline
Equipment	LED - 9W_Halogen Baseline
Equipment	LED - 9W_Halogen Baseline
Equipment	LED - 9W_Halogen Baseline
Equipment	LED - 9W_Halogen Baseline
Equipment	LED - 9W_Halogen Baseline
Equipment	LED - 9W_Halogen Baseline

Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Duct Repair to eliminate/minimize leaks, includes testing and sealing
Duct Repair to eliminate/minimize leaks, includes testing and sealing
Duct Repair to eliminate/minimize leaks, includes testing and sealing
Duct Repair to eliminate/minimize leaks, includes testing and sealing
Duct Repair to eliminate/minimize leaks, includes testing and sealing
Duct Repair to eliminate/minimize leaks, includes testing and sealing
Duct Repair to eliminate/minimize leaks, includes testing and sealing
Duct Repair to eliminate/minimize leaks, includes testing and sealing
Duct Repair to eliminate/minimize leaks, includes testing and sealing
Duct Repair to eliminate/minimize leaks, includes testing and sealing
Duct Repair to eliminate/minimize leaks, includes testing and sealing
1' of Insulated Pipe in Unconditioned Spaces, Insulation of R-5
1' of Insulated Pipe in Unconditioned Spaces, Insulation of R-5
1' of Insulated Pipe in Unconditioned Spaces, Insulation of R-5
1' of Insulated Pipe in Unconditioned Spaces, Insulation of R-5
1' of Insulated Pipe in Unconditioned Spaces, Insulation of R-5
1' of Insulated Pipe in Unconditioned Spaces, Insulation of R-5
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Faucet Aerator with Flow Rate of 1.5 gpm
Low-Flow Handheld Showerhead, Flow Rate: 1.60 gpm
Low-Flow Handheld Showerhead, Flow Rate: 1.60 gpm
Low-Flow Handheld Showerhead, Flow Rate: 1.60 gpm
Low-Flow Handheld Showerhead, Flow Rate: 1.60 gpm
Low-Flow Handheld Showerhead, Flow Rate: 1.60 gpm
Low-Flow Handheld Showerhead, Flow Rate: 1.60 gpm
Specific quantity of weather stripping to seal
Specific quantity of weather stripping to seal
Specific quantity of weather stripping to seal
Specific quantity of weather stripping to seal
Specific quantity of weather stripping to seal
Specific quantity of weather stripping to seal
Specific quantity of weather stripping to seal
Specific quantity of weather stripping to seal
Specific quantity of weather stripping to seal
Specific quantity of weather stripping to seal

Specific quantity of weather stripping to seal
Specific quantity of weather stripping to seal
Window caulking
Window caulking
Window caulking
Window caulking
Window caulking
Window caulking
Window caulking
Window caulking
Window caulking
Window caulking
Window caulking
LED (assume 9W) replacing CFL baseline lamp
LED (assume 9W) replacing CFL baseline lamp
LED (assume 9W) replacing CFL baseline lamp
LED (assume 9W) replacing CFL baseline lamp
LED (assume 9W) replacing CFL baseline lamp
LED (assume 9W) replacing CFL baseline lamp
LED (assume 9W) replacing EISA-2020 compliant baseline lamp
LED (assume 9W) replacing EISA-2020 compliant baseline lamp
LED (assume 9W) replacing EISA-2020 compliant baseline lamp
LED (assume 9W) replacing EISA-2020 compliant baseline lamp
LED (assume 9W) replacing EISA-2020 compliant baseline lamp
LED (assume 9W) replacing EISA-2020 compliant baseline lamp

	Residential	y	Existing	Mobile Home
Faucet Aerator with Federal Standard Flow Rate of 2.	Residential	y	New	Mobile Home
	Residential	y	Existing	Multi-Family
Faucet Aerator with Federal Standard Flow Rate of 2.	Residential	y	New	Multi-Family
	Residential	y	Existing	Single Family
Faucet Aerator with Federal Standard Flow Rate of 2.	Residential	y	New	Single Family
	Residential	y	Existing	Mobile Home
Standard Electric Heating and Central AC with typical	Residential	y	New	Mobile Home
	Residential	y	Existing	Multi-Family
Standard Electric Heating and Central AC with typical	Residential	y	New	Multi-Family
	Residential	y	Existing	Single Family
Standard Electric Heating and Central AC with typical	Residential	y	New	Single Family
	Residential	y	Existing	Mobile Home
Standard Electric Heating and Central AC with typical	Residential	y	New	Mobile Home
	Residential	y	Existing	Multi-Family
Standard Electric Heating and Central AC with typical	Residential	y	New	Multi-Family
	Residential	y	Existing	Single Family
Standard Electric Heating and Central AC with typical	Residential	y	New	Single Family
	Residential	y	Existing	Mobile Home
1' of Pipe in Unconditioned Spaces with Code Minimu	Residential	y	New	Mobile Home
	Residential	y	Existing	Multi-Family
1' of Pipe in Unconditioned Spaces with Code Minimu	Residential	y	New	Multi-Family
	Residential	y	Existing	Single Family
1' of Pipe in Unconditioned Spaces with Code Minimu	Residential	y	New	Single Family
	Residential	y	Existing	Mobile Home
Faucet Aerator with Federal Standard Flow Rate of 2.	Residential	y	New	Mobile Home
	Residential	y	Existing	Multi-Family
Faucet Aerator with Federal Standard Flow Rate of 2.	Residential	y	New	Multi-Family
	Residential	y	Existing	Single Family
Faucet Aerator with Federal Standard Flow Rate of 2.	Residential	y	New	Single Family
	Residential	y	Existing	Mobile Home
Standard Handheld Showerhead, Flow Rate: 2.50 gpn	Residential	y	New	Mobile Home
	Residential	y	Existing	Multi-Family
Standard Handheld Showerhead, Flow Rate: 2.50 gpn	Residential	y	New	Multi-Family
	Residential	y	Existing	Single Family
Standard Handheld Showerhead, Flow Rate: 2.50 gpn	Residential	y	New	Single Family
	Residential	y	Existing	Mobile Home
	Residential	y	New	Mobile Home
	Residential	y	Existing	Multi-Family
	Residential	y	New	Multi-Family
	Residential	y	Existing	Single Family
	Residential	y	New	Single Family
	Residential	y	Existing	Mobile Home
	Residential	y	New	Mobile Home
	Residential	y	Existing	Multi-Family
	Residential	y	New	Multi-Family

	Residential	y	Existing	Single Family
	Residential	y	New	Single Family
	Residential	y	Existing	Mobile Home
	Residential	y	New	Mobile Home
	Residential	y	Existing	Multi-Family
	Residential	y	New	Multi-Family
	Residential	y	Existing	Single Family
	Residential	y	New	Single Family
	Residential	y	Existing	Mobile Home
	Residential	y	New	Mobile Home
	Residential	y	Existing	Multi-Family
	Residential	y	New	Multi-Family
	Residential	y	Existing	Single Family
	Residential	y	New	Single Family
14W CFL (60W equivalent)	Residential	y	Turnover	Mobile Home
14W CFL (60W equivalent)	Residential	y	New	Mobile Home
14W CFL (60W equivalent)	Residential	y	Turnover	Mobile Home
14W CFL (60W equivalent)	Residential	y	New	Mobile Home
14W CFL (60W equivalent)	Residential	y	Turnover	Mobile Home
14W CFL (60W equivalent)	Residential	y	New	Mobile Home
EISA-2020 compliant baseline lamp (60W equivalent)	Residential	y	Turnover	Mobile Home
EISA-2020 compliant baseline lamp (60W equivalent)	Residential	y	New	Mobile Home
EISA-2020 compliant baseline lamp (60W equivalent)	Residential	y	Turnover	Mobile Home
EISA-2020 compliant baseline lamp (60W equivalent)	Residential	y	New	Mobile Home
EISA-2020 compliant baseline lamp (60W equivalent)	Residential	y	Turnover	Mobile Home
EISA-2020 compliant baseline lamp (60W equivalent)	Residential	y	New	Mobile Home

0	Per End Use Consumption	3481.89
0	Per End Use Consumption	3481.89
0	Per End Use Consumption	1660.75
0	Per End Use Consumption	1660.75
0	Per End Use Consumption	2993.2
0	Per End Use Consumption	2993.2
0	Per End Use Consumption	4122.96
0	Per End Use Consumption	4122.96
0	Per End Use Consumption	2543.32
0	Per End Use Consumption	2543.32
0	Per End Use Consumption	6178.82
0	Per End Use Consumption	6178.82
0	Per End Use Consumption	1709.52
0	Per End Use Consumption	1709.52
0	Per End Use Consumption	218.27
0	Per End Use Consumption	218.27
0	Per End Use Consumption	1624.88
0	Per End Use Consumption	1624.88
0	Per End Use Consumption	3481.89
0	Per End Use Consumption	3481.89
0	Per End Use Consumption	1660.75
0	Per End Use Consumption	1660.75
0	Per End Use Consumption	2993.2
0	Per End Use Consumption	2993.2
0	Per End Use Consumption	3481.89
0	Per End Use Consumption	3481.89
0	Per End Use Consumption	1660.75
0	Per End Use Consumption	1660.75
0	Per End Use Consumption	2993.2
0	Per End Use Consumption	2993.2
0	Per End Use Consumption	3481.89
0	Per End Use Consumption	3481.89
0	Per End Use Consumption	1660.75
0	Per End Use Consumption	1660.75
0	Per End Use Consumption	2993.2
0	Per End Use Consumption	2993.2
0	Per End Use Consumption	4122.96
0	Per End Use Consumption	4122.96
0	Per End Use Consumption	2543.32
0	Per End Use Consumption	2543.32
0	Per End Use Consumption	6178.82
0	Per End Use Consumption	6178.82
0	Per End Use Consumption	1709.52
0	Per End Use Consumption	1709.52
0	Per End Use Consumption	218.27
0	Per End Use Consumption	218.27

0	Per End Use Consumption	1624.88
0	Per End Use Consumption	1624.88
0	Per End Use Consumption	4122.96
0	Per End Use Consumption	4122.96
0	Per End Use Consumption	2543.32
0	Per End Use Consumption	2543.32
0	Per End Use Consumption	6178.82
0	Per End Use Consumption	6178.82
0	Per End Use Consumption	1709.52
0	Per End Use Consumption	1709.52
0	Per End Use Consumption	218.27
0	Per End Use Consumption	218.27
0	Per End Use Consumption	1624.88
0	Per End Use Consumption	1624.88
	Per Lamp	12.53
	Per Lamp	12.53
	Per Lamp	12.53
	Per Lamp	12.53
	Per Lamp	12.53
	Per Lamp	12.53
	Per Lamp	38.48
	Per Lamp	38.48
	Per Lamp	38.48
	Per Lamp	38.48
	Per Lamp	38.48
	Per Lamp	38.48

3371.18	110.71	0.03179595	10
3371.18	110.71	0.03179595	10
1568.49	92.26	0.055553214	10
1568.49	92.26	0.055553214	10
2873.26	119.94	0.040070827	10
2873.26	119.94	0.040070827	10
3628.2	494.76	0.120001164	20
3628.2	494.76	0.120001164	20
2238.12	305.2	0.120000629	20
2238.12	305.2	0.120000629	20
5437.36	741.46	0.120000259	20
5437.36	741.46	0.120000259	20
1504.38	205.14	0.119998596	20
1504.38	205.14	0.119998596	20
192.08	26.19	0.119989004	20
192.08	26.19	0.119989004	20
1429.89	194.99	0.120002708	20
1429.89	194.99	0.120002708	20
3377.43	104.46	0.030000948	15
3377.43	104.46	0.030000948	15
1610.93	49.82	0.029998495	15
1610.93	49.82	0.029998495	15
2903.4	89.8	0.030001336	15
2903.4	89.8	0.030001336	15
3260.46	221.43	0.063594772	10
3260.46	221.43	0.063594772	10
1476.23	184.52	0.111106428	10
1476.23	184.52	0.111106428	10
2753.32	239.88	0.080141654	10
2753.32	239.88	0.080141654	10
3335.13	146.76	0.042149522	10
3335.13	146.76	0.042149522	10
1538.45	122.3	0.073641427	10
1538.45	122.3	0.073641427	10
2834.22	158.98	0.053113724	10
2834.22	158.98	0.053113724	10
4109.67	13.29	0.003223412	10
4109.67	13.29	0.003223412	10
2530.03	13.29	0.005225453	10
2530.03	13.29	0.005225453	10
6165.53	13.29	0.002150896	10
6165.53	13.29	0.002150896	10
1693.26	16.26	0.009511442	10
1693.26	16.26	0.009511442	10
202.01	16.26	0.074494892	10
202.01	16.26	0.074494892	10

1608.62	16.26	0.010006893	10
1608.62	16.26	0.010006893	10
4109.67	13.29	0.003223412	10
4109.67	13.29	0.003223412	10
2530.03	13.29	0.005225453	10
2530.03	13.29	0.005225453	10
6165.53	13.29	0.002150896	10
6165.53	13.29	0.002150896	10
1693.26	16.26	0.009511442	10
1693.26	16.26	0.009511442	10
202.01	16.26	0.074494892	10
202.01	16.26	0.074494892	10
1608.62	16.26	0.010006893	10
1608.62	16.26	0.010006893	10
8.05	4.48	0.357541899	10
8.05	4.48	0.357541899	10
8.05	4.48	0.357541899	10
8.05	4.48	0.357541899	10
8.05	4.48	0.357541899	10
8.05	4.48	0.357541899	10
8.05	30.43	0.790800416	10
8.05	30.43	0.790800416	10
8.05	30.43	0.790800416	10
8.05	30.43	0.790800416	10
8.05	30.43	0.790800416	10
8.05	30.43	0.790800416	10

0.012	0.03	3.09
0.012	0.03	3.09
0.01	0.025	3.09
0.01	0.025	3.09
0.013	0.032	3.09
0.013	0.032	3.09
0.206	0.001	484.2342443
0.206	0.001	484.2342443
0.127	0.001	630.8731464
0.127	0.001	630.8731464
0.308	0.001	542.3754761
0.308	0.001	542.3754761
0	0.359	200.7757557
0	0.359	200.7757557
0	0.046	54.13685356
0	0.046	54.13685356
0	0.341	142.6345239
0	0.341	142.6345239
0.012	0.028	18.52
0.012	0.028	18.52
0.006	0.013	18.52
0.006	0.013	18.52
0.01	0.024	18.52
0.01	0.024	18.52
0.025	0.059	3.09
0.025	0.059	3.09
0.021	0.049	3.09
0.021	0.049	3.09
0.027	0.064	3.09
0.027	0.064	3.09
0.016	0.039	12.34
0.016	0.039	12.34
0.014	0.033	12.34
0.014	0.033	12.34
0.018	0.042	12.34
0.018	0.042	12.34
0.006	0	7.618700508
0.006	0	7.618700508
0.006	0	7.618700508
0.006	0	7.618700508
0.006	0	7.618700508
0.006	0	7.618700508
0	0.028	9.321299492
0	0.028	9.321299492
0	0.028	9.321299492
0	0.028	9.321299492

0	0.028	9.321299492
0	0.028	9.321299492
0.006	0	1.924913706
0.006	0	1.924913706
0.006	0	1.924913706
0.006	0	1.924913706
0.006	0	1.924913706
0.006	0	1.924913706
0	0.028	2.355086294
0	0.028	2.355086294
0	0.028	2.355086294
0	0.028	2.355086294
0	0.028	2.355086294
0	0.028	2.355086294
0	0	0.25
0	0	0.25
0	0	0.25
0	0	0.25
0	0	0.25
0	0	0.25
0.003	0.003	0.4
0.003	0.003	0.4
0.003	0.003	0.4
0.003	0.003	0.4
0.003	0.003	0.4
0.003	0.003	0.4

Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Space Cooling	AC central	0	484.2342
Residential Space Cooling	AC central	0	484.2342
Residential Space Cooling	AC central	0	630.8731
Residential Space Cooling	AC central	0	630.8731
Residential Space Cooling	AC central	0	542.3755
Residential Space Cooling	AC central	0	542.3755
Residential Space Heating	Air-Source Heat Pum	0	200.7758
Residential Space Heating	Air-Source Heat Pum	0	200.7758
Residential Space Heating	Air-Source Heat Pum	0	54.13685
Residential Space Heating	Air-Source Heat Pum	0	54.13685
Residential Space Heating	Air-Source Heat Pum	0	142.6345
Residential Space Heating	Air-Source Heat Pum	0	142.6345
Residential Domestic Hot Water	Electric Water Heate	0	18.52
Residential Domestic Hot Water	Electric Water Heate	0	18.52
Residential Domestic Hot Water	Electric Water Heate	0	18.52
Residential Domestic Hot Water	Electric Water Heate	0	18.52
Residential Domestic Hot Water	Electric Water Heate	0	18.52
Residential Domestic Hot Water	Electric Water Heate	0	18.52
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	3.09
Residential Domestic Hot Water	Electric Water Heate	0	7.2
Residential Domestic Hot Water	Electric Water Heate	0	7.2
Residential Domestic Hot Water	Electric Water Heate	0	7.2
Residential Domestic Hot Water	Electric Water Heate	0	7.2
Residential Domestic Hot Water	Electric Water Heate	0	7.2
Residential Domestic Hot Water	Electric Water Heate	0	7.2
Residential Space Cooling	AC central	0	7.618701
Residential Space Cooling	AC central	0	7.618701
Residential Space Cooling	AC central	0	7.618701
Residential Space Cooling	AC central	0	7.618701
Residential Space Cooling	AC central	0	7.618701
Residential Space Cooling	AC central	0	7.618701
Residential Space Heating	Air-Source Heat Pum	0	9.321299
Residential Space Heating	Air-Source Heat Pum	0	9.321299
Residential Space Heating	Air-Source Heat Pum	0	9.321299
Residential Space Heating	Air-Source Heat Pum	0	9.321299

Residential Space Heating	Air-Source Heat Pum	0	9.321299
Residential Space Heating	Air-Source Heat Pum	0	9.321299
Residential Space Cooling	AC central	0	1.924914
Residential Space Cooling	AC central	0	1.924914
Residential Space Cooling	AC central	0	1.924914
Residential Space Cooling	AC central	0	1.924914
Residential Space Cooling	AC central	0	1.924914
Residential Space Cooling	AC central	0	1.924914
Residential Space Heating	Air-Source Heat Pum	0	2.355086
Residential Space Heating	Air-Source Heat Pum	0	2.355086
Residential Space Heating	Air-Source Heat Pum	0	2.355086
Residential Space Heating	Air-Source Heat Pum	0	2.355086
Residential Space Heating	Air-Source Heat Pum	0	2.355086
Residential Space Heating	Air-Source Heat Pum	0	2.355086
Lighting	Screw-in Lamps	1.99	2.24
Lighting	Screw-in Lamps	1.99	2.24
Lighting	Screw-in Lamps	1.99	2.24
Lighting	Screw-in Lamps	1.99	2.24
Lighting	Screw-in Lamps	1.99	2.24
Lighting	Screw-in Lamps	1.99	2.24
Lighting	Screw-in Lamps	1.84	2.24
Lighting	Screw-in Lamps	1.84	2.24
Lighting	Screw-in Lamps	1.84	2.24
Lighting	Screw-in Lamps	1.84	2.24
Lighting	Screw-in Lamps	1.84	2.24
Lighting	Screw-in Lamps	1.84	2.24

0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	5.14	0	0	0	0	0	0
0	5.14	0	0	0	0	0	0
0	5.14	0	0	0	0	0	0
0	5.14	0	0	0	0	0	0
0	5.14	0	0	0	0	0	0
0	5.14	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0

0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0

Row Labels	Sum of Summer kW	Sum of Winter kW	Sum of kWh	Sum of Count	% of Meas
Faucet Aerators	24.76	145.55	840,321	7030	14%
HVAC Inspection	1380.03	8.29	2,223,829	8077	16%
LED Lights	0	0	443,593	9321	19%
LI - DUCT	1498.8	449.64	2,906,784	3747	8%
Low Flow Showerhead	331.55	766.25	3,908,049	7713	16%
Outdoor Coil Cleaning	564	0	1,551,000	5640	11%
Pipe Wrap	20.67	60.25	289,449	2005	4%
Weather Strip/Caulk	1453.75	521.82	2,930,349	5799	12%
(blank)					
Grand Total	**5273.56**	**1951.8**	**15,093,375**	**49332**	**100%**

ures

Kitchen and Bathroom




nmer kW
nter kW
h
unt

Program Name: Product Name	Measure Name	Rebate Amount	Summer kW	Winter kW	kWh
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4

Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083

Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4

Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.03	793.5
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.03	793.5
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.44	0.08	1032.5
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.08	1032.5
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.08	1032.5
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0	0.06	289.5
Low Income - Power to Save	Faucet Aerators	0	0	0.06	289.5
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0.04	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4

Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9

Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.19	0.04	506
Low Income - Power to Save	Faucet Aerators	0	0.19	0.04	506
Low Income - Power to Save	Pipe Wrap	0	0.19	0.04	506
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.44	0.04	843.9
Low Income - Power to Save	Faucet Aerators	0	0.44	0.04	843.9
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.04	843.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4

Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083

Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4

Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4

Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.01	362.3
Low Income - Power to Save	Faucet Aerators	0	0.18	0.01	362.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083

Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0	0.06	289.5
Low Income - Power to Save	Faucet Aerators	0	0	0.06	289.5
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4

Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.45	0.12	1226.6
Low Income - Power to Save	Low Flow Showerhead	0	0.45	0.12	1226.6
Low Income - Power to Save	Faucet Aerators	0	0.45	0.12	1226.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.45	0.12	1226.6
Low Income - Power to Save	Pipe Wrap	0	0.45	0.12	1226.6
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.01	362.3
Low Income - Power to Save	Faucet Aerators	0	0.18	0.01	362.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4

Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0	0.06	289.5
Low Income - Power to Save	Faucet Aerators	0	0	0.06	289.5
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4

Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.44	0.09	1083
Low Income - Power to Save	Low Flow Showerhead	0	0.44	0.09	1083
Low Income - Power to Save	Faucet Aerators	0	0.44	0.09	1083
Low Income - Power to Save	Weather Strip/Caulk	0	0.44	0.09	1083
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9

Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.06	601.4
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.06	601.4
Low Income - Power to Save	Faucet Aerators	0	0.18	0.06	601.4
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.01	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.18	0.05	550.9
Low Income - Power to Save	Low Flow Showerhead	0	0.18	0.05	550.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.18	0	311.9
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6

Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3

Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58

Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65

Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275

Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6

Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	HVAC Inspection	80	0.17	0	268.73

Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3

Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LI - DUCT	60	0.4	0.12	775.77

Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73

Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65

Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3

Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275

Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	LED Lights	5	0	0	47.6
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Faucet Aerators	10	0	0.02	110.58

Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6

Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65

Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6

Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0.1	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504

Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504
Low Income - Power to Save	LED Lights	0	0	0	47
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77

Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58

Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3

Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73

Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LED Lights	0	0	0	47.6

Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	LED Lights	0	0	0	47.6
Low Income - Power to Save	Faucet Aerators	0	0	0.02	110.58
Low Income - Power to Save	Low Flow Showerhead	0	0.04	0.1	504.08
Low Income - Power to Save	Pipe Wrap	0	0.01	0.03	143.65
Low Income - Power to Save	Weather Strip/Caulk	0	0.25	0.09	503.3
Low Income - Power to Save	Outdoor Coil Cleaning	0	0.1	0	275
Low Income - Power to Save	LI - DUCT	0	0.4	0.12	775.77
Low Income - Power to Save	HVAC Inspection	0	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73

Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Weather Strip/Caulk	90	0.25	0.09	503
Low Income	LI - DUCT	60	0.4	0.12	775
Low Income	LED Lights	5	0	0	47
Low Income	Weather Strip/Caulk	90	0.25	0.09	503
Low Income	LI - DUCT	60	0.4	0.12	775
Low Income	LED Lights	5	0	0	47
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65

Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	LED Lights	5	0	0	47.6
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73

Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Low Flow Showerhead	30	0.04	0.1	504.08
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3

Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	LI - DUCT	60	0.4	0.12	775.77
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	LED Lights	5	0	0	47.6
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3

Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Faucet Aerators	10	0	0.02	110.58
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65
Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Outdoor Coil Cleaning	60	0.1	0	275
Low Income	Pipe Wrap	40	0.01	0.03	143.65

Low Income	HVAC Inspection	80	0.17	0	268.73
Low Income	Weather Strip/Caulk	90	0.25	0.09	503.3
Low Income	Pipe Wrap	40	0.01	0.03	143.65

Count	Contractor / Installer: Account Name	Vouchered Date	Billing Account Number
1		12/12/2023	redacted
1		12/14/2023	redacted
1		12/13/2023	redacted
1		12/5/2023	redacted
1		12/8/2023	redacted
1		12/8/2023	redacted
1		12/8/2023	redacted
1		12/14/2023	redacted
1		12/14/2023	redacted
1		12/11/2023	redacted
1		12/11/2023	redacted
1		12/19/2023	redacted
1		12/19/2023	redacted
1		12/19/2023	redacted
1		12/12/2023	redacted
1		12/12/2023	redacted
1		12/12/2023	redacted
1		12/12/2023	redacted
1		12/12/2023	redacted
1		12/4/2023	redacted
1		12/4/2023	redacted
1		12/12/2023	redacted
1		12/12/2023	redacted
1		12/22/2023	redacted
1		12/22/2023	redacted
1		12/22/2023	redacted
1		12/22/2023	redacted
1		12/20/2023	redacted
1		12/20/2023	redacted
1		12/15/2023	redacted
1		12/5/2023	redacted
1		12/5/2023	redacted
1		12/5/2023	redacted
1		12/15/2023	redacted
1		12/15/2023	redacted
1		12/15/2023	redacted
1		12/15/2023	redacted
1		12/4/2023	redacted
1		12/4/2023	redacted

1	12/7/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/12/2023	redacted
1	12/1/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/1/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/4/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/21/2023	redacted
1	12/21/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/5/2023	redacted

1	12/5/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/1/2023	redacted
1	12/15/2023	redacted
1	12/14/2023	redacted
1	12/18/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/21/2023	redacted
1	12/21/2023	redacted
1	12/21/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/4/2023	redacted
1	12/20/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/18/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted

1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/20/2023	redacted
1	12/7/2023	redacted
1	12/15/2023	redacted
1	12/6/2023	redacted
1	12/1/2023	redacted
1	12/13/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/12/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/6/2023	redacted
1	12/15/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/5/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/4/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/1/2023	redacted
1	12/7/2023	redacted

1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/4/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/14/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/5/2023	redacted
1	12/14/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/1/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/7/2023	redacted
1	12/4/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/1/2023	redacted

1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/15/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/4/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/12/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/18/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/19/2023	redacted
1	12/19/2023	redacted

1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/19/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/14/2023	redacted
1	12/15/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/19/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/7/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted

1	12/12/2023	redacted
1	12/15/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/15/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/28/2023	redacted
1	12/28/2023	redacted
1	12/7/2023	redacted
1	12/21/2023	redacted
1	12/21/2023	redacted
1	12/21/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted

1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted

1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted

1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted

1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/22/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted

1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/8/2023	redacted

1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted

1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted

1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted

1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted

1	12/22/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/27/2023	redacted
1	12/27/2023	redacted
1	12/27/2023	redacted
1	12/27/2023	redacted
1	12/27/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted

1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted

1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted

1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/22/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted

1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted

1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted

1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/12/2023	redacted
1	12/4/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted

1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/18/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/28/2023	redacted
1	12/28/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/13/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/13/2023	redacted
1	12/19/2023	redacted
1	12/19/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/6/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/13/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/14/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/12/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted

1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/20/2023	redacted
1	12/14/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/18/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/13/2023	redacted
1	12/15/2023	redacted
1	12/13/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/5/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/19/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted

1	12/18/2023	redacted
1	12/5/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/6/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/13/2023	redacted
1	12/19/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/11/2023	redacted
1	12/13/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/5/2023	redacted
1	12/29/2023	redacted
1	12/29/2023	redacted
1	12/29/2023	redacted
1	12/29/2023	redacted
1	12/12/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/5/2023	redacted
1	12/11/2023	redacted
1	12/1/2023	redacted
1	12/12/2023	redacted

1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/19/2023	redacted
1	12/5/2023	redacted
1	12/12/2023	redacted
1	12/14/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/6/2023	redacted
1	12/14/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/18/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/1/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/6/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/13/2023	redacted
1	12/6/2023	redacted
1	12/7/2023	redacted

1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/14/2023	redacted
1	12/4/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/13/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/15/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/27/2023	redacted
1	12/27/2023	redacted

1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/20/2023	redacted
1	12/5/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/18/2023	redacted
1	12/14/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/4/2023	redacted
1	12/14/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/18/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted

1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/4/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/1/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/20/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/1/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/6/2023	redacted

1	12/6/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/4/2023	redacted
1	12/19/2023	redacted
1	12/19/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/14/2023	redacted
1	12/5/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/12/2023	redacted
1	12/11/2023	redacted

1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/19/2023	redacted
1	12/19/2023	redacted
1	12/19/2023	redacted
1	12/13/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/15/2023	redacted
1	12/11/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/14/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted

1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/4/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/12/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/6/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/11/2023	redacted
1	12/27/2023	redacted
1	12/27/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/29/2023	redacted
1	12/29/2023	redacted
1	12/15/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/7/2023	redacted

1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/5/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/7/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/6/2023	redacted
1	12/15/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/8/2023	redacted
1	12/4/2023	redacted

1	12/18/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/5/2023	redacted
1	12/1/2023	redacted
1	12/14/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/5/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/19/2023	redacted
1	12/19/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/19/2023	redacted
1	12/29/2023	redacted
1	12/29/2023	redacted
1	12/29/2023	redacted
1	12/27/2023	redacted
1	12/27/2023	redacted
1	12/20/2023	redacted
1	12/1/2023	redacted
1	12/29/2023	redacted
1	12/29/2023	redacted
1	12/29/2023	redacted
1	12/6/2023	redacted
1	12/11/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted

1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/12/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/15/2023	redacted
1	12/6/2023	redacted
1	12/5/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/1/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/5/2023	redacted
1	12/14/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/11/2023	redacted
1	12/7/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted

1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/5/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/11/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/14/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/6/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/7/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/1/2023	redacted
1	12/14/2023	redacted
1	12/20/2023	redacted
1	12/13/2023	redacted
1	12/7/2023	redacted

1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/15/2023	redacted
1	12/4/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/18/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/11/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted

1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/5/2023	redacted
1	12/1/2023	redacted
1	12/28/2023	redacted
1	12/28/2023	redacted
1	12/28/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/4/2023	redacted
1	12/13/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/5/2023	redacted
1	12/1/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/15/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted

1	12/13/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/12/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/1/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/7/2023	redacted
1	12/12/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/7/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/14/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/13/2023	redacted

1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/6/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/14/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/21/2023	redacted
1	12/21/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/11/2023	redacted

1	12/11/2023	redacted
1	12/4/2023	redacted
1	12/20/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/19/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted

1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/12/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/14/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/11/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/13/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/15/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/11/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/11/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/27/2023	redacted
1	12/14/2023	redacted

1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/20/2023	redacted
1	12/6/2023	redacted
1	12/7/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/18/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/19/2023	redacted
1	12/19/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/29/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/1/2023	redacted

1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/7/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/11/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/4/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/1/2023	redacted
1	12/18/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/5/2023	redacted
1	12/14/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted

1	12/8/2023	redacted
1	12/28/2023	redacted
1	12/28/2023	redacted
1	12/28/2023	redacted
1	12/19/2023	redacted
1	12/19/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/21/2023	redacted
1	12/21/2023	redacted
1	12/21/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/6/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/4/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted

1	12/5/2023	redacted
1	12/14/2023	redacted
1	12/19/2023	redacted
1	12/19/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/14/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/15/2023	redacted
1	12/11/2023	redacted
1	12/11/2023	redacted
1	12/12/2023	redacted
1	12/15/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/7/2023	redacted
1	12/7/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/11/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/1/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/8/2023	redacted

1	12/8/2023	redacted
1	12/18/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/4/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/20/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/12/2023	redacted
1	12/7/2023	redacted
1	12/22/2023	redacted
1	12/22/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/27/2023	redacted
1	12/13/2023	redacted
1	12/13/2023	redacted
1	12/6/2023	redacted
1	12/6/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted

1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/15/2023	redacted
1	12/27/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted
1	12/8/2023	redacted

1	12/14/2023	redacted
1	12/14/2023	redacted
1	12/1/2023	redacted
1	12/4/2023	redacted
1	12/18/2023	redacted
1	12/18/2023	redacted
1	12/5/2023	redacted
1	12/5/2023	redacted
1	12/20/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/13/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted

1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/20/2023	redacted
1	11/17/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/15/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/10/2023	redacted
1	11/9/2023	redacted
1	11/7/2023	redacted

1	11/7/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/27/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/21/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/10/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted

1	11/7/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/30/2023	redacted
1	11/29/2023	redacted
1	11/10/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/9/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/27/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/21/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/30/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/28/2023	redacted
1	11/8/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/17/2023	redacted

1	11/17/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/28/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/20/2023	redacted
1	11/17/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted

1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/20/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/2/2023	redacted
1	11/2/2023	redacted
1	11/8/2023	redacted
1	11/27/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/27/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/27/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/21/2023	redacted

1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/20/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/27/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/10/2023	redacted
1	11/16/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted

1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted

1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted

1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted

1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted

1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted

1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted

1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted

1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted

1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted

1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted

1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted

1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted

1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted

1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted

1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted

1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted

1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted

1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted

1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted

1	11/13/2023	redacted
1	11/14/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/10/2023	redacted
1	11/13/2023	redacted
1	11/2/2023	redacted
1	11/2/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/15/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/27/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/30/2023	redacted
1	11/17/2023	redacted

1	11/17/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/27/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/8/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted

1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/14/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted

1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/8/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/29/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/15/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/30/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/8/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted

1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/21/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/8/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/21/2023	redacted
1	11/27/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/8/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/27/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted

1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/8/2023	redacted
1	11/30/2023	redacted
1	11/7/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/27/2023	redacted
1	11/2/2023	redacted
1	11/2/2023	redacted
1	11/2/2023	redacted
1	11/2/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/28/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/27/2023	redacted
1	11/15/2023	redacted
1	11/20/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted

1	11/9/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/2/2023	redacted
1	11/2/2023	redacted
1	11/2/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/27/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/2/2023	redacted
1	11/2/2023	redacted
1	11/2/2023	redacted
1	11/2/2023	redacted
1	11/27/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted

1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/8/2023	redacted
1	11/28/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/20/2023	redacted
1	11/8/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/21/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/17/2023	redacted
1	11/7/2023	redacted

1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/28/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/9/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/8/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/10/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/8/2023	redacted

1	11/8/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/27/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/30/2023	redacted
1	11/29/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/17/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/27/2023	redacted
1	11/30/2023	redacted
1	11/17/2023	redacted
1	11/20/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted

1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/27/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/9/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/28/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/8/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/28/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/27/2023	redacted
1	11/9/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted

1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/30/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/29/2023	redacted
1	11/17/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/27/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/8/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted

1	11/8/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/10/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/13/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/10/2023	redacted

1	11/10/2023	redacted
1	11/29/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/20/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/8/2023	redacted
1	11/15/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/21/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted

1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/21/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/17/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/10/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/7/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/9/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted

1	11/27/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/6/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted

1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/21/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/15/2023	redacted
1	11/15/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/13/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/27/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/15/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/30/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/8/2023	redacted
1	11/15/2023	redacted
1	11/20/2023	redacted
1	11/8/2023	redacted

1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/13/2023	redacted
1	11/8/2023	redacted
1	11/30/2023	redacted
1	11/21/2023	redacted
1	11/29/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/28/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted

1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/28/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/27/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/8/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/30/2023	redacted
1	11/15/2023	redacted
1	11/8/2023	redacted
1	11/30/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/20/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted

1	11/16/2023	redacted
1	11/10/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/16/2023	redacted
1	11/16/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/20/2023	redacted
1	11/17/2023	redacted
1	11/17/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/27/2023	redacted
1	11/27/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/16/2023	redacted
1	11/30/2023	redacted
1	11/29/2023	redacted
1	11/29/2023	redacted
1	11/9/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/20/2023	redacted

1	11/28/2023	redacted
1	11/28/2023	redacted
1	11/30/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/21/2023	redacted
1	11/30/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/21/2023	redacted
1	11/21/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/8/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/10/2023	redacted
1	11/10/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/16/2023	redacted
1	11/10/2023	redacted
1	11/14/2023	redacted
1	11/14/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/8/2023	redacted
1	11/27/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/7/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/30/2023	redacted
1	11/9/2023	redacted
1	11/9/2023	redacted

1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted

1	10/4/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/6/2023	redacted
1	10/6/2023	redacted
1	10/6/2023	redacted
1	10/6/2023	redacted
1	10/16/2023	redacted
1	10/16/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted

1	10/18/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted

1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted

1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/17/2023	redacted
1	10/17/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted

1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted

1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/17/2023	redacted
1	10/17/2023	redacted

1	10/17/2023	redacted
1	10/17/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/16/2023	redacted
1	10/16/2023	redacted
1	10/16/2023	redacted
1	10/16/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/20/2023	redacted

1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted

1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/6/2023	redacted
1	10/6/2023	redacted
1	10/6/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/6/2023	redacted
1	10/6/2023	redacted
1	10/6/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted

1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/17/2023	redacted
1	10/17/2023	redacted
1	10/17/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted

1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/4/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/17/2023	redacted
1	10/17/2023	redacted
1	10/17/2023	redacted
1	10/17/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted

1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/10/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/23/2023	redacted
1	10/23/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted

1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted

1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/13/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/30/2023	redacted

1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/19/2023	redacted
1	10/27/2023	redacted
1	10/27/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/19/2023	redacted

1	10/19/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/18/2023	redacted
1	10/18/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/19/2023	redacted

1	10/19/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/5/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/9/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/25/2023	redacted
1	10/25/2023	redacted
1	10/26/2023	redacted
1	10/26/2023	redacted
1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/20/2023	redacted
1	10/20/2023	redacted
1	10/30/2023	redacted
1	10/30/2023	redacted
1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/3/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/31/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted
1	10/11/2023	redacted

1	9/30/2023	redacted
1	9/30/2023	redacted
1	9/1/2023	redacted
1	9/1/2023	redacted
1	8/29/2023	redacted
1	8/29/2023	redacted
1	8/29/2023	redacted
1	8/29/2023	redacted
1	8/29/2023	redacted
1	8/29/2023	redacted
1	8/29/2023	redacted
1	8/29/2023	redacted
1	8/29/2023	redacted
1	8/29/2023	redacted
1	8/29/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted

1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted

1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted

1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted

1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted

1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	7/6/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/7/2023	redacted
1	6/7/2023	redacted
1	6/7/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted

1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/9/2023	redacted
1	6/9/2023	redacted
1	6/9/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/9/2023	redacted
1	6/9/2023	redacted

1	6/9/2023	redacted
1	6/8/2023	redacted
1	6/8/2023	redacted
1	6/8/2023	redacted
1	6/7/2023	redacted
1	6/7/2023	redacted
1	6/7/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/8/2023	redacted
1	6/8/2023	redacted
1	6/8/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/12/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted

1	6/6/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/7/2023	redacted
1	6/7/2023	redacted
1	6/7/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/5/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/1/2023	redacted
1	6/7/2023	redacted
1	6/7/2023	redacted
1	6/7/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	6/6/2023	redacted
1	5/19/2023	redacted
1	5/19/2023	redacted

1	5/19/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/19/2023	redacted
1	5/19/2023	redacted
1	5/19/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/19/2023	redacted

1	5/19/2023	redacted
1	5/19/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted

1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted

1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/9/2023	redacted
1	5/9/2023	redacted
1	5/9/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/9/2023	redacted
1	5/9/2023	redacted
1	5/9/2023	redacted

1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/9/2023	redacted
1	5/9/2023	redacted
1	5/9/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/19/2023	redacted

1	5/19/2023	redacted
1	5/19/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/9/2023	redacted
1	5/9/2023	redacted
1	5/9/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted

1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/25/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/15/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/19/2023	redacted

1	5/19/2023	redacted
1	5/19/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/19/2023	redacted
1	5/19/2023	redacted
1	5/19/2023	redacted
1	5/19/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/19/2023	redacted
1	5/19/2023	redacted
1	5/19/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted

1	5/4/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/30/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/16/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/22/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/5/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/8/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/12/2023	redacted
1	5/12/2023	redacted

1	5/12/2023	redacted
1	5/12/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/4/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	5/18/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/10/2023	redacted
1	4/10/2023	redacted
1	4/10/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted

1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/25/2023	redacted
1	4/25/2023	redacted
1	4/25/2023	redacted
1	4/25/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/3/2023	redacted

1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/4/2023	redacted
1	4/4/2023	redacted
1	4/4/2023	redacted
1	4/4/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted

1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted

1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/3/2023	redacted

1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/4/2023	redacted
1	4/4/2023	redacted
1	4/4/2023	redacted
1	4/10/2023	redacted
1	4/10/2023	redacted
1	4/10/2023	redacted
1	4/12/2023	redacted

1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/26/2023	redacted
1	4/26/2023	redacted
1	4/26/2023	redacted
1	4/26/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/18/2023	redacted
1	4/18/2023	redacted
1	4/18/2023	redacted
1	4/18/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/10/2023	redacted
1	4/10/2023	redacted
1	4/10/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted

1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/25/2023	redacted
1	4/25/2023	redacted
1	4/25/2023	redacted
1	4/25/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/5/2023	redacted

1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted

1	4/5/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/25/2023	redacted
1	4/25/2023	redacted
1	4/25/2023	redacted
1	4/25/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted

1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted

1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted

1	4/10/2023	redacted
1	4/10/2023	redacted
1	4/10/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted

1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/7/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/10/2023	redacted
1	4/10/2023	redacted
1	4/10/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/11/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted

1	4/6/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/12/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/3/2023	redacted
1	4/6/2023	redacted
1	4/6/2023	redacted
1	4/5/2023	redacted
1	4/5/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/16/2023	redacted

1	3/16/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/9/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/10/2023	redacted
1	3/30/2023	redacted
1	3/30/2023	redacted
1	3/30/2023	redacted
1	3/30/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/7/2023	redacted

1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted

1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted

1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/9/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/6/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/9/2023	redacted

1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/10/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted

1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/10/2023	redacted

1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/13/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/14/2023	redacted

1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/2/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/1/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/13/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted

1	3/8/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted

1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/17/2023	redacted

1	3/17/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/7/2023	redacted

1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/1/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/14/2023	redacted
1	3/16/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted

1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted

1	3/28/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/2/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted

1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted

1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted

1	3/7/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/6/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/1/2023	redacted

1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted

1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted

1	3/10/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/10/2023	redacted

1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/16/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted

1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/8/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted

1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/1/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted

1	3/8/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted

1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted

1	3/31/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted

1	3/28/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/8/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/28/2023	redacted

1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/7/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted

1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted

1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/1/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/10/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted

1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/1/2023	redacted

1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/7/2023	redacted

1	3/7/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted

1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/13/2023	redacted

1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/1/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted

1	3/2/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/10/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted

1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/10/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted

1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/1/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/6/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/14/2023	redacted

1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/15/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted

1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted

1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/2/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/14/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/8/2023	redacted

1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/1/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/9/2023	redacted

1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted

1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/16/2023	redacted

1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/8/2023	redacted

1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted

1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/9/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/7/2023	redacted

1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/14/2023	redacted
1	3/28/2023	redacted

1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted

1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/8/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/9/2023	redacted
1	3/6/2023	redacted

1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted

1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/10/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted

1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/10/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/14/2023	redacted

1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/13/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted

1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/13/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/31/2023	redacted
1	3/17/2023	redacted

1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/20/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/16/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/14/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/3/2023	redacted

1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/13/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/13/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted

1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/3/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/21/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/10/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/16/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted

1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/2/2023	redacted
1	3/6/2023	redacted
1	3/6/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/27/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/16/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/8/2023	redacted

1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/8/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/7/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/8/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/9/2023	redacted
1	3/8/2023	redacted

1	3/8/2023	redacted
1	3/17/2023	redacted
1	3/17/2023	redacted
1	3/8/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/28/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/1/2023	redacted
1	3/10/2023	redacted
1	3/10/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/9/2023	redacted
1	2/24/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted

1	2/23/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/22/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/10/2023	redacted

1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/8/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/13/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/9/2023	redacted

1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/1/2023	redacted
1	2/1/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/13/2023	redacted

1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/27/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/2/2023	redacted

1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted

1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/22/2023	redacted

1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/6/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/24/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/15/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted

1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/8/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/15/2023	redacted

1	2/15/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/13/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted

1	2/28/2023	redacted
1	2/20/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted

1	2/6/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/13/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/7/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted

1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/13/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/20/2023	redacted

1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/7/2023	redacted

1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/22/2023	redacted

1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/20/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/8/2023	redacted

1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/16/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted

1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/14/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/14/2023	redacted

1	2/14/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/6/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/21/2023	redacted

1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/15/2023	redacted

1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted

1	2/13/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/15/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/1/2023	redacted
1	2/1/2023	redacted
1	2/1/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted

1	2/28/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/17/2023	redacted

1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/21/2023	redacted

1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted

1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted

1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/16/2023	redacted

1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/8/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/9/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/8/2023	redacted

1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/20/2023	redacted

1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/20/2023	redacted

1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/24/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted

1	2/22/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/2/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/7/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/23/2023	redacted

1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted

1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/1/2023	redacted
1	2/1/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted

1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/16/2023	redacted

1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/20/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted

1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted

1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/17/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/28/2023	redacted

1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/13/2023	redacted
1	2/24/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted

1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted

1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/20/2023	redacted

1	2/1/2023	redacted
1	2/1/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/13/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/9/2023	redacted

1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/2/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/23/2023	redacted

1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted

1	2/23/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/7/2023	redacted

1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/20/2023	redacted
1	2/6/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/21/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/17/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/1/2023	redacted
1	2/1/2023	redacted
1	2/1/2023	redacted

1	2/1/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/13/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/15/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted

1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/14/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted

1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/27/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted

1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/8/2023	redacted
1	2/13/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/15/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/7/2023	redacted

1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/27/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted

1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted

1	2/16/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/17/2023	redacted
1	2/21/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted

1	2/17/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted

1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/20/2023	redacted

1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/28/2023	redacted
1	2/6/2023	redacted

1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/13/2023	redacted

1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/7/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/8/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/20/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted

1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted

1	2/20/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/20/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/27/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted

1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/9/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted

1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/6/2023	redacted
1	2/23/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/22/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/20/2023	redacted

1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/9/2023	redacted

1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/9/2023	redacted

1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/27/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/9/2023	redacted

1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted

1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/13/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/1/2023	redacted
1	2/1/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/7/2023	redacted

1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted

1	2/17/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/14/2023	redacted
1	2/21/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/7/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/22/2023	redacted

1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/22/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/17/2023	redacted
1	2/9/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted

1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/1/2023	redacted
1	2/1/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted

1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/14/2023	redacted

1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/3/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/13/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted

1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/9/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/2/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/27/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted

1	2/15/2023	redacted
1	2/7/2023	redacted
1	2/7/2023	redacted
1	2/13/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/15/2023	redacted
1	2/24/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/24/2023	redacted
1	2/24/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/14/2023	redacted
1	2/20/2023	redacted
1	2/20/2023	redacted

1	2/20/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/8/2023	redacted
1	2/9/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/13/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/3/2023	redacted

1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/10/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/3/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/6/2023	redacted
1	2/23/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/7/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/8/2023	redacted
1	2/13/2023	redacted

1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/22/2023	redacted
1	2/14/2023	redacted
1	2/14/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/17/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/28/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/23/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/16/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/8/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/21/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/13/2023	redacted

1	2/13/2023	redacted
1	2/13/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	2/22/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/31/2023	redacted
1	1/31/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/24/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/31/2023	redacted
1	1/31/2023	redacted
1	1/31/2023	redacted
1	1/24/2023	redacted
1	1/24/2023	redacted
1	1/25/2023	redacted

1	1/25/2023	redacted
1	1/23/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/30/2023	redacted
1	1/30/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/24/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/31/2023	redacted
1	1/31/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/3/2023	redacted

1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/24/2023	redacted
1	1/24/2023	redacted
1	1/30/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/31/2023	redacted
1	1/31/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/24/2023	redacted
1	1/24/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/23/2023	redacted
1	1/23/2023	redacted
1	1/23/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/27/2023	redacted

1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/31/2023	redacted
1	1/31/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/20/2023	redacted
1	1/20/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/20/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted

1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/30/2023	redacted
1	1/30/2023	redacted
1	1/30/2023	redacted
1	1/20/2023	redacted
1	1/20/2023	redacted
1	1/20/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/31/2023	redacted
1	1/31/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted

1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/30/2023	redacted
1	1/30/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/26/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/6/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/30/2023	redacted
1	1/30/2023	redacted
1	1/20/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/23/2023	redacted
1	1/23/2023	redacted
1	1/27/2023	redacted

1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/31/2023	redacted
1	1/31/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/24/2023	redacted
1	1/24/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/23/2023	redacted
1	1/23/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted

1	1/19/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/24/2023	redacted
1	1/24/2023	redacted
1	1/6/2023	redacted
1	1/6/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/30/2023	redacted
1	1/30/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/20/2023	redacted
1	1/20/2023	redacted
1	1/24/2023	redacted
1	1/24/2023	redacted
1	1/31/2023	redacted

1	1/31/2023	redacted
1	1/31/2023	redacted
1	1/20/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/25/2023	redacted
1	1/25/2023	redacted
1	1/31/2023	redacted
1	1/31/2023	redacted
1	1/23/2023	redacted
1	1/23/2023	redacted
1	1/20/2023	redacted
1	1/20/2023	redacted
1	1/30/2023	redacted
1	1/30/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/23/2023	redacted

1	1/23/2023	redacted
1	1/3/2023	redacted
1	1/25/2023	redacted
1	1/30/2023	redacted
1	1/30/2023	redacted
1	1/30/2023	redacted
1	1/3/2023	redacted
1	1/30/2023	redacted
1	1/30/2023	redacted
1	1/24/2023	redacted
1	1/24/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/27/2023	redacted
1	1/27/2023	redacted
1	1/19/2023	redacted
1	1/19/2023	redacted
1	1/26/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/3/2023	redacted
1	1/6/2023	redacted
1	1/20/2023	redacted
1	1/20/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/26/2023	redacted
1	1/6/2023	redacted
1	1/3/2023	redacted

1		1/3/2023	redacted
1		1/3/2023	redacted
1		1/20/2023	redacted
1		1/20/2023	redacted
1		1/3/2023	redacted
1		1/3/2023	redacted
1		1/3/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted

1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/12/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/14/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/15/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/15/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/15/2023	redacted

1	Centro Campesino Farmworker Center Inc	12/15/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/15/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/15/2023	redacted
1	Centro Campesino Farmworker Center Inc	12/15/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted

1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/17/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	11/27/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted

1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted

1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	3/16/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted

1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted

1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Centro Campesino Farmworker Center Inc	1/31/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1	Honeywell	12/11/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/18/2023	redacted

1	Honeywell	12/18/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted

1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted

1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted

1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted

1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1	Honeywell	12/11/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/8/2023	redacted

1	Honeywell	12/8/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1	Honeywell	12/11/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted

1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/8/2023	redacted

1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted

1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted

1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted

1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted

1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted
1 Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted

1	Honeywell	12/18/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted

1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted

1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted

1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted

1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted

1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted

1	Honeywell	12/8/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted

1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted

1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted

1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted

1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/18/2023	redacted

1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted

1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/11/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted

1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/13/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/12/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/21/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/11/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/18/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/19/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted
1 Honeywell	12/20/2023	redacted

1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted

1	Honeywell	12/20/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/8/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/12/2023	redacted

1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/12/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted

1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/18/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted

1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/22/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/20/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/19/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted

1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/21/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	12/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted

1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted

1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted

1	Honeywell	11/17/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted

1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted

1 Honeywell	11/13/2023	redacted
1 Honeywell	11/13/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/15/2023	redacted
1 Honeywell	11/15/2023	redacted
1 Honeywell	11/15/2023	redacted
1 Honeywell	11/15/2023	redacted
1 Honeywell	11/13/2023	redacted
1 Honeywell	11/13/2023	redacted
1 Honeywell	11/13/2023	redacted
1 Honeywell	11/13/2023	redacted
1 Honeywell	11/13/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/10/2023	redacted
1 Honeywell	11/10/2023	redacted
1 Honeywell	11/10/2023	redacted
1 Honeywell	11/10/2023	redacted
1 Honeywell	11/10/2023	redacted
1 Honeywell	11/17/2023	redacted
1 Honeywell	11/17/2023	redacted
1 Honeywell	11/17/2023	redacted
1 Honeywell	11/17/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/16/2023	redacted
1 Honeywell	11/10/2023	redacted
1 Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/19/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/14/2023	redacted

1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted

1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/9/2023	redacted

1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted

1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/14/2023	redacted

1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted

1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted

1	Honeywell	11/9/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted

1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted

1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted

1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted

1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted

1	Honeywell	11/15/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted

1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/14/2023	redacted

1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted

1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/17/2023	redacted

1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted

1	Honeywell	11/9/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/8/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted

1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted

1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted

1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/9/2023	redacted
1	Honeywell	11/13/2023	redacted

1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted

1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted
1	Honeywell	11/17/2023	redacted

1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/15/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/16/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/10/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/13/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted

1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/8/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	11/14/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted

1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted

1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted

1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted

1	Honeywell	10/31/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/20/2023	redacted

1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/17/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted

1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted

1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted

1	Honeywell	10/16/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted

1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/26/2023	redacted

1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted

1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted

1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted

1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted

1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted

1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted

1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted

1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted

1 Honeywell	10/16/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted

1 Honeywell	10/26/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted

1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted

1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/19/2023	redacted

1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/17/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted

1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted

1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted

1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted

1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted

1	Honeywell	10/19/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted

1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted

1 Honeywell	10/19/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted

1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted

1 Honeywell	10/19/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/19/2023	redacted

1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted

1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted

1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/26/2023	redacted

1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted

1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/20/2023	redacted

1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted

1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/16/2023	redacted

1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted

1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted

1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted

1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted

1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted

1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted

1 Honeywell	10/20/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted

1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted

1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted

1 Honeywell	10/19/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted

1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted

1 Honeywell	10/27/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted

1 Honeywell	10/17/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted

1 Honeywell	10/30/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted

1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted

1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/17/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/26/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted

1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/31/2023	redacted

1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted

1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/26/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/20/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/17/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted
1 Honeywell	10/19/2023	redacted

1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/19/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/27/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/18/2023	redacted

1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/20/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/31/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted
1	Honeywell	10/27/2023	redacted

1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/30/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/16/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/18/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted
1	Honeywell	10/17/2023	redacted

1 Honeywell	10/17/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/30/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/18/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/16/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/27/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted
1 Honeywell	10/31/2023	redacted

1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted

1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted

1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/26/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted

1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted

1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted

1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted

1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted

1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted

1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted

1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted

1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted

1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted

1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted

1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted

1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/30/2023	redacted

1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted

1 Honeywell	9/29/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted

1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted

1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted

1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted

1 Honeywell	9/28/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/27/2023	redacted

1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted

1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted

1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted

1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted

1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted

1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted

1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted

1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted

1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted

1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted

1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted

1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/5/2023	redacted

1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/30/2023	redacted

1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted

1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted

1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted

1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted

1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted

1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted

1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted

1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted

1	Honeywell	9/6/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/26/2023	redacted

1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted
1 Honeywell	9/27/2023	redacted

1	Honeywell	9/27/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/7/2023	redacted
1 Honeywell	9/11/2023	redacted
1 Honeywell	9/11/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/29/2023	redacted
1 Honeywell	9/11/2023	redacted
1 Honeywell	9/11/2023	redacted

1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/7/2023	redacted

1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/11/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted

1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/29/2023	redacted

1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/30/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/5/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/26/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/6/2023	redacted
1 Honeywell	9/28/2023	redacted
1 Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted

1	Honeywell	9/7/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted

1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted

1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted

1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/7/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/29/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted

1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/5/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/27/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/30/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted

1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted

1	Honeywell	9/26/2023	redacted
1	Honeywell	9/26/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/6/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	9/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted

1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted

1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/18/2023	redacted

1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted

1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted

1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted

1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted

1 Honeywell	8/23/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted

1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/25/2023	redacted

1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted

1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted

1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted

1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted

1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted

1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted

1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted

1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/31/2023	redacted

1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted

1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted

1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted

1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted

1 Honeywell	8/30/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted

1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/31/2023	redacted

1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted

1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted

1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted

1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/30/2023	redacted

1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted

1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted

1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted

1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted

1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted

1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted

1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted

1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted

1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted

1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted

1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted

1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted

1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted

1	Honeywell	8/17/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/29/2023	redacted

1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted

1	Honeywell	8/31/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted

1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/4/2023	redacted

1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/3/2023	redacted
1 Honeywell	8/3/2023	redacted

1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted

1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted

1	Honeywell	8/18/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted

1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/4/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted

1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted

1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/23/2023	redacted

1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted

1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/23/2023	redacted

1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/23/2023	redacted

1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted

1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted

1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted

1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted

1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/2/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/3/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted

1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/2/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/31/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/4/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted

1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/23/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/25/2023	redacted
1	Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted

1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/23/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted

1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/17/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/31/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/18/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/25/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/30/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted

1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/17/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/18/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/29/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/30/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted
1	Honeywell	8/28/2023	redacted

1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/28/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	8/29/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted

1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/12/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted

1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted

1	Honeywell	7/24/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted

1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted

1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted

1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/18/2023	redacted

1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted

1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/14/2023	redacted

1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted

1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted

1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/13/2023	redacted

1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted

1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted

1	Honeywell	7/25/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted

1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted

1 Honeywell	7/27/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted

1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted

1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted

1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted

1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/28/2023	redacted

1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted

1	Honeywell	7/11/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/20/2023	redacted

1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted

1	Honeywell	7/14/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted

1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/13/2023	redacted

1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted

1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted

1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/13/2023	redacted

1	Honeywell	7/13/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted

1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted

1	Honeywell	7/27/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted

1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/19/2023	redacted

1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/11/2023	redacted
1 Honeywell	7/11/2023	redacted
1 Honeywell	7/11/2023	redacted
1 Honeywell	7/11/2023	redacted
1 Honeywell	7/11/2023	redacted
1 Honeywell	7/11/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted

1	Honeywell	7/27/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted

1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted

1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted

1	Honeywell	7/13/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted

1 Honeywell	7/11/2023	redacted
1 Honeywell	7/11/2023	redacted
1 Honeywell	7/11/2023	redacted
1 Honeywell	7/11/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted

1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted

1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted

1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted

1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted

1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted

1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted

1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted

1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted

1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted

1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted

1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted

1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted

1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted

1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted

1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/19/2023	redacted

1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/26/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/10/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/24/2023	redacted

1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/13/2023	redacted

1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/19/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted

1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted

1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/26/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/18/2023	redacted

1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/13/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/24/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/18/2023	redacted
1 Honeywell	7/13/2023	redacted

1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted

1	Honeywell	7/27/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted

1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted

1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted

1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/24/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted

1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted

1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/25/2023	redacted
1	Honeywell	7/25/2023	redacted

1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/14/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/20/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/25/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted

1	Honeywell	7/28/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/20/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/11/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/27/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted

1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/19/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted

1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/28/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/27/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/12/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/31/2023	redacted
1 Honeywell	7/10/2023	redacted

1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted

1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/18/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/13/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/31/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/10/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted

1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/28/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/12/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	7/14/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted

1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted

1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted

1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted

1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted

1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted

1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted

1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted

1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted

1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted

1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted

1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted

1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted

1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted

1 Honeywell	6/20/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted

1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted

1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted

1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted

1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted

1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted

1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted

1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted

1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted

1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted

1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted

1 Honeywell	6/20/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted

1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted

1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted

1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted

1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted

1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/20/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/19/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/22/2023	redacted
1 Honeywell	6/23/2023	redacted
1 Honeywell	6/23/2023	redacted

1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted

1	Honeywell	6/23/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/23/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted

1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/19/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/20/2023	redacted
1	Honeywell	6/22/2023	redacted
1	Honeywell	6/22/2023	redacted

1 Honeywell	6/22/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted
1	Honeywell	5/1/2023	redacted

1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	5/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted

1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted
1 Honeywell	4/1/2023	redacted

1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	4/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted

1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted
1 Honeywell	3/1/2023	redacted

1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	3/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted
1 Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted

1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	2/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted
1 Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted

1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Honeywell	1/1/2023	redacted
1	Meals On Wheels Etc Inc	12/4/2023	redacted
1	Meals On Wheels Etc Inc	12/4/2023	redacted
1	Meals On Wheels Etc Inc	12/4/2023	redacted
1	Meals On Wheels Etc Inc	12/4/2023	redacted
1	Meals On Wheels Etc Inc	12/4/2023	redacted
1	Meals On Wheels Etc Inc	11/10/2023	redacted
1	Meals On Wheels Etc Inc	11/10/2023	redacted
1	Meals On Wheels Etc Inc	11/10/2023	redacted
1	Meals On Wheels Etc Inc	11/10/2023	redacted
1	Meals On Wheels Etc Inc	11/10/2023	redacted
1	Meals On Wheels Etc Inc	11/10/2023	redacted
1	Meals On Wheels Etc Inc	11/10/2023	redacted
1	Meals On Wheels Etc Inc	11/10/2023	redacted
1	Meals On Wheels Etc Inc	11/10/2023	redacted
1	Meals On Wheels Etc Inc	11/13/2023	redacted
1	Meals On Wheels Etc Inc	11/13/2023	redacted

1	Meals On Wheels Etc Inc	11/13/2023	redacted
1	Meals On Wheels Etc Inc	11/13/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	9/19/2023	redacted
1	Meals On Wheels Etc Inc	8/15/2023	redacted
1	Meals On Wheels Etc Inc	8/15/2023	redacted
1	Meals On Wheels Etc Inc	8/15/2023	redacted
1	Meals On Wheels Etc Inc	7/18/2023	redacted
1	Meals On Wheels Etc Inc	7/18/2023	redacted
1	Meals On Wheels Etc Inc	7/18/2023	redacted
1	Meals On Wheels Etc Inc	7/18/2023	redacted
1	Meals On Wheels Etc Inc	7/18/2023	redacted
1	Meals On Wheels Etc Inc	7/18/2023	redacted
1	Meals On Wheels Etc Inc	5/30/2023	redacted
1	Meals On Wheels Etc Inc	5/30/2023	redacted
1	Meals On Wheels Etc Inc	3/16/2023	redacted
1	Meals On Wheels Etc Inc	3/16/2023	redacted
1	Meals On Wheels Etc Inc	2/2/2023	redacted
1	Meals On Wheels Etc Inc	2/2/2023	redacted
1	Meals On Wheels Etc Inc	2/2/2023	redacted
1	Meals On Wheels Etc Inc	2/2/2023	redacted
1	Meals On Wheels Etc Inc	2/2/2023	redacted
1	Meals On Wheels Etc Inc	1/31/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted

1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	10/26/2023	redacted
1	Mid Florida Community Services Inc	8/22/2023	redacted
1	Mid Florida Community Services Inc	8/22/2023	redacted
1	Mid Florida Community Services Inc	8/22/2023	redacted
1	Mid Florida Community Services Inc	8/22/2023	redacted
1	Mid Florida Community Services Inc	8/22/2023	redacted
1	Mid Florida Community Services Inc	8/22/2023	redacted
1	Mid Florida Community Services Inc	8/22/2023	redacted
1	Mid Florida Community Services Inc	8/22/2023	redacted
1	Mid Florida Community Services Inc	8/22/2023	redacted
1	Mid Florida Community Services Inc	8/22/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	Mid Florida Community Services Inc	2/28/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted

1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	11/29/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted

1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	10/26/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	8/9/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted

1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	5/4/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted

1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted
1	St Johns Housing Partnership Inc	1/31/2023	redacted

Bldg	No	Program	Measure	RIM		TRC		Demand
				Step Fails	Ratio	Step Fails	Ratio	Sum kW
RSF	112	Air Conditi	AC Maint (	2		2		0.14
RMO	112	Air Conditi	AC Maint (	2		2		0.12
RMF	112	Air Conditi	AC Maint (	2		2		0.09
RSF	138	Air Conditi	AC Maint (	2		2		0.14
RMO	138	Air Conditi	AC Maint (	2		2		0.12
RMF	138	Air Conditi	AC Maint (	2		2		0.09

Source Low Cost Measures Step Analysis v4.4 Tom Koch

l & Energy Impacts		Incremental Participant Cost					Payback	
Win kW	kWh			Total	Rebate	Net	Ann Savs	w/o Rebate
0.00	339	$0	$60	**$60**		**$60**	$32	**1.9**
0.00	222	$0	$60	**$60**		**$60**	$21	**2.8**
0.00	210	$0	$60	**$60**		**$60**	$20	**3.0**
0.00	334	$0	$60	**$60**		**$60**	$32	**1.9**
0.00	215	$0	$60	**$60**		**$60**	$20	**2.9**
0.00	208	$0	$60	**$60**		**$60**	$20	**3.0**

ι (years)	
w/o Labor	w/Rebate
n/a	
n/a	
n/a	
n/a	
n/a	
n/a	

Admin Cost	Measure Life	Current Rebate
$108	4	
$108	4	
$108	4	
$108	4	
$108	4	
$108	4	

RS Rate
$0.095

Partcipant Cost	RIM Max Rebate
$60	
$60	
$60	
$60	
$60	
$60	

TRC Max Rebate	New / Existing
	New
	New
	New
	New
	New
	New

Row Labels	Average of Summer Peak Savings (Kw)	Average of Winter Peak Savings (Kw)	Average of Savings EUI (kWh)
Bathroom Faucet Aerators	0.01	0.03	107.64
Duct Repair	0.11	0.12	327.96
Hot Water Pipe Insulation	0.01	0.02	81.36
Kitchen Faucet Aerators	0.02	0.06	215.28
Low Flow Showerhead	0.016	0.038	142.68
Weather stripping	0.003	0.014	14.775
Window Caulking	0.003	0.014	14.775
LED - 9W_CFL Baseline	0	0	4.48
Grand Total	**0.026090909**	**0.041060606**	**115.1315152**

LED number of bulbs 5

Row Labels	Average of Summer Peak Savings (Kw)	Average of Winter Peak Savings (Kw)	Average of Savings EUI (kWh)
Bathroom Faucet Aerators	0.01	0.03	107.64
Duct Repair	0.11	0.12	327.96
Hot Water Pipe Insulation	0.01	0.02	81.36
Kitchen Faucet Aerators	0.02	0.06	215.28
Low Flow Showerhead	0.02	0.04	142.68
Weather stripping	0.00	0.01	14.78
Window Caulking	0.00	0.01	14.78
LED	0.00	0.00	22.40

Measures Not Included in new Resource Innovation Potential			
Outdoor Coil Cleaning	0.10	0.00	275.00

Sub Total Resource Innovations

Addition of Ceiling Insulation			Expected pe
Ceiling Insulation R2 to R10	1.51	0.15	2,584.99

Total per Installation Factors

FPL 002732
20240012-EG

Average of Incremental Cost per Measure	Average of Full Measure Life (yrs)	
3.09	10	0.7
342.505	20	1.6
18.52	15	0.6
3.09	10	0.7
12.34	10	1.6
8.47	10	1.4
2.14	10	1.4
0.25	10	
67.59272727	**12.27272727**	

	@ the Meter			@ the Generator		
% Contribution	SkW	WkW	kWh	SkW	WkW	kWh
7%	0.0008	0.0020	7.5346	0.0009	0.0021	7.8646
8%	0.0085	0.0100	26.2365	0.0090	0.0105	27.3857
4%	0.0004	0.0009	3.2544	0.0004	0.0009	3.3969
7%	0.0017	0.0040	15.0694	0.0018	0.0042	15.7294
16%	0.0026	0.0061	22.8288	0.0027	0.0064	23.8287
14%	0.0004	0.0020	2.0685	0.0004	0.0021	2.1591
14%	0.0004	0.0020	2.0685	0.0004	0.0021	2.1591
19%	0.0000	0.0000	4.2560	0.0000	0.0000	4.4424
11%	0.0114	0.0000	30.2497	0.012	0.000	31.5747
100%	0.0262	0.0269	113.5664	0.028	0.028	118.5406

ercent of homes with ceiling insulation

30%	0.4536	0.0459	775.4970	0.479	0.048	809.4638

@ the Meter	@ the Generator

SkW	WkW	kWh	SkW	WkW	kWh
0.4798	0.0728	889.0634	0.507	0.077	928.0044

Plan B (Updated Factors)	Measure	Per Measure Savings @ Gen			Per Measure @ Meter		
Measure Level	Installation	S kW	W kW	kWh	S kW	W kW	kWh
Weatherization	4,583	0.26	0.1	528.21	0.244315	0.093967	503.2968
Duct Testing & Repair	1,121	0.42	0.12	814.17	0.394663	0.112761	775.7694
AC Unit Maintenance	5,988	0.18	0	282.03	0.169141	0	268.728
Outdoor Coil Cleaning	168	0.11	0	288.61	0.103364	0	274.9976
Low Flow Shower Heads	4,719	0.02	0.05	264.52	0.018793	0.046984	252.0438
Faucet Aerator	6,932	0.01	0.01	58.03	0.009397	0.009397	55.293
WH Pipe Wrap	4,823	0.01	0.03	150.76	0.009397	0.02819	143.6494
LED	26,229	0	0	9.99	0	0	9.518818

2024	
Expansion Factors	
MW =	1.0558
GWh =	1.0438

Spray cleaner on outdoor coils

2022

Expansion Factors	
MW =	1.0642
GWh =	1.0495