

## REQUEST TO ESTABLISH DOCKET

(Please type or print. File original with CLK.)

<b>Date:</b>	1/8/2025	
<b>1. From Division / Staff:</b>	Gcl/Rubottom	<i>JHR</i>
<b>2. OPR:</b>	GCL	
<b>3. OCR:</b>	ENG, ECO	
<b>4. Suggested Docket Title:</b>	<u>Amendment of Rule 25-12.005, Codes and Standards Adopted; Rule 25-12.008, New, Reconstructed or Converted Facilities; Rule 25-12.027, Welder Qualification; Rule 25-12.045, Inactive Gas Service Lines; and Rule 25-12.052, Corrosion Control Criteria for Cathodic Protection of Buried or Submerged Metallic Pipeline; and adoption of new Rule 25-12.100, Penalty.</u>	
<b>5. Program/Module/Submodule Assignment:</b>	B.7.A.	
<b>6. Suggested Docket Mailing List</b>		
<b>a. Provide NAMES/ACRONYMS, if registered company</b>		<input type="checkbox"/> <b>Provided as an Attachment</b>
<b>Company Code, if applicable:</b>	<b>Parties (include address, if different from MCD):</b>	<b>Representatives (name and address):</b>
<b>b. Provide COMPLETE NAME AND ADDRESS for all others (match representatives to companies)</b>		
<b>Company Code, if applicable:</b>	<b>Interested persons, if any, (include address, if different from MCD):</b>	<b>Representatives (name and address):</b>
	All Gas Companies	
	Office of Public Counsel 111 West Madison St. Rm 812 32399	Walt Trierweiler, Charles Rehwinkel
<b>7. Check one:</b>	<input type="checkbox"/> <b>Supporting documentation attached</b> <input type="checkbox"/> <b>To be provided with Recommendation</b>	
<b>Comments:</b> Mailing list is all Gas Companies. Please move Document Nos. 09649-2024 and 09767-2024 into this docket.		