STATE OF FLORIDA

DOCUMENT NO. 00241-2025 FPSC - COMMISSION CLERK DIVISION OF ECONOMICS ELISABETH I DRAPER

FILED 1/13/2025

DIVISION OF ECONOMICS ELISABETH J. DRAPER DIRECTOR (850) 413-6410

COMMISSIONERS: MIKE LA ROSA, CHAIRMAN ART GRAHAM GARY F. CLARK ANDREW GILES FAY GABRIELLA PASSIDOMO

Public Service Commission

January 13, 2025

Martin S. Friedman, Esquire Dean Mead Law Firm 420 S. Orange Ave., Suite 700 Orlando, FL 32801 mfriedman@deanmead.com

Dear Mr. Friedman:

COMMISSION

2025 JAN 13 PM 2: 40

Staff has reviewed the minimum filling requirements (MFRs) submitted on December 13, 2024, on behalf of K W Resort Utilities Corp. (K W or utility). After review, we find the MFRs to be deficient. The specific deficiencies are identified as:

Deficiencies

- 1. Rule 25-30.437(1), Florida Administrative Code (F.A.C.), requires a utility to complete MFRs. For the following items listed below, please correct the MFRs to address the errors as well as correct any fallout figures:
 - a. For wastewater, the private lift station and general service 3/4" rates shown on Schedule E-2 do not match the tariffed rates shown on Schedule E-1. Please address the fall out for any changes made.
 - i. Schedule E-2, pg. 1 of 1, line 09, column 4
 - ii. Schedule E-2, pg. 1 of 1, line 34, column 4
 - b. For wastewater, the private lift station cumulative gallons presented at the 11,000 consumption level is incorrect for the 1.5-inch meter size shown on Schedule E-14. Therefore, the total gallons are understated by 9,000 gallons. Please address the fall out for any changes made.
 - i. Schedule E-2, pg. 1 of 1, line 44, column 3

Mr. Martin S. Friedman, Esquire

Page 2

January 13, 2025

If the specific deficiencies above require a corresponding change to any MFR schedule, those corrected schedules must also be submitted in accordance with Rule 25-30.436(4), F.A.C. Your petition will not be deemed filed until the deficiencies identified in this letter have been corrected. These corrections should be submitted no later than **February 13, 2025**, to the following address:

Office of Commission Clerk Florida Public Service Commission 2540 Shumard Oak Boulevard Tallahassee, FL 32399-0850

Should you have any questions concerning the information in this letter, please feel free to contact Matthew Sibley (850) 413-6516 or msibley@psc.state.fl.us for questions.

Sincerely,

Elisabeth Draper, Director
Division of Economics

ED:ms

cc: Office of Commission Clerk (Docket No. 20240108-SU)