AUSLEY & MCMULLEN

ATTORNEYS AND COUNSELORS AT LAW

123 SOUTH CALHOUN STREET P.O. BOX 391 (ZIP 32302) TALLAHASSEE, FLORIDA 32301 (850) 224-9115 FAX (850) 222-7560

March 1, 2021

VIA: ELECTRONIC MAIL

Mr. Greg Shafer, Director Division of Economics Florida Public Service Commission Room 225E – Gerald L. Gunter Building 2540 Shumard Oak Boulevard Tallahassee, FL 32399-0850

Re: Tampa Electric Company's Summary of 2020 DSM Program Accomplishments

Dear Mr. Shafer:

Enclosed for filing is Tampa Electric Company's Summary of 2020 Demand Side Management Program Accomplishments, including an Appendix "A" (Tampa Electric's 2020 Conservation Related Efforts Toward the COVID Pandemic), Appendix "B" (Benefits of Electric Vehicles to Tampa Electric Company – Report from USF CUTR), Appendix "C" (DSM Energy Education and Awareness Activities of 2020), and Appendix "D" (Tampa Electric's 2020 Energy Audits Performed by Energy Audit Type).

Thank you for your assistance in connection with this matter.

Sincerely,

Mulilan Mean

Malcolm N. Means

MNM/bmp Enclosure

cc: Paula K. Brown (w/o enc.)

TAMPA ELECTRIC COMPANY - SUMMARY OF 2020 DEMAND SIDE MANAGEMENT PROGRAM ACCOMPLISHMENTS

Tampa Electric received approval of its 2020-2024 Demand Side Management ("DSM") goals in Order No. PSC-2019-0509-FOF-EG, issued on November 26, 2019 in Docket No. 20190021-EG. The company received approval of its 2020-2029 DSM Plan in Order No. PSC-2020-0274-PAA-EG, issued on August 3, 2020 in Docket No. 20200053-EG. Tampa Electric transitioned to the DSM programs within the 2020-2029 DSM Plan on November 2, 2020 pursuant to receiving final approval of the supporting DSM standards on September 8, 2020.

For 2020, Tampa Electric achieved all the annual and cumulative residential, commercial/industrial ("Comm/Ind") and combined DSM goals except for the annual residential Summer and Winter Demand reduction goals. The company achieved the following summer demand ("SkW"), winter demand ("WkW") and annual energy ("AE") reductions identified at the generator:

Actual Resid	ential DSM Achieved
SkW:	2.6 MW
WkW:	3.5 MW
AE:	8.9 GWh
Actual Comn	n/Ind DSM Achieved
SkW:	11.8 MW
WkW:	10.4 MW
AE:	26.1 GWh
Actual Comb	ined DSM Achieved
SkW:	14.3 MW
WkW:	13.9 MW
AE:	35.0 GWh
	SkW: WkW: AE: <u>Actual Comn</u> SkW: WkW: AE: <u>Actual Comb</u> SkW: WkW:

The reason the company was unable to achieve the annual Residential Summer and Winter Demand reduction goals was due to the COVID pandemic which prevented Tampa Electric from performing non-essential face-to-face (on-site) and in-home interactions for the safety of the company's customers, employees and contractors. Even though the COVID pandemic impacted participation in several of the company's DSM programs in 2020, Tampa Electric initiated many conservation related steps and efforts to mitigate the adverse COVID impacts to the company's Residential and Commercial/Industrial DSM programs and to provide customers special consideration during these challenging times. These additional steps and efforts are outlined in Appendix "A" of this report.

In 2020, Tampa Electric converted an additional 25,469 street and outdoor lighting luminaires to Light Emitting Diode ("LED") technology within the Street and Outdoor Lighting conversion program. While this program does not supplement the company's conservation efforts toward achieving the Commission's annual demand and energy

goals above, these luminaire replacements contributed the following additional annual and cumulative demand and energy savings at the generator:

2020 Achievement	S	Cumulative P	rogram Achievements
SkW:	0.000 MW	SkW:	0.000 MW
WkW:	3.624 MW	WkW:	12.775 MW
AE:	15.433 GWh	AE:	54.397 GWh

In 2020, the company continued to make progress with Research and Development ("R&D") efforts with the home energy management systems and the company received the electric vehicles and demand side management benefits study from the University of South Florida's ("USF") Center for Urban Transportation Research ("CUTR"). This electric vehicles and demand side management benefits report is included as Appendix "B" of this report.

In 2020, the electric vehicle ("EV") education portion of the Energy Education, Awareness and Agency Outreach Program had 643 student drivers participate in the program that received the training and curriculum. Each student was afforded an opportunity in their class to drive the EV at least three times. A summary of 2020 energy education and awareness activities is included as Appendix "C" of this report.

Tampa Electric is also providing the additional detail of "audit information by type" for the Energy Audits performed by Tampa Electric in 2020, as requested from Commission Staff on February 5, 2021. This information is included as Appendix "D" of this report

For 2021, Tampa Electric remains committed to offering DSM programs that advance the policy objectives of FEECA, are directly monitorable, yield measurable results and are cost-effective to deliver. The company will continue its advertising campaign of bill inserts, print media and television advertisements aimed at educating customers on opportunities to participate in programs to assist in meeting their energy efficiency requirements.

The attached pages present individual program participation levels and summaries that demonstrate the company achievements toward its annual residential, commercial, and combined DSM goals as described in Rule 25-17.0021(5), Florida Administrative Code.

				Demand Side M	lanagement Annua	l Report				
Utility: Program N Program Si Reporting F	tart Date:		nual 2020							
а	b	с	d	е	f	g	h	i	j	
				Projected	Projected	Actual	Actual	Actual	Actual Participation	
		Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Under)	
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected	
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants	
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)	
2015	628,392	628,392	8,400	8,400	1.3%	8,304	8,304	1.3%	(96)	
2016	640,090	640,090	8,400	16,800	2.6%	6,902	15,206	2.4%	(1,594)	
2017	651,770	651,770	7,800	24,600	3.8%	5,501	20,707	3.2%	(3,893)	
2018	662,917	662,917	6,000	30,600	4.6%	7,667	28,374	4.3%	(2,226)	
2019	677,922	677,922	6,500	37,100	5.5%	6,786	35,160	5.2%	(1,940)	
2020	691,719	691,719	5,000	42,100	6.1%	1,514	36,674	5.3%	(5,426)	
2021										
2022										
2023										
2024										
Annual Do	mand and Ener	av Savinas - 2	015-2024 DSM	Plan	Participants	1,514				
Annual De		gy davings - 20		stallation	•	m Total				
			@ Meter	@ Generator	@ Meter	@ Generator				
Summer kV	V Reduction		0.07	0.08	105.98	113.72				
Winter kW	Reduction		0.08	0.09	122.63	131.59				
Annual kW	h Reduction		395	417	598,030	631,520				
Annual De	mand and Ener	gy Savings - 2	020-2029 DSM	Plan	Participants	0				
			Per In	stallation	Progra	m Total				
			@ Meter	@ Generator	@ Meter	@ Generator				
Summer kV	V Reduction		0.10	0.10	0.00	0.00				
Winter kW			0.13	0.14	0.00	0.00				
Annual kW	h Reduction		625	660	0	0				
Annual De	mand and Ener	rgy Savings - C	ombined, Note	1	Participants Progra	1,514 m Total				
					@ Meter	@ Generator				
Summer kV	V Reduction				105.98	113.72				
Winter kW					122.63	131.59				
	h Reduction				598,030	631,520				
Utility Cost	per Installation	(\$):			1,359					
	am Cost of the l				2,057.6					
0	s of Measures I	, (, ,	Reporting Perio	d (\$000):	(1,739.9)					
	mand and energ	0	1 0	(.)						
		-								

ω

		D		nagement Annua				
	Tampa Electri	c Company						
ame:	RESIDENTIA	LCUSTOMER	ASSISTED AUD	ITS				
art Date:	June 1996							
Period:	Annual 2020							
h		d		£	~	h		,
D	С	a	е	I	g	n	I	j Actual
			Projected	Projected	Actual	Actual	Actual	Participation
	Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Under
Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
628,392	628,392	1,390	1,390	0.2%	658	658	0.1%	(732
640,090	640,090	1,200	2,590	0.4%	1,017	1,675	0.3%	(915
651,770	651,770	500	3,090	0.5%	409	2,084	0.3%	(1,006
,	,		,		,	,		25,928
	,		,		,	,		48,298
691,719	691,719	42,000	80,890	11.7%	59,766	146,954	21.2%	66,064
mand and Ene	rav Savinas - 2	015-2024 DSM	Plan	Participants	50.753			
	3,3				,			
		@ Meter	@ Generator	@ Meter	@ Generator			
V Reduction		0.05	0.06	2,689.91	2,886.27			
Reduction		0.06	0.07	3,095.93	3,321.94			
h Reduction		296	313	15,022,888	15,864,170			
mand and Ene	rgy Savings - 2	020-2029 DSM	Plan	Participants	9,013			
		Per In	stallation	Progra	m Total			
		@ Meter	@ Generator	@ Meter	@ Generator			
V Reduction		0.07	0.08	648.94	696.31			
Reduction		0.10	0.10	856.24	918.74			
h Reduction		469	495	4,227,097	4,463,814			
mand and Ene	rgy Savings - C	ombined, Note	1	Participants	59,766			
				Progra	m Total			
				@ Meter	@ Generator			
				3,338.85	3,582.58			
V Reduction				3,952.17	4,240.68			
Reduction								
				19,249,985	20,327,984			
Reduction	(\$):			19,249,985 7	20,327,984			
Reduction h Reduction per Installation am Cost of the					20,327,984			
	art Date: Period: b Total Number of <u>Customers</u> 628,392 640,090 651,770 662,917 677,922 691,719 mand and Ener V Reduction Reduction mand and Ener V Reduction Reduction Reduction Reduction Reduction Reduction	ame: RESIDENTIAI art Date: June 1996 Annual 2020 b c Total Number of Customers 628,392 640,090 651,770 662,917 677,922 691,719 mand and Energy Savings - 2 V Reduction Reduction n Reduction Reduction Reduction A Reduction Reduction Reduction Reduction Reduction Reduction Reduction Reduction	art Date: June 1996 Period: Annual 2020 b c d Total Number of Number of Number of Eligible Projected Customers 628,392 628,392 1,390 640,090 640,090 1,200 651,770 500 662,917 662,917 800 677,922 35,000 691,719 691,719 42,000 42,000 mand and Energy Savings - 2015-2024 DSM Per In @Meter V Reduction 0.05 0.06 296 mand and Energy Savings - 2020-2029 DSM Per In @Meter V Reduction 0.07 0.07 0.07 Reduction 0.10 0.07 469	ame: RESIDENTIAL CUSTOMER ASSISTED AUD art Date: June 1996 b c d e b c d e Date: June 1996 Projected Projected b c d e Total Number of Number of Projected Number of Eligible Projected Program Customers 628,392 628,392 1,390 1,390 640,090 640,090 1,200 2,590 3,890 651,770 651,770 500 3,890 3,890 677,922 677,922 35,000 38,890 691,719 691,719 42,000 80,890 Mand and Energy Savings - 2015-2024 DSM Plan Per Installation @ Meter @ Generator 0.05 0.06 No 296 313 Mand and Energy Savings - 2020-2029 DSM Plan Per Installation @ Generator 0.07 0.08 Meduction 0.07 0.08 0.01 0.10	ame: RESIDENTIAL CUSTOMER ASSISTED AUDITS art Date: June 1996 b c d e f b c d e f Deriod: Annual 2020 Projected Projected Projected Cumulative Total Number of Number of Number of Participants [(e/c)x100] Level % Customers Customers Customers Participants [(e/c)x100] Level % 628,392 628,392 1,390 1,390 1,390 0.2% 640,090 640,090 1,200 2,590 0.4% 651,770 651,770 500 3,890 0.6% 677,922 677,922 35,000 38,890 5.7% 691,719 691,719 42,000 80,890 11.7% Mand and Energy Savings - 2015-2024 DSM Plan Participants Program W Reduction 0.06 0.07 3,095.93 15,022,888 mand and Energy Savings - 2020-2029 DSM Plan Participants Program W Reduction 0.07 0.08	ame:RESIDENTIAL CUSTOMER ASSISTED AUDITS art Date:ant Date:June 1996 Annual 2020bcdefgbcdefgTotalTotalTotalTotalProjected CustomersProjected ProjectedProjected CustomersProjected ProjectedProjected ProgramActual AnnualCustomersCustomers EligibleParticipants ParticipantsParticipants ParticipantsPenetration ProgramNumber of Program628,392628,3921,3901,2902,5900.4% 0.02%1,017 658651,770651,7705003,0900.5% 0.6%409662,9178003,8900.6% 3,737027,734 677,922677,92235,00038,89011.7%59,766mand and Energy Savings - 2015-2024 DSM Plan ReductionParticipants 0.0650,753 0.06Meduction0.050.06 0.070.070.88 3139,013Mand and Energy Savings - 2020-2029 DSM Plan ReductionParticipants 0.079,013 0.0889,013 0.02,88Mand and Energy Savings - 2020-2029 DSM Plan ReductionParticipants 0.079,013 0.088Participants 0.039,013 0.02,93Mand and Energy Savings - 2020-2029 DSM Plan ReductionParticipants 0.079,013 0.088Participants 0.039,013 0.02,93Mand and Energy Savings - 2020-2029 DSM Plan ReductionParticipants 0.0109,013 0.0288 <t< td=""><td>ame: RESIDENTIAL CUSTOMER ASSISTED AUDITS art Date: June 1996 etriod: Annual 2020 b c d e f g h Total Total Total Projected Projected Actual Actual Total Number of Eligible Projected Projected Program Qualitive Program Program Customers Customers Participants Participants Participants Participants 658</td><td>ame:RESIDENTIAL CUSTOMER ASSISTED AUDITS art Date:June 1996 June 1996 teriod:Annual 2020bcdefghiTotalTotalTotalProjected CumulativeProjected CumulativeActual<</td></t<>	ame: RESIDENTIAL CUSTOMER ASSISTED AUDITS art Date: June 1996 etriod: Annual 2020 b c d e f g h Total Total Total Projected Projected Actual Actual Total Number of Eligible Projected Projected Program Qualitive Program Program Customers Customers Participants Participants Participants Participants 658	ame:RESIDENTIAL CUSTOMER ASSISTED AUDITS art Date:June 1996 June 1996 teriod:Annual 2020bcdefghiTotalTotalTotalProjected CumulativeProjected CumulativeActual<

4

			D	emand Side Mar	nagement Annual	Report			
Utility: Program N Program Si Reporting F	tart Date:	Tampa Electri RESIDENTIA January 1981 Annual 2020	L RCS AUDIT (0	Computer Assiste	ed - Paid)				
а	b	С	d	е	f	g	h	i	j
Year 2015 2016 2017 2018 2019 2020 2021 2022 2023	Total Number of Customers 628,392 640,090 651,770 662,917 677,922 691,719	Total Number of Eligible Customers 628,392 640,090 651,770 662,917 677,922 691,719	Total Number of Projected Participants 0 4 10 10 1 1	Projected Cumulative Number of Program Participants 0 4 14 24 25 26	Projected Cumulative Penetration Level % [(e/c)x100] 0.0% 0.0% 0.0% 0.0% 0.0% 0.0%	Actual Annual Number of Program Participants 5 9 4 2 1 0	Actual Cumulative Number of Program Participants 5 14 18 20 21 21	Actual Cumulative Penetration Level % [(h/c)x100] 0.0% 0.0% 0.0% 0.0% 0.0%	Actual Participation Over (Under) Projected Participants (h-e) 5 10 4 (4) (4) (5)
2024 Annual De Summer kW Winter kW	N Reduction	rgy Savings - 2	015-2024 DSM Per In @ Meter 0.07 0.08 395	Plan stallation @ Generator 0.08 0.09 417	Participants Program @ Meter 0.00 0.00 0	0 <u>@ Generator</u> 0.00 0.00 0			
Annual De	mand and Ener	rgy Savings - 2	020-2029 DSM	Plan	Participants	0			
Winter kW	V Reduction Reduction h Reduction		Per In @ Meter 0.10 0.13 625	stallation @ Generator 0.10 0.14 660	Program @ Meter 0.00 0.00 0	<u>m Total</u> @ Generator 0.00 0.00 0			
Annual De	mand and Ener	rgy Savings - C	ombined, Note	1	Participants	0 Tatal			
Winter kW	V Reduction Reduction h Reduction				Program @ Meter 0.00 0.00 0	<u>@ Generator</u> 0.00 0.00 0			
Total Progr Net Benefit		Utility (\$000): nstalled During	Reporting Perio	(, ,	0 0.1 (2.3)				

CT.

Total Total Cumulative Cumulative Annual Cumulative Cumulative (Total Number of Number of Penetration Number of Number of Penetration							JLATION	ic Company L CEILING INSI 82	art Date:	Jtility: Program Na Program Sta Reporting P	
Total Number of Number of Number of 2015Total Number of Eligible 2016Total Number of Projected ParticipantsCumulative Penetration ParticipantsAnnual Penetration Level % ParticipantsCumulative Penetration Level % ParticipantsCumulative 	j		i	h	g	f	е	d	С	b	а
2015 628,392 494,802 7,200 7,200 1,5% 3,067 3,067 3,067 0,6% 2016 640,090 491,745 2,760 9,960 2.0% 1,293 4,350 0.9% 2017 651,770 490,452 1,255 11,215 2.3% 945 5,295 1,1% 2018 662,917 489,507 1,300 12,515 2.6% 594 5,889 1.2% 2019 677,922 488,913 550 13,065 2.7% 595 6,484 1.3% 2020 691,719 488,318 450 13,515 2.8% 265 6,749 1.4% 2021 2022 2023 2024 2024 2024 2024 2024 2024 2024 2024 203 204 83.70 89.81 Annual Demand and Energy Savings - 2020-2029 DSM Plan Per installation Per installation Program Total 9.81 Summer kW Reduction 0.32 0.32 0.35 190,800 201,485 Annual Demand and Energy Savings - Combined Per insta	Actual Participatio Over (Unde Projected Participant) 9 1	Cumulative Penetration	Cumulative Number of	Annual Number of	Cumulative Penetration	Cumulative Number of	Number of	Number of		
2016 640,090 491,745 2,760 9,960 2.0% 1,293 4,350 0.9% 2017 661,770 490,452 1,255 11,215 2.3% 945 5,295 1,1% 2018 662,917 488,907 1,300 12,515 2.6% 594 5,889 1.2% 2019 677,922 488,913 550 13,065 2.7% 595 6,484 1.3% 2020 691,719 488,318 450 13,515 2.8% 265 6,749 1.4% 2021 2023 2023 2024 2024 203 204 25 Per Installation Participants 25 Program Total 20 265 6,749 1.4% 2022 2023 203 204 37.0 0.40 83.70 89.81 190,800 201,485 Annual Demand and Energy Savings - 2020-2029 DSM Plan Per Installation Per Installation QCenerator 12.88 13.82 16.96 18.20 Nummer kW Reduction 673 711 26,920 28,428	(h-e)	I	[(h/c)x100]	Participants	Participants	[(e/c)x100]	Participants	Participants	Customers	Customers	Year
2017 651,770 490,452 1,255 11,215 2.3% 945 5,295 1.1% 2018 662,917 489,507 1,300 12,515 2.6% 594 5,889 1.2% 2019 677,922 488,913 550 13,065 2.7% 595 6,484 1.3% 2020 691,719 488,318 450 13,515 2.8% 265 6,749 1.4% 2021 2022 2023 2024 2024 265 6,749 1.4% 2022 2023 2024 2024 265 6,749 1.4% 2024 2024 2024 265 6,749 1.4% 2023 2024 0.37 0.40 26 22.8% 265 6,749 1.4% Summer kW Reduction 848 848 810 190,800 201,485 38.1 190,800 201,485 Summer kW Reduction 0.32 0.35 0.35 16.96 18.20 26,920 28,428 Ninual Remark W Reduction 0.42 0.45 16.96 <td>(4,143)</td> <td>6 -</td> <td>0.6%</td> <td>3,057</td> <td>3,057</td> <td>1.5%</td> <td>7,200</td> <td>7,200</td> <td>494,802</td> <td>628,392</td> <td>2015</td>	(4,143)	6 -	0.6%	3,057	3,057	1.5%	7,200	7,200	494,802	628,392	2015
2018 662,917 489,507 1,300 12,515 2.6% 594 5,889 1.2% 2019 677,922 488,913 550 13,065 2.7% 595 6,484 1.3% 2020 691,719 488,318 450 13,515 2.8% 265 6,749 1.4% 2022 2023 2024 2024 2024 2025 2.8% 265 6,749 1.4% 2022 2023 2024 2024 2025 2.8% 265 6,749 1.4% 2022 2023 2024 2024 2025 2.8% 265 6,749 1.4% 2023 2024 1.2% 2.8% 265 6,749 1.4% 2023 2024 2024 2.8% 265 6,749 1.4% 2023 2024 2026 2028 28 28 265 6,749 1.4% 2023 2024 0.25 0.26 0.28 0.28 62.53 62.53 62.53 62.53 63.53 190,800 201,485	(5,610	6	0.9%	4,350	1,293	2.0%	9,960	2,760	491,745	640,090	2016
2019 677,922 488,913 550 13,065 2.7% 595 6,484 1.3% 2020 691,719 488,318 450 13,515 2.8% 265 6,749 1.4% 2021 2023 2023 2024 Per Installation Per Installation Program Total Program Total 0	(5,920	6	1.1%	5,295	945	2.3%	11,215	1,255	490,452	651,770	2017
2020 691,719 488,318 450 13,515 2.8% 265 6,749 1.4% 2021 2022 2023 2023 2024 Per Installation Program Total Program Total 0 0 0.26 0.28 83,70 89,81 190,800 201,485 190,800 201,485 190,800 201,485 Per Installation Per Installation 0 0 0.37 0.40 83,70 89,81 190,800 201,485 13,82 0 0.26 0.28 83,70 89,81 190,800 201,485 190,800 201,485 13,82 0 0 14% 14% 190,800 201,485 13,82 0 0 13,70 14% 190,800 201,485 13,82 0 0 14% 190,800 201,485 13,82 13,82 0 0 14%	(6,626	6	1.2%	5,889	594	2.6%	12,515	1,300	489,507	662,917	2018
2021 2022 2023 2024 nnual Demand and Energy Savings - 2015-2024 DSM Plan Participants 225 mmer kW Reduction 0.26 0.28 0.28 62.53 Ninter kW Reduction 0.37 0.40 83.70 89.81 nnual KWh Reduction 848 895 190.800 201,485 nnual Demand and Energy Savings - 2020-2029 DSM Plan Per Installation Per Installation Program Total @ Meter @ Generator 0.32 0.35 12.88 13.82 //inter kW Reduction 0.42 0.45 16.96 18.20 nnual Demand and Energy Savings - Combined Participants 265 26,920 28,428 nnual Demand and Energy Savings - Combined Participants 265 Program Total @ Meter @ Generator 71.16 76.35 //inter kW Reduction 100.66 108.01 100.66 108.01 ummer kW Reduction 217,720 229,912 229,912 229,912	(6,581	6	1.3%	6,484	595	2.7%	13,065	550	488,913	677,922	2019
2023 2024 nnual Demand and Energy Savings - 2015-2024 DSM Plan Per Installation @ Meter @ Generator 0.26 0.28 //inter kW Reduction 0.37 nnual KWh Reduction 848 895 190,800 2011 Per Installation @ Meter @ Generator 0.26 0.28 0.37 0.40 848 895 190,800 201,485 Per Installation Per Installation @ Meter @ Generator 0.32 0.35 1/inter kW Reduction 0.32 0.42 0.45 16.96 18.20 nnual Demand and Energy Savings - Combined Participants Participants 265 Program Total @ Meter @ Generator 100.66 108.01 100.66 108.01 100.66 108.01 201,125 229,912	(6,766	ó	1.4%	6,749	265	2.8%	13,515	450	488,318	691,719	2021
2024 annual Demand and Energy Savings - 2015-2024 DSM Plan Per Installation Per Installation @ Meter @ Generator 0.26 0.28 Vinter kW Reduction 0.37 0.37 0.40 848 895 nnual Demand and Energy Savings - 2020-2029 DSM Plan Per Installation @ Meter @ Generator Program Total<											
Participants225Per Installation@ Meter@ Generator@ Meter@ Generator0.260.28Vinter kW Reduction0.370.370.40848895annual bemand and Energy Savings - 2020-2029 DSM PlanPer Installation@ Meter@ Generator@ Meter@ Generator@ Meter@ Generator@ Meter@ Generator@ Meter@ Generator@ Meter@ Generator0.320.35Vinter kW Reduction0.420.420.4510.9618.2026,92028,428Annual Demand and Energy Savings - CombinedParticipantsParticipants265Program Total@ Meter@ Generator11.1676.35100.66108.0121.7,720229,912											
Per InstallationProgram Total@ Meter@ GeneratorWinter kW Reduction0.370.40848895190,800201,485Annual Demand and Energy Savings - 2020-2029 DSM PlanPer Installation@ Meter@ Generator@ Meter@ Generator% Nnual kWh Reduction673Winter kW Reduction673Winter kW Reduction71.16Winter kW Reduction71.16Winter kW Reduction100.66Winter kW Reduction217,720229,912											2024
Ownmer kW ReductionOverall ConstraintsOverall ConstraintsOverall ConstraintsSummer kW Reduction0.260.280.370.4083.7089.81Annual kWh Reduction848895190,800201,485Annual Demand and Energy Savings - 2020-2029 DSM PlanPer InstallationPer InstallationPer InstallationOwner kW Reduction0.320.3512.8813.82Vinter kW Reduction0.420.4516.9618.20Annual Demand and Energy Savings - CombinedParticipants26526,920Annual Demand and Energy Savings - CombinedParticipants265Summer kW Reduction67371.1676.35Nunual kWh Reduction100.66108.01Vinter kW Reduction217,720229,912						Participants			gy Savings - 2	mand and Ener	Annual Der
Summer kW Reduction0.260.2858.2862.53Winter kW Reduction0.370.4083.7089.81Annual kWh Reduction848895190,800201,485Annual Demand and Energy Savings - 2020-2029 DSM PlanParticipants40Per Installation@ Generator@ Generator@ Meter@ Generator@ Generator@ Meter@ Generator0.32Winter kW Reduction0.420.45Annual kWh Reduction67371126,92028,428Annual bemand and Energy Savings - CombinedParticipants265Program Total@ Meter@ Generator@ Meter@ Generator71.16Winter kW Reduction71.1676.35Winter kW Reduction100.66108.01Winter kW Reduction217,720229,912											
Winter kW Reduction0.370.4083.7089.81Annual kWh Reduction848895190,800201,485Annual Demand and Energy Savings - 2020-2029 DSM Plan Per InstallationParticipants40Per Installation0.320.350.40Winter kW Reduction0.320.3516.9618.20Annual kWh Reduction67371126,92028,428Annual Demand and Energy Savings - CombinedParticipants265Summer kW Reduction67371126,52Annual kWh Reduction71.1676.35Vinter kW Reduction100.66108.01Annual kWh Reduction217,720229,912								<u> </u>			
Annual kWh Reduction848895190,800201,485Annual Demand and Energy Savings - 2020-2029 DSM Plan Per InstallationParticipants40 Program TotalOwneer kW Reduction0.320.3512.8813.82Summer kW Reduction0.420.4516.9618.20Annual kWh Reduction67371126,92028,428Annual Demand and Energy Savings - CombinedParticipants265 Program TotalSummer kW Reduction71.1676.35Annual kWh Reduction100.66108.01 217,720											
Annual Demand and Energy Savings - 2020-2029 DSM PlanParticipants40Per Installation@ Meter@ Generator@ Meter@ GeneratorSummer kW Reduction0.320.35Ninter kW Reduction0.420.45Annual kWh Reduction673711Summer kW Reduction673711Participants265Program Total@ Generator@ Meter@ GeneratorImage: Summer kW Reduction71.16Summer kW Reduction71.16Nanual kWh Reduction71.16Nanual kWh Reduction71.16Image: Summer kW Reduction71.16 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
Per InstallationProgram Total@ Meter@ GeneratorSummer kW Reduction0.32Ninter kW Reduction0.42Annual kWh Reduction673Annual Demand and Energy Savings - CombinedParticipantsSummer kW Reduction265Program Total@ Meter@ Generator@ Meter@ Generator% Meter@ Generator% Meter0.66100.66108.01% Annual kWh Reduction217,720% Meter229,912					201,485	190,800	895	848		n Reduction	Annual Kvvr
Ommer kW Reduction0.320.3512.8813.82Summer kW Reduction0.420.4516.9618.20Annual kWh Reduction67371126,92028,428Annual Demand and Energy Savings - CombinedParticipants265Summer kW Reduction71.1676.35Vinter kW Reduction100.66108.01Annual kWh Reduction217,720229,912							Plan	:020-2029 DSM	gy Savings - 2	mand and Ener	Annual Der
Summer kW Reduction 0.32 0.35 12.88 13.82 Vinter kW Reduction 0.42 0.45 16.96 18.20 unnual kWh Reduction 673 711 26,920 28,428 unnual Demand and Energy Savings - Combined Participants 265 Program Total @ Generator @ Meter @ Generator 71.16 76.35 100.66 108.01 unnual kWh Reduction 217,720 229,912											
Vinter kW Reduction0.420.4516.9618.20unnual kWh Reduction67371126,92028,428unnual Demand and Energy Savings - CombinedParticipants265Program Total@ MeterProgram Total@ Meter71.1676.35Vinter kW Reduction100.66108.01unnual kWh Reduction217,720229,912											
Annual kWh Reduction67371126,92028,428Annual Demand and Energy Savings - CombinedParticipants265Program Total@ Generator@ Meter@ Generator71.1676.35100.66108.01217,720229,912											
Annual Demand and Energy Savings - Combined Participants 265 Program Total @ Meter @ Generator Summer kW Reduction 71.16 76.35 Winter kW Reduction 100.66 108.01 Annual kWh Reduction 217,720 229,912											
Program Total@ Meter@ GeneratorWinter kW Reduction71.1676.35Vinter kW Reduction100.66108.01Annual kWh Reduction217,720229,912					28,428	26,920	711	673		n Reduction	Annual kWr
Image: Summer kW ReductionImage: Constraint of the second sec								Combined	gy Savings - C	mand and Ener	nnual Der
Summer kW Reduction 71.16 76.35 Vinter kW Reduction 100.66 108.01 Nnnual kWh Reduction 217,720 229,912											
Vinter kW Reduction 100.66 108.01 Annual kWh Reduction 217,720 229,912					<u> </u>	<u> </u>				V Poduction	Summor W
Annual kWh Reduction 217,720 229,912											
Itility Cost per Installation (\$): 475					//9.91/						
					229,912	217,720					
otal Program Cost of the Utility (\$000): 126.0					229,912	,			\$):		

				Demand Side M	lanagement Annua	al Report			
Jtility: Program N Program S Reporting F	tart Date:	Tampa Electri RESIDENTIA September 19 Annual 2020	L DUCT RÉPAI	R					
а	b	с	d	е	f	g	h	i	j
				Projected	Draigated	Actual	Actual	Actual	Actual Participatior
		Total	Total	Cumulative	Projected Cumulative	Annual	Cumulative	Cumulative	Over (Under
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	628,392	480,750	1,680	1,680	0.3%	1,895	1,895	0.4%	21
2016	640,090	478,855	2,040	3,720	0.8%	1,293	3,188	0.7%	(53)
2017	651,770	477,562	1,530	5,250	1.1%	1,176	4,364	0.9%	(88)
2018	662,917	476,386	1,300	6,550	1.4%	1,997	6,361	1.3%	(18
2019	677,922	474,389	1,000	7,550	1.6%	1,078	7,439	1.6%	(11
2020	691,719	473,311	500	8,050	1.7%	251	7,690	1.6%	(36
2021									
2022									
2023									
2024									
	mand and Ene	rgy Savings - 2	015-2024 DSM	Plan	Participants	148			
	mand and Ene	rgy Savings - 2		Plan stallation	Participants	148 Program Total			
	mand and Ene	rgy Savings - 2			Participants @ Meter				
Annual De	emand and Ener	rgy Savings - 2	Per In	stallation	·	Program Total			
Annual De Gummer k\		rgy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
Annual De Summer k\ Winter kW	W Reduction	rgy Savings - 2	Per In @ Meter 0.17	stallation @ Generator 0.18	@ Meter 25.31	Program Total @ Generator 27.16			
Annual De Gummer k\ Vinter kW Annual kW	W Reduction Reduction 'h Reduction		Per In @ Meter 0.17 0.22 298	stallation @ Generator 0.18 0.23 315	@ Meter 25.31 32.12 44,104	Program Total @ Generator 27.16 34.46 46,574			
Annual De Gummer k\ Vinter kW Annual kW	W Reduction Reduction		Per In @ Meter 0.17 0.22 298 0020-2029 DSM	stallation @ Generator 0.18 0.23 315	@ Meter 25.31 32.12 44,104 Participants	Program Total @ Generator 27.16 34.46 46,574 103			
Annual De Gummer k\ Vinter kW Annual kW	W Reduction Reduction 'h Reduction		Per In @ Meter 0.17 0.22 298 0020-2029 DSM	stallation @Generator 0.18 0.23 315 Plan	@ Meter 25.31 32.12 44,104	Program Total @ Generator 27.16 34.46 46,574 103			
Annual De Summer k\ Winter kW Annual kW Annual De	W Reduction Reduction 'h Reduction		Per In @ Meter 0.17 0.22 298 020-2029 DSM Per In	stallation @ Generator 0.18 0.23 315 Plan stallation	@ Meter 25.31 32.12 44,104 Participants Program	Program Total @ Generator 27.16 34.46 46,574 103 m Total			
Annual De Summer k\ Winter kW Annual kW Annual De Summer k\	W Reduction Reduction h Reduction		Per In @ Meter 0.17 0.22 298 020-2029 DSM Per In @ Meter	tallation @ Generator 0.18 0.23 315 Plan stallation @ Generator	@ Meter 25.31 32.12 44,104 Participants <u>Program</u> @ Meter	Program Total @ Generator 27.16 34.46 46,574 103 m Total @ Generator			
Annual De Summer k\ Winter kW Annual kW Annual De Summer k\ Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction		Per In @ Meter 0.17 0.22 298 0020-2029 DSM Per In @ Meter 0.20	stallation @ Generator 0.18 0.23 315 Plan stallation @ Generator 0.21	@ Meter 25.31 32.12 44,104 Participants Program @ Meter 20.50	Program Total @ Generator 27.16 34.46 46,574 103 m Total @ Generator 21.99			
Annual De Summer kW Winter kW Annual kW Annual De Summer kV Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.17 0.22 298 020-2029 DSM Per In @ Meter 0.20 0.33 696	stallation @ Generator 0.18 0.23 315 Plan stallation @ Generator 0.21 0.36	@ Meter 25.31 32.12 44,104 Participants Program @ Meter 20.50 34.30	Program Total @ Generator 27.16 34.46 46,574 103 m Total @ Generator 21.99 36.80			
Annual De Summer kW Winter kW Annual kW Annual De Summer kV Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 0.17 0.22 298 020-2029 DSM Per In @ Meter 0.20 0.33 696	stallation @ Generator 0.18 0.23 315 Plan stallation @ Generator 0.21 0.36	@ Meter 25.31 32.12 44,104 Participants Program @ Meter 20.50 34.30 71,688	Program Total @ Generator 27.16 34.46 46,574 103 m Total @ Generator 21.99 36.80 75,703 251			
Annual De Summer k\ Winter kW Annual kW Annual De Summer k\ Winter kW Annual kW	W Reduction Reduction In Reduction mand and Ener W Reduction Reduction In Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 0.17 0.22 298 020-2029 DSM Per In @ Meter 0.20 0.33 696	stallation @ Generator 0.18 0.23 315 Plan stallation @ Generator 0.21 0.36	@ Meter 25.31 32.12 44,104 Participants Program @ Meter 20.50 34.30 71,688 Participants Program @ Meter	Program Total @ Generator 27.16 34.46 46,574 103 m Total @ Generator 21.99 36.80 75,703 251 m Total @ Generator			
Annual De Summer k\ Winter kW Annual kW Annual De Summer k\ Annual De Summer k\	W Reduction Reduction In Reduction mand and Ener W Reduction Reduction In Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.17 0.22 298 020-2029 DSM Per In @ Meter 0.20 0.33 696	stallation @ Generator 0.18 0.23 315 Plan stallation @ Generator 0.21 0.36	@ Meter 25.31 32.12 44,104 Participants Program @ Meter 20.50 34.30 71,688 Participants Program @ Meter @ Meter 45.81	Program Total @ Generator 27.16 34.46 46,574 103 m Total @ Generator 21.99 36.80 75,703 251 m Total @ Generator 49.15			
Annual De Summer kW Winter kW Annual kW Annual De Summer kW Annual kW Annual De Summer kW	W Reduction Reduction In Reduction Immand and Energy W Reduction In Reduction In Reduction Immand and Energy W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.17 0.22 298 020-2029 DSM Per In @ Meter 0.20 0.33 696	stallation @ Generator 0.18 0.23 315 Plan stallation @ Generator 0.21 0.36	@ Meter 25.31 32.12 44,104 Participants Program @ Meter 20.50 34.30 71,688 Participants Program @ Meter 45.81 66.42	Program Total @ Generator 27.16 34.46 46,574 103 m Total @ Generator 21.99 36.80 75,703 251 m Total @ Generator 49.15 71.26			
Annual De Summer kW Annual kW Annual De Summer kW Annual kW Annual De Summer kW	W Reduction Reduction In Reduction mand and Ener W Reduction Reduction In Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.17 0.22 298 020-2029 DSM Per In @ Meter 0.20 0.33 696	stallation @ Generator 0.18 0.23 315 Plan stallation @ Generator 0.21 0.36	@ Meter 25.31 32.12 44,104 Participants Program @ Meter 20.50 34.30 71,688 Participants Program @ Meter @ Meter 45.81	Program Total @ Generator 27.16 34.46 46,574 103 m Total @ Generator 21.99 36.80 75,703 251 m Total @ Generator 49.15			
Annual De Summer kW Annual kW Annual kW Annual De Summer kW Annual kW Annual kW Minter kW Minter kW Annual kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction mand and Ener W Reduction Reduction h Reduction h Reduction per Installation	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 0.17 0.22 298 020-2029 DSM Per In @ Meter 0.20 0.33 696	stallation @ Generator 0.18 0.23 315 Plan stallation @ Generator 0.21 0.36	@ Meter 25.31 32.12 44,104 Participants Program @ Meter 20.50 34.30 71,688 Participants Program @ Meter 45.81 66.42 115,792 281	Program Total @ Generator 27.16 34.46 46,574 103 m Total @ Generator 21.99 36.80 75,703 251 m Total @ Generator 49.15 71.26			
Annual De Summer k\ Winter kW Annual kW Annual De Summer k\ Annual kW Annual kW Annual kW Jutier kW Annual kW Jutility Cost Total Progr	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	rgy Savings - 2 rgy Savings - C (\$): Utility (\$000):	Per In @ Meter 0.17 0.22 298 020-2029 DSM Per In @ Meter 0.20 0.33 696 Combined	stallation @ Generator 0.18 0.23 315 Plan stallation @ Generator 0.21 0.36 735	@ Meter 25.31 32.12 44,104 Participants Program @ Meter 20.50 34.30 71,688 Participants Program @ Meter 45.81 66.42 115,792	Program Total @ Generator 27.16 34.46 46,574 103 m Total @ Generator 21.99 36.80 75,703 251 m Total @ Generator 49.15 71.26			

			De	mand Side Man	agement Annua	al Report			
Utility: Program Na Program St Reporting P	tart Date:	Tampa Electr RESIDENTIA November 20 Annual 2020	L ELECTRONIC	CALLY COMMU	TATED MOTOF	RS			
а	b	с	d	е	f	g	h	i	j
Year 2015 2016 2017 2018 2019 2020 2021 2022 2023	Total Number of Customers 628,392 640,090 651,770 662,917 677,922 691,719	Total Number of Eligible Customers 628,392 640,090 651,770 662,917 677,922 691,719	Total Number of Projected Participants 0 0 0 0 1 0	Projected Cumulative Number of Program Participants 0 0 0 0 1 1 1	Projected Cumulative Penetration Level % [(e/c)x100] 0.0% 0.0% 0.0% 0.0% 0.0%	Actual Annual Number of Program Participants 4 0 0 0 0 1	Actual Cumulative Number of Program Participants 4 4 4 4 5	Actual Cumulative Penetration Level % [(h/c)x100] 0.0% 0.0% 0.0% 0.0% 0.0% 0.0%	Actual Participation Over (Under) Projected Participants (h-e) 4 4 4 4 3 4 4
2024									
2024 Annual Der	mand and Ener	rgy Savings - 2		Plan stallation	Participants	1 Program Total			
Annual Der		rgy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
Annual Der Summer kV	N Reduction	rgy Savings - 2	Per In @ Meter 0.15	stallation @ Generator 0.16	@ Meter 0.15	Program Total @ Generator 0.16			
Annual Der Summer kV Winter kW I	V Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.15 0.14	stallation @ Generator 0.16 0.15	@ Meter 0.15 0.14	Program Total @ Generator 0.16 0.15			
Annual Der Summer kV Winter kW I	N Reduction	rgy Savings - 2	Per In @ Meter 0.15	stallation @ Generator 0.16	@ Meter 0.15	Program Total @ Generator 0.16			
Annual Der Summer kV Winter kW I Annual kWh	V Reduction Reduction		Per In @ Meter 0.15 0.14 388 2020-2029 DSM	<u>@ Generator</u> 0.16 0.15 410 Plan	@ Meter 0.15 0.14 388 Participants	Program Total @ Generator 0.16 0.15 410 0			
Annual Der Summer kV Winter kW I Annual kWh	V Reduction Reduction h Reduction		Per In @ Meter 0.15 0.14 388 2020-2029 DSM Per In	stallation @ Generator 0.16 0.15 410 Plan stallation	@ Meter 0.15 0.14 388 Participants Progra	Program Total @ Generator 0.16 0.15 410 0 m Total			
Annual Der Summer kV Winter kW I Annual kWł Annual Der	N Reduction Reduction h Reduction mand and Ene r		Per In @ Meter 0.15 0.14 388 2020-2029 DSM	<u>@ Generator</u> 0.16 0.15 410 Plan	@ Meter 0.15 0.14 388 Participants	Program Total @ Generator 0.16 0.15 410 0			
Annual Der Summer kV Winter kW I Annual kWH Annual Der Summer kV	W Reduction Reduction h Reduction mand and Ene i W Reduction		Per In @ Meter 0.15 0.14 388 2020-2029 DSM Per In	stallation @ Generator 0.16 0.15 410 Plan stallation	@ Meter 0.15 0.14 388 Participants Progra	Program Total @ Generator 0.16 0.15 410 0 m Total @ Generator			
Annual Der Summer kV Winter kW I Annual kWł Annual Der Summer kV Winter kW I	W Reduction Reduction h Reduction mand and Ene i W Reduction		Per In @ Meter 0.15 0.14 388 2020-2029 DSM Per In	stallation @ Generator 0.16 0.15 410 Plan stallation	@ Meter 0.15 0.14 388 Participants Progra	Program Total @ Generator 0.16 0.15 410 0 m Total @ Generator			
Annual Der Summer kV Winter kW I Annual kWł Annual Der Summer kV Winter kW I Annual kWł	W Reduction Reduction h Reduction mand and Ene W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.15 0.14 388 2020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.16 0.15 410 Plan stallation	@ Meter 0.15 0.14 388 Participants Progra @ Meter - - - Participants	Program Total @ Generator 0.16 0.15 410 0 m Total @ Generator - - 1			
Annual Der Summer kV Winter kW I Annual kWł Annual Der Summer kV Winter kW I Annual kWł	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 0.15 0.14 388 2020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.16 0.15 410 Plan stallation	@ Meter 0.15 0.14 388 Participants Progra @ Meter - - - Participants	Program Total @ Generator 0.16 0.15 410 0 m Total @ Generator - - -			
Annual Der Summer kV Winter kW I Annual kWH Annual Der Summer kW Annual Der Summer kV	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.15 0.14 388 2020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.16 0.15 410 Plan stallation	@ Meter 0.15 0.14 388 Participants Progra @ Meter - - Participants Progra @ Meter 0.15	Program Total @ Generator 0.16 0.15 410 0 m Total @ Generator - 1 m Total @ Generator 0.16			
Annual Der Summer kV Winter kW I Annual kWH Annual Der Summer kV Annual Der Summer kV Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.15 0.14 388 2020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.16 0.15 410 Plan stallation	@ Meter 0.15 0.14 388 Participants Progra @ Meter Participants Progra @ Meter 0.15 0.14	Program Total @ Generator 0.16 0.15 410 0 m Total @ Generator - 1 m Total @ Generator 0.16 0.15			
Annual Der Summer kV Winter kW I Annual kWH Annual Der Summer kV Annual Der Summer kV Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.15 0.14 388 2020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.16 0.15 410 Plan stallation	@ Meter 0.15 0.14 388 Participants Progra @ Meter - - Participants Progra @ Meter 0.15	Program Total @ Generator 0.16 0.15 410 0 m Total @ Generator - 1 m Total @ Generator 0.16			
Annual Der Summer kV Winter kW I Annual kWH Annual Der Summer kV Annual kWH Summer kV Winter kW I Annual kWH	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 0.15 0.14 388 2020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.16 0.15 410 Plan stallation	@ Meter 0.15 0.14 388 Participants Progra @ Meter Participants Progra @ Meter 0.15 0.14	Program Total @ Generator 0.16 0.15 410 0 m Total @ Generator - 1 m Total @ Generator 0.16 0.15			
Annual Der Summer kV Winter kW I Annual kWł Annual Der Summer kV Annual kWł Summer kW Winter kW I Annual kWł Utility Cost	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction h Reduction h Reduction	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 0.15 0.14 388 2020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.16 0.15 410 Plan stallation	@ Meter 0.15 0.14 388 Participants Progra @ Meter - Participants Progra @ Meter 0.15 0.14 388	Program Total @ Generator 0.16 0.15 410 0 m Total @ Generator - 1 m Total @ Generator 0.16 0.15			

00

				Demand Side N	lanagement Annua	al Report			
Utility: Program N Program S Reporting I	tart Date:	Tampa Electri ENERGY EDI May 2011 Annual 2020		RENESS AND	AGENCY OUTRE	ACH			
а	b	с	d	е	f	g	h	i	j
Year 2015	Total Number of <u>Customers</u> 628,392	Total Number of Eligible <u>Customers</u> 628,392	Total Number of Projected Participants 2,000	Projected Cumulative Number of Program Participants 2,000	Projected Cumulative Penetration Level % [(e/c)x100] 0.3%	Actual Annual Number of Program Participants 1,412	Actual Cumulative Number of Program Participants 1,412	Actual Cumulative Penetration Level % [(h/c)x100] 0.2%	Actual Participation Over (Under Projected Participants (h-e) (588
2016	640,090	640,090	2,000	4,000	0.6%	461	1,873	0.3%	(2,127
2017	651,770	651,770	500	4,500	0.7%	975	2,848	0.4%	(1,65
2018	662,917	662,917	750	5,250	0.8%	806	3,654	0.6%	(1,59
2019 2020 2021 2022	677,922 691,719	677,922 691,719	700 750	5,950 6,700	0.9% 1.0%	1,304 445	4,958 5,403	0.7% 0.8%	(99 (1,29
2023 2024									
Annual De	emand and Ene	rgy Savings - 2	015-2024 DSM	Plan	Participants	445			
Annual De	emand and Ene	rgy Savings - 2	Per In	stallation		Program Total			
		rgy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
Summer k	W Reduction	rgy Savings - 2	Per In @ Meter 0.03	stallation @ Generator 0.03	@ Meter 12.02	Program Total @ Generator 12.89			
Summer k\ Vinter kW	W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.03 0.05	stallation @ Generator 0.03 0.05	@ Meter 12.02 21.81	Program Total @ Generator 12.89 23.40			
Summer k Vinter kW	W Reduction	rgy Savings - 2	Per In @ Meter 0.03	stallation @ Generator 0.03	@ Meter 12.02	Program Total @ Generator 12.89			
Summer k Vinter kW Innual kW	W Reduction Reduction		Per In @ Meter 0.03 0.05 377 020-2029 DSM	atallation @ Generator 0.03 0.05 398 Plan	@ Meter 12.02 21.81 167,765 Participants	Program Total @ Generator 12.89 23.40 177,160 0			
ummer k\ Vinter kW .nnual kW	W Reduction Reduction /h Reduction		Per In @ Meter 0.03 0.05 377 020-2029 DSM Per In	stallation @ Generator 0.03 0.05 398 Plan stallation	@ Meter 12.02 21.81 167,765 Participants Program	Program Total @ Generator 12.89 23.40 177,160 0 m Total			
Summer k Vinter kW Annual kW	W Reduction Reduction /h Reduction		Per In @ Meter 0.03 0.05 377 020-2029 DSM	atallation @ Generator 0.03 0.05 398 Plan	@ Meter 12.02 21.81 167,765 Participants	Program Total @ Generator 12.89 23.40 177,160 0			
Summer k Vinter kW Annual kW Annual De Summer k	W Reduction Reduction /h Reduction emand and Ene		Per In @ Meter 0.03 0.05 377 020-2029 DSM Per In @ Meter	tallation @ Generator 0.03 0.05 398 Plan stallation @ Generator	@ Meter 12.02 21.81 167,765 Participants Program @ Meter	Program Total @ Generator 12.89 23.40 177,160 0 m Total @ Generator			
Summer kV Vinter kW Annual kW Annual De Summer kV Vinter kW	W Reduction Reduction /h Reduction emand and Ene		Per In @ Meter 0.03 0.05 377 020-2029 DSM Per In @ Meter 0.04	stallation @ Generator 0.03 0.05 398 Plan stallation @ Generator 0.04	@ Meter 12.02 21.81 167,765 Participants Program @ Meter 0.00	Program Total @ Generator 12.89 23.40 177,160 0 m Total @ Generator 0.00			
Summer k Vinter kW Annual kW Annual De Summer kV Vinter kW Annual kW	W Reduction Reduction /h Reduction emand and Ener W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.03 0.05 377 020-2029 DSM Per In @ Meter 0.04 0.05 366	stallation @ Generator 0.03 0.05 398 Plan stallation @ Generator 0.04 0.05	@ Meter 12.02 21.81 167,765 Participants Program @ Meter 0.00 0.00 0 0 Participants	Program Total @ Generator 12.89 23.40 177,160 0 m Total @ Generator 0.00 0.00 0 445			
Summer k Vinter kW Annual kW Annual De Summer kV Vinter kW Annual kW	W Reduction Reduction /h Reduction emand and Ener W Reduction Reduction /h Reduction	rgy Savings - 2	Per In @ Meter 0.03 0.05 377 020-2029 DSM Per In @ Meter 0.04 0.05 366	stallation @ Generator 0.03 0.05 398 Plan stallation @ Generator 0.04 0.05	@ Meter 12.02 21.81 167,765 Participants Program @ Meter 0.00 0.00 0	Program Total @ Generator 12.89 23.40 177,160 0 m Total @ Generator 0.00 0.00 0 445			
Summer k Vinter kW Annual KW Annual De Summer kV Vinter kW Annual De	W Reduction Reduction /h Reduction emand and Ener W Reduction Reduction /h Reduction	rgy Savings - 2	Per In @ Meter 0.03 0.05 377 020-2029 DSM Per In @ Meter 0.04 0.05 366	stallation @ Generator 0.03 0.05 398 Plan stallation @ Generator 0.04 0.05	@ Meter 12.02 21.81 167,765 Participants Program @ Meter 0.00 0.00 0 Participants Program	Program Total @ Generator 12.89 23.40 177,160 0 m Total @ Generator 0.00 0.00 0 445 m Total			
Summer k ¹ Vinter kW Annual KW Annual De Summer k ¹ Annual De Summer k ¹	W Reduction Reduction /h Reduction emand and Ener W Reduction /h Reduction /h Reduction emand and Ener	rgy Savings - 2	Per In @ Meter 0.03 0.05 377 020-2029 DSM Per In @ Meter 0.04 0.05 366	stallation @ Generator 0.03 0.05 398 Plan stallation @ Generator 0.04 0.05	@ Meter 12.02 21.81 167,765 Participants Program @ Meter 0.00 0 Participants Program 0.00 0 0 Participants Program	Program Total @ Generator 12.89 23.40 177,160 0 m Total @ Generator 0.00 0.00 0 445 m Total @ Generator			
Summer k ¹ Winter kW Annual kW Annual De Summer k ¹ Annual kW Annual De Summer k ¹	W Reduction Reduction /h Reduction mand and Ener W Reduction /h Reduction /h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.03 0.05 377 020-2029 DSM Per In @ Meter 0.04 0.05 366	stallation @ Generator 0.03 0.05 398 Plan stallation @ Generator 0.04 0.05	@ Meter 12.02 21.81 167,765 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter 12.02	Program Total @ Generator 12.89 23.40 177,160 0 m Total @ Generator 0.00 0.00 0 445 m Total @ Generator 12.89			
Summer k Winter kW Annual kW Annual De Summer k Annual kW Annual be Summer k Winter kW Annual kW Jtility Cost	W Reduction Reduction /h Reduction emand and Ener W Reduction /h Reduction emand and Ener W Reduction Reduction /h Reduction /h Reduction	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 0.03 0.05 377 020-2029 DSM Per In @ Meter 0.04 0.05 366	stallation @ Generator 0.03 0.05 398 Plan stallation @ Generator 0.04 0.05	@ Meter 12.02 21.81 167,765 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter 12.02 21.81 167,765 519	Program Total @ Generator 12.89 23.40 177,160 0 m Total @ Generator 0.00 0.00 0 445 m Total @ Generator 12.89 23.40			
Summer k Winter kW Annual kW Annual De Summer k Annual kW Annual kW Minter kW Annual kW Jtility Cost Fotal Proge	W Reduction Reduction /h Reduction mand and Ener W Reduction /h Reduction mand and Ener W Reduction Reduction /h Reduction	rgy Savings - 2 rgy Savings - C (\$): Utility (\$000):	Per In @ Meter 0.03 0.05 377 020-2029 DSM Per In @ Meter 0.04 0.05 366 Combined	stallation @ Generator 0.03 0.05 398 Plan stallation @ Generator 0.04 0.05 386	@ Meter 12.02 21.81 167,765 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter 12.02 21.81 167,765	Program Total @ Generator 12.89 23.40 177,160 0 m Total @ Generator 0.00 0.00 0 445 m Total @ Generator 12.89 23.40			

				Demand Side	Management Annu	al Report				
Utility: Program Na Program St Reporting F	tart Date:	Tampa Electric Company ENERGY STAR for NEW MULTI-FAMILY RESIDENCES June 2017 Annual 2020								
а	b	с	d	е	f	g	h	i	j	
Year	Total Number of Customers	Total Number of Eligible Customers	Total Number of Projected Participants	Projected Cumulative Number of Program Participants	Projected Cumulative Penetration Level % [(e/c)x100]	Actual Annual Number of Program Participants	Actual Cumulative Number of Program Participants	Actual Cumulative Penetration Level % [(h/c)x100]	Actual Participation Over (Under) Projected Participants (h-e)	
2015	0	0	0	0	0.0%	0	0	0.0%	0	
2016	0	0	0	0	0.0%	0	0	0.0%	0	
2017	201,074	3,820	600	600	15.7%	0	0	0.0%	(600)	
2018	207,026	5,952	600	1,200	20.2%	0	0	0.0%	(1,200)	
2019	210,907	3,881	250	1,450	37.4%	264	264	6.8%	(1,186)	
2020 2021 2022 2023 2024	215,519	4,612	0	1,450	31.4%	0	264	5.7%	(1,186)	
Annual De	mand and Ene	rgy Savings - 2		Plan stallation	Participants	0 Program Total				
			@ Meter	@ Generator	@ Meter	@ Generator				
	W Reduction		0.36	0.39	0.00	0.00				
Winter kW			0.24	0.26	0.00	0.00				
Annual kW	h Reduction		1,239	1,308	0	0				
Annual De	mand and Ene	rov Savinos - 2	2020-2029 DSM	Plan	Participants	0				
		- 3 7 3		stallation		m Total				
			@ Meter	@ Generator	@ Meter	@ Generator				
	W Reduction		0.44	0.47	0.00	0.00				
Winter kW			0.30	0.32	0.00	0.00				
Annual kW	h Reduction		1,460	1,542	0	0				
Annual De	mand and Ene	rav Savinas - C	Combined		Participants	0				
		. gj oa go i				m Total				
					@ Meter	@ Generator				
	W Reduction				0.00	0.00				
Winter kW					0.00	0.00				
Annual kW	h Reduction				0	0				
Utility Cost	per Installation	(\$):			0					
	ram Cost of the	(·)			0.1					
	ts of Measures I		Reporting Perio	d (\$000):	1.9					
			r oporting r enu	α (ψυυυ).	1.9					

				Demand Side	Management Annu	al Report					
Jtility: Program N Program S Reporting F	tart Date:	ENERGY STA	Tampa Electric Company ENERGY STAR for NEW HOMES (formerly RESIDENTIAL NEW CONSTRUCTION) Closed New Construction and opened ENERGY STAR November 2015 Annual 2020								
а	b	с	d	е	f	g	h	i	j		
	Total Number of	Total Number of Eligible	Total Number of Projected	Projected Cumulative Number of Program	Projected Cumulative Penetration Level %	Actual Annual Number of Program	Actual Cumulative Number of Program	Actual Cumulative Penetration Level %	Actual Participatio Over (Unde Projected Participant		
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)		
2015	628,392	4,361	2,400	2,400	55.0%	2,494	2,494	57.2%	94		
2016	640,090	3,870	1,200	3,600	93.0%	403	2,897	74.9%	(70		
2017	651,770	2,953	1,000	4,600	155.8%	640	3,537	119.8%	(1,06		
2018	662,917	9,544	1,000	5,600	58.7%	823	4,360	45.7%	(1,24		
2019	677,922	9,929	1,000	6,600	66.5%	849	5,209	52.5%	(1,39		
2020 2021 2022 2023	691,719	9,798	1,000	7,600	77.6%	858	6,067	61.9%	(1,53		
2023											
Annual De	mand and Ener	rqy Savings - 2	015-2024 DSM	Plan	Participants	768					
Annual De	emand and Ener	rgy Savings - 2		Plan stallation	Participants	768 Program Total					
Annual De	emand and Ene	rgy Savings - 2			Participants @ Meter						
	emand and Ener W Reduction	rgy Savings - 2	Per In	stallation		Program Total					
Summer k\		rgy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator					
Summer k\ Winter kW	W Reduction	rgy Savings - 2	Per In @ Meter 0.53	stallation @ Generator 0.57	@ Meter 407.81	Program Total @ Generator 437.58					
Summer k\ Winter kW Annual kW	W Reduction Reduction		Per In @ Meter 0.53 0.49 2,489 020-2029 DSM	<u>@ Generator</u> 0.57 0.53 2,628 Plan	@ Meter 407.81 376.32 1,911,552 Participants	Program Total @ Generator 437.58 403.79 2,018,599 90					
Summer k\ Winter kW Annual kW	W Reduction Reduction /h Reduction		Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In	stallation @ Generator 0.57 0.53 2,628 Plan stallation	@ Meter 407.81 376.32 1,911,552 Participants Progra	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total					
Summer k\ Winter kW Annual kW Annual De	W Reduction Reduction /h Reduction emand and Energy		Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator					
Summer k\ Winter kW Annual kW Annual De Summer k\	W Reduction Reduction 'h Reduction emand and Ene W Reduction		Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter 1.98	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator 2.12	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter 178.20	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator 191.21					
Summer k\ Winter kW Annual kW Annual De Summer k\ Winter kW	W Reduction Reduction 'h Reduction emand and Ene W Reduction Reduction		Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter 1.98 0.60	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator 2.12 0.64	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter 178.20 54.09	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator 191.21 58.04					
Summer k\ Winter kW Annual kW Annual De Summer k\ Winter kW	W Reduction Reduction 'h Reduction emand and Ene W Reduction		Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter 1.98	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator 2.12	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter 178.20	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator 191.21					
Summer k\ Winter kW Annual kW Annual De Summer k\ Winter kW Annual kW	W Reduction Reduction 'h Reduction emand and Ene W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter 1.98 0.60 5,378	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator 2.12 0.64	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter 178.20 54.09 484,020 Participants Progra	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator 191.21 58.04 511,125 858 m Total					
Summer k\ Winter kW Annual kW Annual De Summer k\ Winter kW Annual kW Annual De	W Reduction Reduction In Reduction mand and Ener W Reduction Reduction In Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter 1.98 0.60 5,378	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator 2.12 0.64	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter 178.20 54.09 484,020 Participants Progra @ Meter	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator 191.21 58.04 511,125 858 m Total @ Generator					
Summer k\ Winter kW Annual kW Annual De Summer k\ Minter kW Annual kW Annual De Summer k\	W Reduction Reduction 'h Reduction mand and Ener W Reduction 'h Reduction 'h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter 1.98 0.60 5,378	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator 2.12 0.64	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter 178.20 54.09 484,020 Participants Progra @ Meter <u>Progra</u> <u>@ Meter</u> 586.01	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator 191.21 58.04 511,125 858 m Total @ Generator 628.79					
Summer k\ Winter kW Annual kW Annual De Summer k\ Winter kW Annual De Summer k\ Winter kW	W Reduction Reduction 'h Reduction mand and Ener W Reduction 'h Reduction 'h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter 1.98 0.60 5,378	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator 2.12 0.64	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter 178.20 54.09 484,020 Participants Progra @ Meter 586.01 430.41	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator 191.21 58.04 511,125 858 m Total @ Generator 628.79 461.83					
Summer k\ Winter kW Annual kW Annual De Summer k\ Winter kW Annual De Summer k\ Winter kW	W Reduction Reduction 'h Reduction mand and Ener W Reduction 'h Reduction 'h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter 1.98 0.60 5,378	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator 2.12 0.64	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter 178.20 54.09 484,020 Participants Progra @ Meter <u>Progra</u> <u>@ Meter</u> 586.01	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator 191.21 58.04 511,125 858 m Total @ Generator 628.79					
Summer k\ Winter kW Annual kW Annual De Summer k\ Winter kW Annual kW Winter kW Winter kW Annual kW Utility Cost	W Reduction Reduction In Reduction M Reduction Reduction In Reduction M Reduction Reduction Reduction In Reduction	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter 1.98 0.60 5,378	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator 2.12 0.64	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter 178.20 54.09 484,020 Participants Progra @ Meter 586.01 430.41 2,395,572 901	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator 191.21 58.04 511,125 858 m Total @ Generator 628.79 461.83					
Summer k\ Winter kW Annual kW Annual De Summer k\ Winter kW Annual kW Minter kW Annual kW Utility Cost Total Progr	W Reduction Reduction 'h Reduction mand and Ener W Reduction 'h Reduction mand and Ener W Reduction Reduction 'h Reduction	rgy Savings - 2 rgy Savings - C (\$): Utility (\$000):	Per In @ Meter 0.53 0.49 2,489 020-2029 DSM Per In @ Meter 1.98 0.60 5,378 Combined	stallation @ Generator 0.57 0.53 2,628 Plan stallation @ Generator 2.12 0.64 5,679	@ Meter 407.81 376.32 1,911,552 Participants Progra @ Meter 178.20 54.09 484,020 Participants Progra @ Meter 586.01 430.41 2,395,572	Program Total @ Generator 437.58 403.79 2,018,599 90 m Total @ Generator 191.21 58.04 511,125 858 m Total @ Generator 628.79 461.83					

				Demand Side M	anagement Annual	Report			
Utility: Program Na Program St Reporting F	art Date:	Tampa Electric C ENERGY STAR November 2020 Annual 2020							
а	b	с	d	е	f	g	h	i	j
Year	Total Number of Customers	Total Number of Eligible Customers	Total Number of Projected Participants	Projected Cumulative Number of Program Participants	Projected Cumulative Penetration Level % [(e/c)x100]	Actual Annual Number of Program Participants	Actual Cumulative Number of Program Participants	Actual Cumulative Penetration Level % [(h/c)x100]	Actual Participation Over (Under) Projected Participants (h-e)
2013 2016 2017 2018 2019				Program w	as started on Nover	mber 2, 2020			
2019	691,719	480,812	3	Program w		10 10 10 10 10	10	0.0%	7
2021 2022 2023 2024 Annual De		rgy Savings - 201			Participants	0			
				stallation		Program Total			
Summer kV	V Reduction		@ Meter	@ Generator	@ Meter	@ Generator			
Ninter kW			-	-	-	-			
	h Reduction		-	-	-	-			
Annual De	mand and Ene	rav Savinas - 2020)-2029 DSM Pla	n	Dortiginanto	10			
		.g, eage _c_			Participants Progra				
		.g,	Per In @ Meter	stallation @ Generator	Progra @ Meter	m Total @ Generator			
	V Reduction	.g, cago _c_	Per In @ Meter 1.72	stallation @ Generator 1.84	Progra @ Meter 17.18	m Total @ Generator 18.43			
Winter kW		, , , , , , , , , , , , , , , , , , ,	Per In @ Meter	stallation @ Generator	Progra @ Meter	m Total @ Generator			
Winter kW Annual kWl	Reduction h Reduction	rgy Savings - Con	Per In @ Meter 1.72 0.00 3,162	stallation @ Generator 1.84 0.00	Progra @ Meter 17.18 0.00	m Total @ Generator 18.43 0.00			
Vinter kW Annual kWl	Reduction h Reduction		Per In @ Meter 1.72 0.00 3,162	stallation @ Generator 1.84 0.00	Progra @ Meter 17.18 0.00 31,620 Participants Progra	m Total @ Generator 18.43 0.00 33,391 10 m Total			
Winter kW Annual kWI Annual De	Reduction h Reduction		Per In @ Meter 1.72 0.00 3,162	stallation @ Generator 1.84 0.00	Progra @ Meter 17.18 0.00 31,620 Participants	<u>m Total</u> <u>@ Generator</u> 18.43 0.00 33,391 10			
Winter kW Annual kWl Annual De Summer kW Winter kW	Reduction h Reduction mand and Ene V Reduction Reduction		Per In @ Meter 1.72 0.00 3,162	stallation @ Generator 1.84 0.00	Program @ Meter 17.18 0.00 31,620 Participants Program @ Meter 17.18 0.00	m Total @ Generator 18.43 0.00 33,391 10 m Total @ Generator 18.43 0.00			
Winter kW Annual kWl Annual De Summer kW Winter kW	Reduction h Reduction mand and Ene V Reduction		Per In @ Meter 1.72 0.00 3,162	stallation @ Generator 1.84 0.00	Progra @ Meter 17.18 0.00 31,620 Participants Progra @ Meter 17.18	<u>m Total</u> <u>@ Generator</u> 18.43 0.00 33,391 10 <u>m Total</u> <u>@ Generator</u> 18.43			
Winter kW Annual kWl Annual De Summer kV Winter kW Annual kWl Utility Cost	Reduction h Reduction mand and Ener V Reduction Reduction h Reduction per Installation	rgy Savings - Con (\$):	Per In @ Meter 1.72 0.00 3,162	stallation @ Generator 1.84 0.00	Program @ Meter 17.18 0.00 31,620 Participants Program @ Meter 17.18 0.00 31,620	m Total @ Generator 18.43 0.00 33,391 10 m Total @ Generator 18.43 0.00			
Winter kW Annual kWl Annual Der Summer kV Winter kW Annual kWl Utility Cost Total Progr	Reduction h Reduction mand and Ene V Reduction Reduction h Reduction per Installation am Cost of the	rgy Savings - Con (\$):	Per In @ Meter 1.72 0.00 3,162	stallation @ Generator 1.84 0.00 3,339	Program @ Meter 17.18 0.00 31,620 Participants Program @ Meter 17.18 0.00 31,620	m Total @ Generator 18.43 0.00 33,391 10 m Total @ Generator 18.43 0.00			

				Demand Side Ma	anagement , amaa	Корон			
Jtility: Program N Program S Reporting I	Start Date:	Tampa Electric C ENERGY STAR November 2020 Annual 2020		S					
а	b	с	d	e	f	g	h	i	j.
<u>Year</u> 2015	Total Number of Customers	Total Number of Eligible Customers	Total Number of Projected Participants	Projected Cumulative Number of Program Participants	Projected Cumulative Penetration Level % [(e/c)x100]	Actual Annual Number of Program Participants	Actual Cumulative Number of Program Participants	Actual Cumulative Penetration Level % [(h/c)x100]	Actual Participation Over (Under Projected Participants (h-e)
2016 2017 2018 2019				Brogrom W	as started on Nove	mbor 2, 2020			
2019	691,719	691,719	5	Program wa		42 filler 2, 2020	42	0.0%	3
2021 2022 2023									
2024	emand and Ene	rgy Savings - 201			Participants	0			
2024	emand and Ene	rgy Savings - 201	Per In	stallation		Program Total			
2024 nnual De		rgy Savings - 201			Participants @ Meter				
2024 nnual De ummer k ¹	W Reduction	rgy Savings - 201	Per In	stallation		Program Total			
2024 nnual De ummer k ^v /inter kW		rgy Savings - 201	Per In	stallation		Program Total			
2024 nnual De ummer k ¹ /inter kW nnual kW	W Reduction / Reduction /h Reduction	rgy Savings - 2019 rgy Savings - 2020	Per In @ Meter - - - 0-2029 DSM Pla	stallation @ Generator - - - an	@ Meter	Program Total @ Generator - - - 42			
2024 nnual De ummer k ¹ inter kW nnual kW	W Reduction / Reduction /h Reduction		Per In @ Meter - - - 0-2029 DSM Pla Per In	stallation @ Generator - - - an stallation	@ Meter	Program Total @ Generator - - - 42 m Total			
2024 nnual De ummer k ^v /inter kW nnual kW nnual De	W Reduction / Reduction /h Reduction emand and Ener		Per In @ Meter - - 0-2029 DSM Pla Per In @ Meter	stallation @ Generator - - - an stallation @ Generator	@ Meter	Program Total @ Generator - - 42 m Total @ Generator			
2024 nnual De ummer k' /inter kW nnual kW nnual De ummer k'	W Reduction / Reduction /h Reduction		Per In @ Meter - - - 0-2029 DSM Pla Per In	stallation @ Generator - - - an stallation	@ Meter	Program Total @ Generator - - - 42 m Total			
2024 mnual De ummer kW inter kW nnual kW nnual De ummer kW	W Reduction / Reduction /h Reduction emand and Ener W Reduction		Per In @ Meter - - 0-2029 DSM Pla Per In @ Meter 0.24	stallation @ Generator - - an stallation @ Generator 0.25	@ Meter Participants Progra @ Meter 9.91	Program Total @ Generator - 42 m Total @ Generator 10.64			
2024 mnual De ummer k ¹ inter kW nnual kW nnual De ummer k ¹ inter kW nnual kW	W Reduction ⁷ Reduction ⁴ Reduction emand and Ene W Reduction ⁷ Reduction ⁷ Reduction		Per In @ Meter - - - - - - - - - - - - - - - - - - -	stallation @ Generator - - an stallation @ Generator 0.25 0.00	@ Meter Participants Progra @ Meter 9.91 0.00 11,004 Participants	Program Total @ Generator - 42 m Total @ Generator 10.64 0.00 11,620 42			
2024 nnual De ummer k ¹ linter kW nnual kW nnual De ummer k ¹ (inter kW nnual kW	W Reduction ⁷ Reduction ⁴ Reduction emand and Ene W Reduction ⁷ Reduction ⁷ Reduction	rgy Savings - 2020	Per In @ Meter - - - - - - - - - - - - - - - - - - -	stallation @ Generator - - an stallation @ Generator 0.25 0.00	@ Meter Participants Progra @ Meter 9.91 0.00 11,004 Participants Progra	Program Total @ Generator - 42 m Total @ Generator 10.64 0.00 11,620 42 m Total			
2024 nnual De /inter kW nnual kW nnual De ummer kV nnual kW nnual kW	W Reduction ⁷ Reduction ⁴ Reduction emand and Ene W Reduction ⁷ Reduction ⁷ Reduction	rgy Savings - 2020	Per In @ Meter - - - - - - - - - - - - - - - - - - -	stallation @ Generator - - an stallation @ Generator 0.25 0.00	@ Meter Participants Progra @ Meter 9.91 0.00 11,004 Participants	Program Total @ Generator - 42 m Total @ Generator 10.64 0.00 11,620 42			
2024 nnual De ummer k ¹ /inter kW nnual kW nnual De ummer k ¹ nnual kW nnual De ummer k ¹	W Reduction / Reduction /h Reduction emand and Ener W Reduction / Reduction /h Reduction emand and Ener	rgy Savings - 2020	Per In @ Meter - - - - - - - - - - - - - - - - - - -	stallation @ Generator - - an stallation @ Generator 0.25 0.00	@ Meter Participants Progra @ Meter 9.91 0.00 11,004 Participants Progra @ Meter	Program Total @ Generator - 42 m Total @ Generator 10.64 0.00 11,620 42 m Total @ Generator			
2024 nnual De ummer k ¹ /inter kW nnual kW nnual De ummer k ¹ nnual De ummer k ¹ /inter kW	W Reduction / Reduction /h Reduction emand and Ener W Reduction / Reduction /h Reduction emand and Ener W Reduction	rgy Savings - 2020	Per In @ Meter - - - - - - - - - - - - - - - - - - -	stallation @ Generator - - an stallation @ Generator 0.25 0.00	@ Meter Participants Progra @ Meter 9.91 0.00 11,004 Participants Progra @ Meter 9.91	Program Total @ Generator - 42 m Total @ Generator 10.64 0.00 11,620 42 m Total @ Generator 10.64			
2024 nnual De ummer k ¹ /inter kW nnual kW nnual kW nnual kW nnual kW ummer k ¹ /inter kW nnual kW tility Cost	W Reduction / Reduction /h Reduction emand and Ener W Reduction / Reduction /h Reduction / Reduction / Reduction / Reduction / Reduction / h Reduction / h Reduction / h Reduction	rgy Savings - 2020 rgy Savings - Con (\$):	Per In @ Meter - - - - - - - - - - - - - - - - - - -	stallation @ Generator - - an stallation @ Generator 0.25 0.00	@ Meter Participants Progra @ Meter 9.91 0.00 11,004 Participants Progra @ Meter 9.91 0.00 11,004 50	Program Total @ Generator - 42 m Total @ Generator 10.64 0.00 11,620 42 m Total @ Generator 10.64 0.00 10.64 0.00			
2024 Annual De Summer k ¹ Vinter kW Annual KW Annual De Summer k ¹ Annual kW Annual De Summer k ¹ Vinter kW Annual kW Jtility Cost	W Reduction Reduction /h Reduction emand and Ener W Reduction / Reduction /h Reduction emand and Ener W Reduction / Reduction / Reduction / h Reduction t per Installation iram Cost of the	rgy Savings - 2020 rgy Savings - Con (\$):	Per In @ Meter - - 0-2029 DSM Pla Per In @ Meter 0.24 0.00 262	stallation @ Generator - stallation @ Generator 0.25 0.00 277	@ Meter Participants Progra @ Meter 9.91 0.00 11,004 Participants Progra @ Meter 9.91 0.00 11,004	Program Total @ Generator - 42 m Total @ Generator 10.64 0.00 11,620 42 m Total @ Generator 10.64 0.00 10.64 0.00			

				Demand Si	de Management A	nnual Report			
Utility: Program Na Program St Reporting F	tart Date:	Tampa Electri RESIDENTIAI July 2000 Annual 2020	c Company L HEATING AN	D COOLING					
а	b	с	d	е	f	g	h	i	j Actual
	Total	Total Number of	Total Number of	Projected Cumulative Number of	Projected Cumulative Penetration	Actual Annual Number of	Actual Cumulative Number of	Actual Cumulative Penetration	Participation Over (Under) Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Year 2015	Customers 628,392	Customers	Participants 3,840	Participants 3,840	[(e/c)x100] 0.6%	Participants 5,214	Participants 5,214	(h/c)x100] 0.8%	(h-e) 1,374
2015	640,090	628,392 640,090	3,840 3,480	3,840 7,320	1.1%	3,693	5,214 8,907	1.4%	1,574
2010	651.770	651,770	4,200	11,520	1.1%	3,341	12,248	1.9%	728
2018	662,917	662,917	4,000	15,520	2.3%	3,371	15,619	2.4%	99
2019	677,922	677,922	3,500	19,020	2.8%	3,638	19,257	2.8%	237
2020	691,719	691,719	3,400	22,420	3.2%	3,578	22,835	3.3%	415
2021									
2022									
2023									
2024									
	mand and Ener	qy Savings - 2	015-2024 DSM	Plan	Participants	3,098			
	mand and Ener	gy Savings - 2		Plan stallation	Participants	3,098 Program Total			
Annual De		gy Savings - 2			@ Meter	Program Total @ Generator			
Annual De Summer kV	N Reduction	gy Savings - 2	Per In: @ Meter 0.10	stallation @ Generator 0.11	@ Meter 316.00	Program Total @ Generator 339.06			
Annual De Summer kV Winter kW	N Reduction Reduction	gy Savings - 2	Per In: @ Meter 0.10 0.33	stallation @ Generator 0.11 0.36	@ Meter 316.00 1,031.63	Program Total @ Generator 339.06 1,106.94			
Annual De Summer kV Winter kW	N Reduction	gy Savings - 2	Per In: @ Meter 0.10	stallation @ Generator 0.11	@ Meter 316.00	Program Total @ Generator 339.06			
Annual De Summer kV Winter kW Annual kWI	N Reduction Reduction		Per In: @ Meter 0.10 0.33 371	stallation @ Generator 0.11 0.36 392	@ Meter 316.00 1,031.63	Program Total @ Generator 339.06 1,106.94			
Annual De Summer kV Winter kW Annual kWI	N Reduction Reduction h Reduction		Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In	stallation @ Generator 0.11 0.36 392 Plan stallation	@ Meter 316.00 1,031.63 1,149,358 Participants Progra	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total			
Annual Der Summer kV Winter kW Annual kWI Annual Der	W Reduction Reduction h Reduction mand and Ener		Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator	@ Meter 316.00 1,031.63 1,149,358 Participants <u>Progra</u> @ Meter	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator			
Annual Der Summer kV Winter kW Annual kWI Annual Der Summer kV	W Reduction Reduction h Reduction mand and Ener W Reduction		Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter 0.20	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator 0.21	@ Meter 316.00 1,031.63 1,149,358 Participants Progra @ Meter 93.60	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator 100.43			
Annual Der Summer kW Winter kW Annual kWI Annual Der Summer kW Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction		Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator	@ Meter 316.00 1,031.63 1,149,358 Participants <u>Progra</u> @ Meter	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator			
Annual Der Summer kW Winter kW Annual kWI Annual Der Summer kW Winter kW Annual kWI	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	gy Savings - 2	Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter 0.20 0.21 394	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator 0.21 0.22	@ Meter 316.00 1,031.63 1,149,358 Participants Progra @ Meter 93.60 99.36 189,120	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator 100.43 106.61 199,711			
Annual Der Summer kW Winter kW Annual kWI Annual Der Summer kW Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction	gy Savings - 2	Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter 0.20 0.21 394	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator 0.21 0.22	@ Meter 316.00 1,031.63 1,149,358 Participants Progra @ Meter 93.60 99.36 189,120 Participants	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator 100.43 106.61 199,711 3,578			
Annual Der Summer kW Winter kW Annual kWI Annual Der Summer kW Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	gy Savings - 2	Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter 0.20 0.21 394	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator 0.21 0.22	@ Meter 316.00 1,031.63 1,149,358 Participants Progra @ Meter 93.60 99.36 189,120 Participants Progra	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator 100.43 106.61 199,711 3,578 m Total			
Annual Der Summer kV Winter kW Annual kWI Annual Der Summer kV Winter kW Annual kWI	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	gy Savings - 2	Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter 0.20 0.21 394	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator 0.21 0.22	@ Meter 316.00 1,031.63 1,149,358 Participants Progra @ Meter 93.60 99.36 189,120 Participants	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator 100.43 106.61 199,711 3,578			
Annual Der Summer kW Winter kW Annual kWI Annual Der Summer kW Annual Der Summer kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction mand and Ener W Reduction	gy Savings - 2	Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter 0.20 0.21 394	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator 0.21 0.22	@ Meter 316.00 1,031.63 1,149,358 Participants Progra @ Meter 93.60 99.36 189,120 Participants Progra @ Meter	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator 100.43 106.61 199,711 3,578 m Total @ Generator			
Annual Der Summer kW Winter kW Annual kWH Annual Der Summer kW Annual Der Summer kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction mand and Ener W Reduction	gy Savings - 2	Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter 0.20 0.21 394	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator 0.21 0.22	@ Meter 316.00 1,031.63 1,149,358 Participants Progra @ Meter 93.60 99.36 189,120 Participants Progra @ Meter 409.60	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator 100.43 106.61 199,711 3,578 m Total @ Generator 439.50			
Annual Der Summer kW Winter kW Annual kWI Annual Der Summer kW Annual kWI Summer kW Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction Reduction h Reduction h Reduction	gy Savings - 2 gy Savings - C	Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter 0.20 0.21 394	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator 0.21 0.22	@ Meter 316.00 1,031.63 1,149,358 Participants Progra @ Meter 93.60 99.36 189,120 Participants Progra @ Meter 409.60 1,130.99	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator 100.43 106.61 199,711 3,578 m Total @ Generator 439.50 1,213.56			
Annual Der Summer kW Winter kW Annual kWI Annual Der Summer kW Annual kWI Annual ber Summer kW Winter kW Annual kWI Utility Cost	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction h Reduction mand and Ener W Reduction Reduction	gy Savings - 2 gy Savings - C	Per In @ Meter 0.10 0.33 371 020-2029 DSM Per In @ Meter 0.20 0.21 394	stallation @ Generator 0.11 0.36 392 Plan stallation @ Generator 0.21 0.22	@ Meter 316.00 1,031.63 1,149,358 Participants Progra @ Meter 93.60 99.36 189,120 Participants Progra @ Meter 409.60 1,130.99 1,338,478	Program Total @ Generator 339.06 1,106.94 1,213,722 480 m Total @ Generator 100.43 106.61 199,711 3,578 m Total @ Generator 439.50 1,213.56			

				Demand Side	Management Annu	al Report			
Jtility: Program Na Program St Reporting P	tart Date:	Tampa Electri NEIGHBORH March 2008 Annual 2020	ic Company OOD WEATHE	RIZATION					
а	b	с	d	е	f	g	h	i	j.
Veee	Total Number of	Total Number of Eligible	Total Number of Projected	Projected Cumulative Number of Program	Projected Cumulative Penetration Level %	Actual Annual Number of Program	Actual Cumulative Number of Program	Actual Cumulative Penetration Level %	Actual Participatior Over (Under Projected Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	<u>(h-e)</u>
2015	628,392	109,703	6,600	6,600	6.0%	7,912	7,912	7.2%	1,312
2016	640,090	111,745	7,250	13,850	12.4%	5,495	13,407	12.0%	(443
2017	651,770	113,784	6,250	20,100	17.7%	6,550	19,957	17.5%	(14:
2018	662,917	115,730	7,000	27,100	23.4%	7,389	27,346	23.6%	24
2019	677,922	118,350	7,000	34,100	28.8%	6,740	34,086	28.8%	(1)
2020 2021 2022 2023	691,719	120,758	6,500	40,600	33.6%	1,760	35,846	29.7%	(4,75
2024									
2024	mand and Ene	rgy Savings - 2			Participants	1,760 Program Total			
2024	mand and Ene	rgy Savings - 2		stallation	Participants	1,760 Program Total @ Generator			
2024 Innual Der	mand and Ener	rgy Savings - 2	Per In		·	Program Total			
2024 Innual Der	V Reduction	rgy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
2024 Annual Der Gummer kV Vinter kW I	V Reduction	rgy Savings - 2	Per In @ Meter 0.25	stallation @ Generator 0.26	@ Meter 431.20	Program Total @ Generator 462.68			
2024 nnual Der ummer kV Vinter kW I nnual kWh	V Reduction Reduction		Per In @ Meter 0.25 0.34 1,255	<u>stallation</u> <u>@ Generator</u> 0.26 0.36 1,325	@ Meter 431.20 596.64	Program Total @ Generator 462.68 640.19			
2024 nnual Der ummer kV /inter kW I nnual kWh	V Reduction Reduction h Reduction		Per In @ Meter 0.25 0.34 1,255 020-2029 DSM	<u>stallation</u> <u>@ Generator</u> 0.26 0.36 1,325	@ Meter 431.20 596.64 2,208,800 Participants	Program Total @ Generator 462.68 640.19 2,332,493			
2024 nnual Der ummer kV /inter kW I nnual kWf nnual Der	V Reduction Reduction h Reduction mand and Ene l		Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter	tallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator	@ Meter	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator			
2024 Innual Der Jummer kV Vinter kW I Innual kWf Innual Der Jummer kV	V Reduction Reduction h Reduction mand and Ene r V Reduction		Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter 0.53	stallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator 0.57	@ Meter 431.20 596.64 2,208,800 Participants Progra @ Meter 0.00	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator 0.00			
2024 nnual Der ummer kV /inter kW I nnual kWf nnual Der ummer kV /inter kW I	V Reduction Reduction h Reduction mand and Ene V Reduction Reduction		Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter 0.53 0.64	stallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator 0.57 0.69	@ Meter 431.20 596.64 2,208,800 Participants Progra @ Meter 0.00 0.00	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator 0.00 0.00			
2024 nnual Der ummer kV /inter kW I nnual kWf nnual Der ummer kV /inter kW I	V Reduction Reduction h Reduction mand and Ene r V Reduction		Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter 0.53	stallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator 0.57	@ Meter 431.20 596.64 2,208,800 Participants Progra @ Meter 0.00	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator 0.00			
2024 nnual Der Vinter kW I nnual kWł nnual Der ummer kV Vinter kW I nnual kWł	V Reduction Reduction h Reduction mand and Ene V Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter 0.53 0.64 1,932	stallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator 0.57 0.69	@ Meter 431.20 596.64 2,208,800 Participants Progra @ Meter 0.00 0.00 0 Participants	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator 0.00 0.00 0 1,760			
2024 nnual Der Vinter kW I nnual kWł nnual Der ummer kV Vinter kW I nnual kWł	V Reduction Reduction h Reduction mand and Ene V Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter 0.53 0.64 1,932	stallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator 0.57 0.69	@ Meter 431.20 596.64 2,208,800 Participants Progra @ Meter 0.00 0.00 0 Participants Progra	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator 0.00 0.00 0 1,760 m Total			
2024 nnual Der Vinter kW I nnual kWf nnual Der Vinter kW I nnual kWf nnual Der	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter 0.53 0.64 1,932	stallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator 0.57 0.69	@ Meter 431.20 596.64 2,208,800 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator 0.00 0.00 0 1,760 m Total @ Generator			
2024 nnual Der ummer kV /inter kW I nnual kWf nnual Der ummer kV inter kW I nnual kWf nnual Der ummer kV	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter 0.53 0.64 1,932	stallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator 0.57 0.69	@ Meter 431.20 596.64 2,208,800 Participants Program @ Meter 0.00 0 Participants Program @ Meter	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator 0.00 0.00 0 1,760 m Total @ Generator 462.68			
2024 annual Der Vinter kW I annual kWH annual Der Vinter kW I annual kWH annual Der annual Der vinter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter 0.53 0.64 1,932	stallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator 0.57 0.69	@ Meter 431.20 596.64 2,208,800 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator 0.00 0.00 0 1,760 m Total @ Generator			
2024 nnual Der Vinter kW V nnual kWh nnual Der Ummer kW Innual kWh nnual Der ummer kW Vinter kW I nnual kWh	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction Reduction h Reduction h Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter 0.53 0.64 1,932	stallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator 0.57 0.69	@ Meter 431.20 596.64 2,208,800 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter 431.20 596.64 2,208,800	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator 0.00 0.00 0 1,760 m Total @ Generator 462.68 640.19			
2024 Annual Der Summer kV Vinter kW I Annual KWH Annual Der Summer kV Vinter kW I Annual Der Summer kV Vinter kW I Annual kWH	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction Reduction	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 0.25 0.34 1,255 020-2029 DSM Per In @ Meter 0.53 0.64 1,932	stallation @ Generator 0.26 0.36 1,325 Plan stallation @ Generator 0.57 0.69	@ Meter 431.20 596.64 2,208,800 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter 431.20 596.64	Program Total @ Generator 462.68 640.19 2,332,493 0 m Total @ Generator 0.00 0.00 0 1,760 m Total @ Generator 462.68 640.19			

Jtility: Program Na Program St Reporting F	tart Date:	Tampa Electri ENERGY PLA September 20 Annual 2020	ANNER						
а	b	с	d	е	f	g	h	i	j
				Projected	Projected	Actual	Actual	Actual	Actual Participatio
		Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Unde
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participan
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	628,392	628,392	1,000	1,000	0.2%	1,088	1,088	0.2%	8
2016	640,090	640,090	1,000	2,000	0.3%	910	1,998	0.3%	(
2017	651,770	651,770	1,000	3,000	0.5%	574	2,572	0.4%	(42
2018	662,917	662,917	1,000	4,000	0.6%	747	3,319	0.5%	(68
2019	677,922	677,922	1,250	5,250	0.8%	897	4,216	0.6%	(1,03
2020	691,719	691,719	750	6,000	0.9%	138	4,354	0.6%	(1,64
2021	,	,					,		
2022									
2023									
2024									
Annual De	mand and Ener	rgy Savings - 2			Participants	138			
Annual De	mand and Ener	rgy Savings - 2	Per In	stallation		Program Total			
		rgy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
Summer kV	N Reduction	rgy Savings - 2	Per In @ Meter 2.01	stallation @ Generator 2.16	@ Meter 277.66	Program Total @ Generator 297.92			
Summer kV Vinter kW	N Reduction Reduction	rgy Savings - 2	Per In @ Meter 2.01 3.13	stallation @ Generator 2.16 3.36	@ Meter 277.66 432.49	Program Total @ Generator 297.92 464.06			
Summer kV Vinter kW	N Reduction	rgy Savings - 2	Per In @ Meter 2.01	stallation @ Generator 2.16	@ Meter 277.66	Program Total @ Generator 297.92			
ummer kV Vinter kW nnual kW	N Reduction Reduction		Per In @ Meter 2.01 3.13 242	stallation @ Generator 2.16 3.36 256	@ Meter 277.66 432.49	Program Total @ Generator 297.92 464.06			
ummer kV Vinter kW nnual kW	N Reduction Reduction h Reduction		Per In @ Meter 2.01 3.13 242 020-2029 DSM	stallation @ Generator 2.16 3.36 256	@ Meter 277.66 432.49 33,396 Participants	Program Total @ Generator 297.92 464.06 35,266			
ummer kV Vinter kW nnual kW	N Reduction Reduction h Reduction		Per In @ Meter 2.01 3.13 242 020-2029 DSM	stallation @ Generator 2.16 3.36 256 Plan	@ Meter 277.66 432.49 33,396 Participants	Program Total @ Generator 297.92 464.06 35,266 0			
ummer kV Vinter kW nnual kW	N Reduction Reduction h Reduction		Per In @ Meter 2.01 3.13 242 020-2029 DSM Per In	stallation @ Generator 2.16 3.36 256 Plan stallation	@ Meter 277.66 432.49 33,396 Participants Program	Program Total @ Generator 297.92 464.06 35,266 0 m Total			
Summer kV Vinter kW Annual kW Annual De Summer kV	N Reduction Reduction h Reduction mand and Ener		Per In @ Meter 2.01 3.13 242 020-2029 DSM Per In @ Meter 2.01 3.13	stallation @ Generator 2.16 3.36 256 Plan stallation @ Generator	@ Meter 277.66 432.49 33,396 Participants Program @ Meter 0.00 0.00	Program Total @ Generator 297.92 464.06 35,266 0 m Total @ Generator 0.00 0.00			
Gummer kV Vinter kW Annual kW Annual De Gummer kV Vinter kW	W Reduction Reduction h Reduction mand and Ene W Reduction		Per In @ Meter 2.01 3.13 242 0020-2029 DSM Per In @ Meter 2.01	stallation @ Generator 2.16 3.36 256 Plan stallation @ Generator 2.15	@ Meter 277.66 432.49 33,396 Participants Program @ Meter 0.00	Program Total @ Generator 297.92 464.06 35,266 0 m Total @ Generator 0.00			
Summer kV Vinter kW Annual KW Annual De Summer kV Vinter kW Annual kW	N Reduction Reduction h Reduction mand and Ener N Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 2.01 3.13 242 020-2029 DSM Per In @ Meter 2.01 3.13 1,156	stallation @ Generator 2.16 3.36 256 Plan stallation @ Generator 2.15 3.36 1,221	@ Meter 277.66 432.49 33,396 Participants Program @ Meter 0.00 0.00 0	Program Total @ Generator 297.92 464.06 35,266 0 m Total @ Generator 0.00 0.00 0			
ummer kV Vinter kW nnual kW nnual De ummer kV Vinter kW nnual kW	W Reduction Reduction h Reduction mand and Ene W Reduction Reduction	rgy Savings - 2	Per In @ Meter 2.01 3.13 242 020-2029 DSM Per In @ Meter 2.01 3.13 1,156	stallation @ Generator 2.16 3.36 256 Plan stallation @ Generator 2.15 3.36 1,221	@ Meter 277.66 432.49 33,396 Participants Program @ Meter 0.00 0.00 0 Participants	Program Total @ Generator 297.92 464.06 35,266 0 m Total @ Generator 0.00 0.00 0 138			
Summer kV Vinter kW Annual kW Annual De Summer kV Vinter kW Annual kW	N Reduction Reduction h Reduction mand and Ener N Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 2.01 3.13 242 020-2029 DSM Per In @ Meter 2.01 3.13 1,156	stallation @ Generator 2.16 3.36 256 Plan stallation @ Generator 2.15 3.36 1,221	@ Meter 277.66 432.49 33,396 Participants Program @ Meter 0.00 0.00 0	Program Total @ Generator 297.92 464.06 35,266 0 m Total @ Generator 0.00 0.00 0 138			
ummer kV Vinter kW nnual kW nnual De Vinter kW nnual kW nnual De	N Reduction Reduction h Reduction mand and Ener N Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 2.01 3.13 242 020-2029 DSM Per In @ Meter 2.01 3.13 1,156	stallation @ Generator 2.16 3.36 256 Plan stallation @ Generator 2.15 3.36 1,221	@ Meter 277.66 432.49 33,396 Participants Program @ Meter 0.00 0.00 0 Participants Program	Program Total @ Generator 297.92 464.06 35,266 0 m Total @ Generator 0.00 0.00 0 138 m Total			
Summer kW Vinter kW Annual De Summer kW Vinter kW Annual De Summer kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 2.01 3.13 242 020-2029 DSM Per In @ Meter 2.01 3.13 1,156	stallation @ Generator 2.16 3.36 256 Plan stallation @ Generator 2.15 3.36 1,221	@ Meter 277.66 432.49 33,396 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter	Program Total @ Generator 297.92 464.06 35,266 0 m Total @ Generator 0.00 0.00 138 m Total @ Generator			
ummer kV Vinter kW nnual kW nnual De ummer kV nnual kW nnual kW unnual De ummer kV	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 2.01 3.13 242 020-2029 DSM Per In @ Meter 2.01 3.13 1,156	stallation @ Generator 2.16 3.36 256 Plan stallation @ Generator 2.15 3.36 1,221	@ Meter 277.66 432.49 33,396 Participants Program @ Meter 0.00 0.00 0 0 Participants Program @ Meter 277.66	Program Total @ Generator 297.92 464.06 35,266 0 m Total @ Generator 0.00 0.00 0 138 m Total @ Generator 297.92			
ummer kW Vinter kW nnual kW ummer kW Vinter kW nnual kW ummer kW Vinter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction h Reduction h Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 2.01 3.13 242 020-2029 DSM Per In @ Meter 2.01 3.13 1,156	stallation @ Generator 2.16 3.36 256 Plan stallation @ Generator 2.15 3.36 1,221	@ Meter 277.66 432.49 33,396 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter 277.66 432.49 33,396	Program Total @ Generator 297.92 464.06 35,266 0 m Total @ Generator 0.00 0.00 0 138 m Total @ Generator 297.92 464.06			
Summer kV Vinter kW Annual KW Summer kV Vinter kW Annual kW Summer kV Vinter kW Vinter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2 rgy Savings - C (\$) Note 1:	Per In @ Meter 2.01 3.13 242 020-2029 DSM Per In @ Meter 2.01 3.13 1,156	stallation @ Generator 2.16 3.36 256 Plan stallation @ Generator 2.15 3.36 1,221	@ Meter 277.66 432.49 33,396 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter 277.66 432.49	Program Total @ Generator 297.92 464.06 35,266 0 m Total @ Generator 0.00 0.00 0 138 m Total @ Generator 297.92 464.06			

				Demand Side M	lanagement Annua	al Report			
Utility: Program N Program S Reporting I	tart Date:	Tampa Electri RESIDENTIAI November 20 Annual 2020	L PRIME TIME	PLUS (Resident	tial Load Managem	nent)			
а	b	С	d	е	f	g	h	i	j
Year	Total Number of Customers	Total Number of Eligible Customers	Total Number of Projected Participants	Projected Cumulative Number of Program Participants	Projected Cumulative Penetration Level % [(e/c)x100]	Actual Annual Number of Program Participants	Actual Cumulative Number of Program Participants	Actual Cumulative Penetration Level % [(h/c)x100]	Actual Participation Over (Under Projected Participants (h-e)
2017 2018 2019 2020 2021 2022 2023 2024	mand and Ena		Ū	ull deployment o	vas started on Nove of the Advanced M	etering Infrastruct	ure System to ir	itate program	
Annual De	mand and Ene	rgy Savings - 2		Plan stallation	Participants	0 Program Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
Summer k\	N Reduction		-	-	-	-			
	Reduction		-	-	-	-			
Annual kW	h Reduction		-	-	-	-			
Annual De	mand and Ene	rgy Savings - 2	020-2029 DSM	Plan	Participants	0			
			Per In	stallation	Program	m Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
	W Reduction		1.93	2.07	0.00	0.00			
	Reduction h Reduction		1.89 0	2.03 0	0.00 0	0.00 0			
Annual De	mand and Ene	rgy Savings - C	combined, Note	91	Participants Prograr	0 m Total			
					@ Meter	@ Generator			
	N Reduction				0.00	0.00			
	Reduction h Reduction				0.00 0	0.00 0			
Total Progr Net Benefit	per Installation ram Cost of the ts of Measures I lity costs based	Utility (\$000): nstalled During		· · · ·	0 1.3 0.0				

Utility:			De	mand Side Mar	agement Annual	Report			
Utility:					agomoneraniaa				
		Tampa Electri							
Program N			_ WALL INSUL	ATION					
Program S		March 2008							
Reporting F	Period:	Annual 2020							
а	b	С	d	е	f	g	h	i	j
				Projected	Projected	Actual	Actual	Actual	Actual Participation
		Total	Total	,	,	Annual	Cumulative	Cumulative	
	Tatal			Cumulative	Cumulative				Over (Under)
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
N/	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	<u>(h-e)</u>
2015	628,392	628,329	20	20	0.0%	122	122	0.0%	102
2016	640,090	639,905	12	32	0.0%	5	127	0.0%	95
2017	651,770	651,580	7	39	0.0%	5	132	0.0%	93
2018	662,917	662,722	10	49	0.0%	2	134	0.0%	85
2019	677,922	677,725	3	52	0.0%	2	136	0.0%	84
2020	691,719	691,520	2	54	0.0%	3	139	0.0%	85
2021									
2022									
2023									
2024									
Annual De	mand and Ener	gy Savings - 2			Participants	3			
				stallation		m Total			
o			@ Meter	@ Generator	@ Meter	@ Generator			
	N Reduction		0.10	0.11	0.31	0.33			
Winter kW			0.23	0.24	0.68	0.73			
Annual kW	h Reduction		399	421	1,197	1,264			
Annual De	mand and Ener	gy Savings - 2	020-2029 DSM	Plan	Participants	0			
			Per In	stallation	Progra	m Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
Summer k\	N Reduction		@ Meter	@ Generator	@ Meter	@ Generator			
Summer k\ Winter kW			@ Meter - -	<u> </u>	@ Meter - -				
Winter kW			@ Meter - - -	-	@ Meter - - -				
Winter kW Annual kW	Reduction h Reduction	av Savings - C	- - -	-	- - -				
Winter kW Annual kW	Reduction	rgy Savings - C	- - -	-	- - - Participants	3			
Winter kW Annual kW	Reduction h Reduction	rgy Savings - C	- - -	-	- - Participants Progra	- - - 3 m Total			
Winter kW Annual kW Annual De	Reduction h Reduction mand and Ener	rgy Savings - C	- - -	-	- - - Participants 	- - - m Total @ Generator			
Winter kW Annual kW Annual De Summer k\	Reduction h Reduction mand and Ener W Reduction	rgy Savings - C	- - -	-	- - - Participants <u>Progra</u> @ Meter 0.31				
Winter kW Annual kW Annual De Summer k\ Winter kW	Reduction h Reduction mand and Ener W Reduction	rgy Savings - C	- - -	-	- - - Participants 	- - - m Total @ Generator			
Winter kW Annual kW Annual De Summer kV Winter kW Annual kW	Reduction h Reduction mand and Ener W Reduction Reduction h Reduction		- - -	-	- - Participants <u>Progra</u> @ Meter 0.31 0.68 1,197	3 m Total @ Generator 0.33 0.73			
Winter kW Annual kW Annual De Summer kV Winter kW Annual kW Utility Cost	Reduction h Reduction mand and Ener W Reduction Reduction h Reduction per Installation	(\$):	- - -	-	- - Participants <u>Progra</u> @ Meter 0.31 0.68 1,197 450	3 m Total @ Generator 0.33 0.73			
Winter kW Annual kW Annual De Summer kV Winter kW Annual kW Utility Cost Total Progr	Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	(\$): Jtility (\$000):	ombined		- - Participants <u>Progra</u> @ Meter 0.31 0.68 1,197	3 m Total @ Generator 0.33 0.73			

				Demand Side N	lanagement Annua	l Report			
Utility: Program Na Program St Reporting P	art Date:	Tampa Electri RESIDENTIA March 2008 Annual 2020	ic Company L WINDOW RE	PLACEMENT					
а	b	с	d	е	f	g	h	i	j.
	Total Number of	Total Number of Eligible	Total Number of Projected	Projected Cumulative Number of Program	Projected Cumulative Penetration Level %	Actual Annual Number of Program	Actual Cumulative Number of Program	Actual Cumulative Penetration Level %	Actual Participation Over (Under) Projected Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	628,392	619,895	1,608	1,608	0.3%	1,811	1,811	0.3%	203
2016	640,090	629,783	1,584	3,192	0.5%	1,417	3,228	0.5%	36
2017	651,770	640,046	1,800	4,992	0.8%	1,482	4,710	0.7%	(282)
2018	662,917	649,710	1,600	6,592	1.0%	1,817	6,527	1.0%	(65)
2019	677,922	662,898	1,800	8,392	1.3%	1,878	8,405	1.3%	13
2020 2021 2022 2023	691,719	674,817	1,775	10,167	1.5%	1,875	10,280	1.5%	113
2024									
	mand and Ener	rgy Savings - 2	015-2024 DSM	Plan	Participants	1,660			
	mand and Ener	rgy Savings - 2		Plan stallation	Participants Progran	1,660 n Total			
	mand and Ener	rgy Savings - 2			Progran				
Annual Dei	mand and Ene l V Reduction	rgy Savings - 2	Per In:	stallation	•	n Total			
Annual Dei Gummer kV	V Reduction	rgy Savings - 2	Per In: @ Meter	stallation @ Generator	Progran @ Meter	n Total @ Generator			
Annual Dei Gummer kV Winter kW	V Reduction	rgy Savings - 2	Per In: @ Meter 0.31	stallation @ Generator 0.33	Program @ Meter 516.26	n Total @ Generator 553.95			
Annual Der Gummer kV Winter kW I Annual kWł	V Reduction Reduction h Reduction		Per In: <u>@ Meter</u> 0.31 0.21 1,121 2020-2029 DSM	<u>@ Generator</u> 0.33 0.23 1,184 Plan	Program @ Meter 516.26 351.92 1,860,860 Participants	n Total @ Generator 553.95 377.61 1,965,068 215			
Annual Der Gummer kV Winter kW I Annual kWł	V Reduction Reduction h Reduction		Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In:	stallation @ Generator 0.33 0.23 1,184 Plan stallation	Program @ Meter 516.26 351.92 1,860,860 Participants Program	n Total @ Generator 553.95 377.61 1,965,068 215 n Total			
Annual Der Summer kV Winter kW Annual kWH	V Reduction Reduction h Reduction mand and Ene l		Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In: @ Meter	tallation @ Generator 0.33 0.23 1,184 Plan stallation @ Generator	Program @ Meter 516.26 351.92 1,860,860 Participants Program @ Meter	n Total @ Generator 553.95 377.61 1,965,068 215 n Total @ Generator			
Annual Der Summer kV Winter kW Annual kWH	V Reduction Reduction h Reduction		Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In:	stallation @ Generator 0.33 0.23 1,184 Plan stallation	Program @ Meter 516.26 351.92 1,860,860 Participants Program	n Total @ Generator 553.95 377.61 1,965,068 215 n Total			
Annual Der Summer kV Winter kW Annual kWH Annual Der Summer kV	V Reduction Reduction h Reduction mand and Ene r V Reduction		Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In: @ Meter	tallation @ Generator 0.33 0.23 1,184 Plan stallation @ Generator	Program @ Meter 516.26 351.92 1,860,860 Participants Program @ Meter	n Total @ Generator 553.95 377.61 1,965,068 215 n Total @ Generator			
Annual Der Summer kV Winter kW Annual kWH Annual Der Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ene r V Reduction		Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In: @ Meter 0.13	stallation @ Generator 0.33 0.23 1,184 Plan stallation @ Generator 0.14	Program @ Meter 516.26 351.92 1,860,860 Participants Program @ Meter 28.81	n Total @ Generator 553.95 377.61 1,965,068 215 n Total @ Generator 30.91			
Annual Den Summer kV Winter kW Annual kWH Annual Den Summer kV Winter kW Annual kWH	V Reduction Reduction h Reduction mand and Ene V Reduction Reduction	rgy Savings - 2	Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In: @ Meter 0.13 0.41 235	stallation @ Generator 0.33 0.23 1,184 Plan stallation @ Generator 0.14 0.44	Program @ Meter 516.26 351.92 1,860,860 Participants Program @ Meter 28.81 89.01	n Total @ Generator 553.95 377.61 1,965,068 215 n Total @ Generator 30.91 95.51 53,354 1,875			
Annual Den Summer kV Winter kW Annual KWH Summer kV Winter kW Annual KWH	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In: @ Meter 0.13 0.41 235	stallation @ Generator 0.33 0.23 1,184 Plan stallation @ Generator 0.14 0.44	Program @ Meter 516.26 351.92 1,860,860 Participants Program @ Meter 28.81 89.01 50,525 Participants Program @ Meter	n Total @ Generator 553.95 377.61 1,965,068 215 n Total @ Generator 30.91 95.51 53,354 1,875 n Total @ Generator			
Annual Der Summer kV Winter kW Annual kWH Annual Der Summer kV Annual Der Summer kV	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In: @ Meter 0.13 0.41 235	stallation @ Generator 0.33 0.23 1,184 Plan stallation @ Generator 0.14 0.44	Program @ Meter 516.26 351.92 1,860,860 Participants Program @ Meter 28.81 89.01 50,525 Participants Program @ Meter 545.07	n Total @ Generator 553.95 377.61 1,965,068 215 n Total @ Generator 30.91 95.51 53,354 1,875 n Total @ Generator 584.86			
Annual Der Summer kV Winter kW I Annual kWH Annual Der Summer kV Annual Der Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener V Reduction Reduction	rgy Savings - 2	Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In: @ Meter 0.13 0.41 235	stallation @ Generator 0.33 0.23 1,184 Plan stallation @ Generator 0.14 0.44	Program @ Meter 516.26 351.92 1,860,860 Participants Program @ Meter 28.81 89.01 50,525 Participants Program @ Meter 545.07 440.93	n Total @ Generator 553.95 377.61 1,965,068 215 n Total @ Generator 30.91 95.51 53,354 1,875 n Total @ Generator @ Generator 584.86 473.12			
Annual Der Summer kV Winter kW I Annual kWH Annual Der Summer kV Annual Der Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In: @ Meter 0.13 0.41 235	stallation @ Generator 0.33 0.23 1,184 Plan stallation @ Generator 0.14 0.44	Program @ Meter 516.26 351.92 1,860,860 Participants Program @ Meter 28.81 89.01 50,525 Participants Program @ Meter 545.07	n Total @ Generator 553.95 377.61 1,965,068 215 n Total @ Generator 30.91 95.51 53,354 1,875 n Total @ Generator 584.86			
Annual Den Summer kV Winter kW I Annual kWH Annual Den Summer kV Annual kWH Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener V Reduction Reduction	rgy Savings - 2 rgy Savings - C	Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In: @ Meter 0.13 0.41 235	stallation @ Generator 0.33 0.23 1,184 Plan stallation @ Generator 0.14 0.44	Program @ Meter 516.26 351.92 1,860,860 Participants Program @ Meter 28.81 89.01 50,525 Participants Program @ Meter 545.07 440.93	n Total @ Generator 553.95 377.61 1,965,068 215 n Total @ Generator 30.91 95.51 53,354 1,875 n Total @ Generator @ Generator 584.86 473.12			
Annual Dei Summer kV Winter kW I Annual kWł Annual Dei Summer kV Minter kW I Annual Dei Summer kV Winter kW I Annual kWł Utility Cost	V Reduction Reduction h Reduction W Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction h Reduction	rgy Savings - 2 rgy Savings - C (\$):	Per In: @ Meter 0.31 0.21 1,121 2020-2029 DSM Per In: @ Meter 0.13 0.41 235	stallation @ Generator 0.33 0.23 1,184 Plan stallation @ Generator 0.14 0.44	Program @ Meter 516.26 351.92 1,860,860 Participants Program @ Meter 28.81 89.01 50,525 Participants Program @ Meter 545.07 440.93 1,911,385	n Total @ Generator 553.95 377.61 1,965,068 215 n Total @ Generator 30.91 95.51 53,354 1,875 n Total @ Generator @ Generator 584.86 473.12			

			D	emand Side Ma	nagement Annua	al Report			
Utility: Program N Program S Reporting F	tart Date:	Tampa Electri FREE COMM July 1983 Annual 2020	ic Company ERCIAL/INDUS	TRIAL AUDIT					
а	b	с	d	е	f	g	h	i	j.
				Projected	Projected	Actual	Actual	Actual	Actual Participation
		Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Under)
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	80,277	80,277	888	888	1.1%	913	913	1.1%	25
2016	80,875	80,875	860	1,748	2.2%	764	1,677	2.1%	(71)
2017	81,532	81,532	870	2,618	3.2%	1,211	2,888	3.5%	270
2018	81,740	81,740	1,200	3,818	4.7%	797	3,685	4.5%	(133)
2019	82,359	82,359	800	4,618	5.6%	866	4,551	5.5%	(67)
2020	83,332	83,332	500	5,118	6.1%	238	4,789	5.7%	(329)
2021									
2022									
2023 2024									
2024									
	mand and Enou	ray Savinas - 2	015-2024 DSM	Dian	Dentisinente	000			
	illallu allu Lilei	uv Javinus - 2		FIGII	Participants	238			
		rgy Savings - 2		stallation	Participants	238 Program Total			
amuai De		rgy Savings - 2			@ Meter				
	W Reduction	igy Savings - 2	Per In	stallation		Program Total			
Summer kV	V Reduction	igy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
Summer kV Ninter kW	V Reduction	gy Savings - 2	Per In @ Meter 0.09	stallation @ Generator 0.10	@ Meter 22.20	Program Total @ Generator 23.75			
Summer kV Winter kW Annual kW	V Reduction Reduction		Per In @ Meter 0.09 0.09 817	stallation @ Generator 0.10 0.10 859	@ Meter 22.20 22.46	Program Total @ Generator 23.75 24.03			
Summer kV Winter kW Annual kW	V Reduction Reduction h Reduction		Per In @ Meter 0.09 0.09 817 020-2029 DSM	stallation @ Generator 0.10 0.10 859	@ Meter 22.20 22.46 194,446 Participants	Program Total @ Generator 23.75 24.03 204,557			
Summer kV Vinter kW Annual kW	V Reduction Reduction h Reduction		Per In @ Meter 0.09 0.09 817 020-2029 DSM	stallation @Generator 0.10 0.10 859 Plan	@ Meter 22.20 22.46 194,446 Participants Progra @ Meter	Program Total @ Generator 23.75 24.03 204,557 0			
Summer kV Winter kW Annual kW Annual De Summer kV	W Reduction Reduction h Reduction mand and Ene W Reduction		Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10	@ Meter 22.20 22.46 194,446 Participants Progra @ Meter 0.00	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00			
Summer kV Winter kW Annual kW Annual De Summer kV Winter kW	W Reduction Reduction h Reduction mand and Ene W Reduction Reduction		Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09 0.09	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10 0.10	@ Meter 22.20 22.46 194,446 Participants <u>Progra</u> @ Meter 0.00 0.00	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00 0.00			
Summer kV Winter kW Annual kW Annual De Summer kV Winter kW	W Reduction Reduction h Reduction mand and Ene W Reduction		Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10	@ Meter 22.20 22.46 194,446 Participants Progra @ Meter 0.00	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00			
Summer kW Winter kW Annual kW Annual De Summer kW Winter kW Annual kW	W Reduction Reduction h Reduction mand and Ene W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09 0.09 817	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10 0.10 859	@ Meter 22.20 22.46 194,446 Participants @ Meter 0.00 0.00 0 Participants	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00 0.00 0 238			
Summer kW Winter kW Annual kW Annual De Summer kW Winter kW Annual kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09 0.09 817	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10 0.10 859	@ Meter 22.20 22.46 194,446 Participants Progra 0.00 0.00 0 Participants Progra	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00 0.00 0 238 m Total			
Summer kW Winter kW Annual De Summer kW Winter kW Annual kW Annual De	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09 0.09 817	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10 0.10 859	@ Meter 22.20 22.46 194,446 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00 0.00 0 238 m Total @ Generator			
Summer kW Winter kW Annual De Summer kW Winter kW Annual De Summer kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09 0.09 817	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10 0.10 859	@ Meter 22.20 22.46 194,446 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter 22.20	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00 0.00 0 2388 m Total @ Generator 23.75			
Summer kW Winter kW Annual kW Annual De Summer kW Annual kW Annual De Summer kW Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09 0.09 817	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10 0.10 859	@ Meter 22.20 22.46 194,446 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter 22.20 22.46	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00 0.00 0 238 m Total @ Generator 23.75 24.03			
Gummer kW Winter kW Annual kW Annual De Gummer kW Annual kW Annual De Gummer kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09 0.09 817	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10 0.10 859	@ Meter 22.20 22.46 194,446 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter 22.20	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00 0.00 0 2388 m Total @ Generator 23.75			
Summer kW Winter kW Annual kW Annual De Summer kW Annual kW Annual kW Summer kW Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09 0.09 817	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10 0.10 859	@ Meter 22.20 22.46 194,446 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter 22.20 22.46	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00 0.00 0 238 m Total @ Generator 23.75 24.03			
Summer kW Winter kW Annual kW Annual De Summer kW Annual kW Annual kW Minter kW Annual kW Utility Cost	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction h Reduction h Reduction	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 0.09 0.09 817 020-2029 DSM Per In @ Meter 0.09 0.09 817	stallation @ Generator 0.10 0.10 859 Plan stallation @ Generator 0.10 0.10 859	@ Meter 22.20 22.46 194,446 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter 22.20 22.46 194,446	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00 0.00 0 238 m Total @ Generator 23.75 24.03			
Summer kW Winter kW Annual kW Annual De Summer kW Winter kW Annual kW Summer kW Winter kW Annual kW Utility Cost Total Progr	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction Reduction h Reduction h Reduction per Installation	rgy Savings - 2 rgy Savings - C (\$): Utility (\$000):	Per In @ Meter 0.09 817 020-2029 DSM Per In @ Meter 0.09 817 combined, Note	stallation @ Generator 0.10 859 Plan stallation @ Generator 0.10 0.10 0.10 859 • 1	@ Meter 22.20 22.46 194,446 Participants Progra @ Meter 0.00 0 0 Participants Progra @ Meter 22.20 22.46 194,446	Program Total @ Generator 23.75 24.03 204,557 0 m Total @ Generator 0.00 0.00 0 238 m Total @ Generator 23.75 24.03			

			De	mand Side Mar	agement Annu	al Report			
Utility: Program Na Program Sf Reporting F	tart Date:	Tampa Electri COMPREHEN May 1981 Annual 2020		RCIAL/INDUST	RIAL AUDIT				
а	b	с	d	е	f	g	h	i	j
				Projected	Projected	Actual	Actual	Actual	Actual Participation
		Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Under)
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	80,277	80,277	6	6	0.0%	1	1	0.0%	(5)
2016	80,875	80,875	10	16	0.0%	4	5	0.0%	(11)
2017	81,532	81,532	8	24	0.0%	0	5	0.0%	(19)
2018	81,740	81,740	4	28	0.0%	1	6	0.0%	(22)
2019	82,359	82,359	2	30	0.0%	1	7	0.0%	(23)
2020	83,332	83,332	1	31	0.0%	0	7	0.0%	(24)
2021									
2022									
2023									
2024									
	mand and Ene	ray Sovinas 2	045 2024 DSM	Blan	Participants	0			
Annual De	manu anu Ene	rgy Savings - 2		stallation	Participants	0 Program Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
Summer kV	V Reduction		0.09	0.10	0.00	0.00			
Winter kW			0.09	0.10	0.00	0.00			
	h Reduction		817	859	0	0			
Annual De	mand and Ene	rgy Savings - 2	020-2029 DSM	Plan	Participants	0			
			Per In	stallation	Progra	m Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
Summer kV	V Reduction		0.09	0.10	0.00	0.00			
Winter kW	Reduction		0.09	0.10	0.00	0.00			
Annual kW	h Reduction		817	859	0	0			
Annual De	mand and Ene	rgy Savings - C	ombined, Note	91	Participants	0			
						m Total			
					@ Meter	@ Generator			
	V Reduction				0.00	0.00			
Winter kW	Reduction h Reduction				0.00 0	0.00 0			
	TINEGUCIION				0	0			
Utility Cost	per Installation	(\$)			0				
	am Cost of the				0.0				
	s of Measures I		Reporting Peric	d (\$000):	(2.3)				
	mand and energ	•		· · · ·	(=.0)				
		,,							

				Demand Side N	lanagement Annu	al Report			
Jtility: Program Na Program St Reporting F	tart Date:	Tampa Electr COMMERCIA March 2008 Annual 2020	ic Company AL CEILING INS	ULATION					
а	b	с	d	е	f	g	h	i	j.
				Projected	Projected	Actual	Actual	Actual	Actual Participatior
		Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Unde
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participant
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	80,277	80,026	57	57	0.1%	41	41	0.1%	(10
2016	80,875	79,985	50	107	0.1%	14	55	0.1%	(52
2017	81,532	79,971	15	122	0.2%	5	60	0.1%	(6:
2018	81,740	79,966	8	130	0.2%	8	68	0.1%	(62
2019	82,359	79,958	5	135	0.2%	5	73	0.1%	(62
2020	83,332	79,953	1	136	0.2%	3	76	0.1%	(60
2021									
2022									
2023									
2024									
Annual De	mand and Fner	av Savinas - 2	015-2024 DSM	Plan	Participants	3			
Annual De	mand and Ener	gy Savings - 2			Participants	3 Program Total			
Annual De	mand and Ener	gy Savings - 2		stallation		Program Total			
	mand and Ener	gy Savings - 2	Per In		Participants @ Meter 0.93				
	V Reduction	gy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
Summer kV Ninter kW	V Reduction	rgy Savings - 2	Per In @ Meter 0.31	stallation @ Generator 0.33	@ Meter 0.93	Program Total @ Generator 1.00			
Summer kV Winter kW Annual kW	V Reduction Reduction		Per In @ Meter 0.31 0.00 36,115	stallation @ Generator 0.33 0.00 37,993	@ Meter 0.93 0.01	Program Total @ Generator 1.00 0.01			
Summer kV Winter kW Annual kW	V Reduction Reduction h Reduction		Per In @ Meter 0.31 0.00 36,115	stallation @ Generator 0.33 0.00 37,993	@ Meter 0.93 0.01 108,345 Participants Progra	Program Total @ Generator 1.00 0.01 113,979 0 m Total			
Summer kV Winter kW Annual kW Annual De	V Reduction Reduction h Reduction mand and Ener		Per In @ Meter 0.31 0.00 36,115	<u>atallation</u> <u>@ Generator</u> 0.33 0.00 37,993 Plan	@ Meter 0.93 0.01 108,345 Participants	Program Total @ Generator 1.00 0.01 113,979 0			
Summer kV Winter kW Annual kW Annual De Summer kV	W Reduction Reduction h Reduction mand and Ener W Reduction		Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In	tallation @ Generator 0.33 0.00 37,993 Plan stallation	@ Meter 0.93 0.01 108,345 Participants Progra	Program Total @ Generator 1.00 0.01 113,979 0 m Total			
Summer kV Winter kW Annual kW Annual De Summer kV Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction		Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In	stallation @ Generator 0.33 0.00 37,993 Plan stallation	@ Meter 0.93 0.01 108,345 Participants Progra	Program Total @ Generator 1.00 0.01 113,979 0 m Total			
Summer kV Winter kW Annual kW Annual De Summer kV Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction		Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In	stallation @ Generator 0.33 0.00 37,993 Plan stallation	@ Meter 0.93 0.01 108,345 Participants Progra	Program Total @ Generator 1.00 0.01 113,979 0 m Total			
Summer kV Winter kW Annual KW Annual De Summer kV Winter kW Annual kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.33 0.00 37,993 Plan stallation - - - -	@ Meter 0.93 0.01 108,345 Participants Progra @ Meter - - - Participants	Program Total @ Generator 1.00 0.01 113,979 0 m Total @ Generator - - 3			
Summer kV Winter kW Annual KW Annual De Summer kV Winter kW Annual kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.33 0.00 37,993 Plan stallation - - - -	@ Meter 0.93 0.01 108,345 Participants Progra @ Meter - - Participants Progra	Program Total @ Generator 1.00 0.01 113,979 0 m Total @ Generator - - 3 m Total			
Summer kV Winter kW Annual kW Annual De Summer kV Winter kW Annual be	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.33 0.00 37,993 Plan stallation - - - -	@ Meter 0.93 0.01 108,345 Participants Progra @ Meter - - - Participants Progra @ Meter	Program Total @ Generator 1.00 0.01 113,979 0 m Total			
Summer kV Winter kW Annual kW Annual De Summer kV Annual kW Annual De Summer kV	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.33 0.00 37,993 Plan stallation - - - -	@ Meter 0.93 0.01 108,345 Participants Progra @ Meter Participants Progra @ Meter 0.93	Program Total @ Generator 1.00 0.01 113,979 0 m Total - 3 m Total 0 1.00 1.00 0 1.00 0 m Total 0 1.00			
Summer kV Winter kW Annual kW Annual De Summer kV Annual kW Annual De Summer kV Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.33 0.00 37,993 Plan stallation - - - -	@ Meter 0.93 0.01 108,345 Participants Progra @ Meter - - Participants Progra @ Meter 0.93 0.01	Program Total @ Generator 1.00 0.01 113,979 0 m Total @ Generator - - 3 m Total @ Generator 1.00 0.01			
Summer kV Winter kW Annual kW Annual De Summer kV Annual kW Annual De Summer kV Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.33 0.00 37,993 Plan stallation - - - -	@ Meter 0.93 0.01 108,345 Participants Progra @ Meter Participants Progra @ Meter 0.93	Program Total @ Generator 1.00 0.01 113,979 0 m Total - 3 m Total 0 1.00 1.00 0 1.00 0 m Total 0 1.00			
Summer kW Winter kW Annual KW Annual De Summer kW Annual kW Annual kW Winter kW Annual kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.33 0.00 37,993 Plan stallation - - - -	@ Meter 0.93 0.01 108,345 Participants Progra @ Meter - - Participants Progra @ Meter 0.93 0.01	Program Total @ Generator 1.00 0.01 113,979 0 m Total @ Generator - - 3 m Total @ Generator 1.00 0.01			
Summer kV Winter kW Annual KW Annual De Summer kV Annual kW Annual kW Vinter kW Annual kW Jtility Cost	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction h Reduction h Reduction	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In @ Meter - -	stallation @ Generator 0.33 0.00 37,993 Plan stallation - - - -	@ Meter 0.93 0.01 108,345 Participants Progra @ Meter - Participants Progra @ Meter 0.93 0.01 108,345	Program Total @ Generator 1.00 0.01 113,979 0 m Total @ Generator - - 3 m Total @ Generator 1.00 0.01			
Summer kV Winter kW Annual KW Annual De Summer kV Annual kW Annual kW Minter kW Vinter kW Jtility Cost Fotal Progr	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction Reduction h Reduction h Reduction per Installation	rgy Savings - 2 rgy Savings - C (\$): Jtility (\$000):	Per In @ Meter 0.31 0.00 36,115 020-2029 DSM Per In @ Meter - - - Combined, Note	stallation @ Generator 0.33 0.00 37,993 Plan stallation @ Generator - - - -	@ Meter 0.93 0.01 108,345 Participants Progra @ Meter - - Participants Progra @ Meter 0.93 0.01 108,345 345	Program Total @ Generator 1.00 0.01 113,979 0 m Total @ Generator - - 3 m Total @ Generator 1.00 0.01			

				Demand Side N	lanagement Annua	l Report			
Utility: Program Na Program St Reporting F	art Date:	Tampa Electri COMMERCIA March 2008 Annual 2020							
а	b	с	d	е	f	g	h	i	j
Year 2015 2016 2017 2018 2019 2020 2021 2022 2023 2023	Total Number of <u>Customers</u> 80,277 80,875 81,532 81,740 82,359 83,332	Total Number of Eligible Customers 7,733 8,851 8,887 9,023 9,119 9,089	Total Number of Projected Participants 10 10 11 8 9 2	Projected Cumulative Number of Program Participants 10 20 31 39 48 50	Projected Cumulative Penetration Level % [(e/c)x100] 0.1% 0.2% 0.3% 0.4% 0.5% 0.6%	Actual Annual Number of Program Participants 7 7 7 1 5 1	Actual Cumulative Number of Program Participants 7 12 19 20 25 26	Actual Cumulative Penetration Level % [(h/c)x100] 0.1% 0.1% 0.2% 0.2% 0.2% 0.3%	Actual Participation Over (Under) Projected Participants (h-e) (3) (3) (12) (12) (12) (23) (24)
2024									
Annual Dei	mand and Ener	gy Savings - 2		stallation		1 Program Total			
		gy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
Summer kV	V Reduction	gy Savings - 2	Per In @ Meter 51.00	stallation @ Generator 54.57	@ Meter 51.00	Program Total @ Generator 54.57			
Summer kV Winter kW	V Reduction Reduction	rgy Savings - 2	Per In @ Meter 51.00 38.25	stallation @ Generator 54.57 40.93	@ Meter 51.00 38.25	Program Total @ Generator 54.57 40.93			
Summer kV Winter kW	V Reduction	gy Savings - 2	Per In @ Meter 51.00	stallation @ Generator 54.57	@ Meter 51.00	Program Total @ Generator 54.57			
Summer kV Winter kW Annual kWI	V Reduction Reduction		Per In @ Meter 51.00 38.25 97,716	stallation @ Generator 54.57 40.93 102,797	@ Meter 51.00 38.25	Program Total @ Generator 54.57 40.93			
Summer kV Winter kW Annual kWI	V Reduction Reduction h Reduction		Per In @ Meter 51.00 38.25 97,716 020-2029 DSM	stallation @ Generator 54.57 40.93 102,797	@ Meter 51.00 38.25 97,716	Program Total @ Generator 54.57 40.93 102,797 0			
Summer kW Winter kW Annual kWI Annual De i	V Reduction Reduction h Reduction mand and Ener		Per In @ Meter 51.00 38.25 97,716 020-2029 DSM Per In @ Meter	stallation @ Generator 54.57 40.93 102,797 Plan stallation @ Generator	@ Meter 51.00 38.25 97,716 Participants Program @ Meter	Program Total @ Generator 54.57 40.93 102,797 0 n Total @ Generator			
Summer kV Winter kW Annual kWI Annual Dei Summer kV	V Reduction Reduction h Reduction mand and Ener V Reduction		Per In @ Meter 51.00 38.25 97,716 020-2029 DSM Per In @ Meter 6.16	stallation @ Generator 54.57 40.93 102,797 Plan stallation @ Generator 6.59	@ Meter 51.00 38.25 97,716 Participants Program @ Meter 0.00	Program Total @ Generator 54.57 40.93 102,797 0 n Total @ Generator 0.00			
Summer kV Winter kW Annual kWI Annual Dei Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction		Per In @ Meter 51.00 38.25 97,716 020-2029 DSM Per In @ Meter 6.16 2.48	stallation @ Generator 54.57 40.93 102,797 Plan stallation @ Generator 6.59 2.65	@ Meter 51.00 38.25 97,716 Participants Program @ Meter 0.00 0.00	Program Total @ Generator 54.57 40.93 102,797 0 n Total @ Generator 0.00 0.00			
Summer kV Winter kW Annual kWI Annual Der Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction		Per In @ Meter 51.00 38.25 97,716 020-2029 DSM Per In @ Meter 6.16	stallation @ Generator 54.57 40.93 102,797 Plan stallation @ Generator 6.59	@ Meter 51.00 38.25 97,716 Participants Program @ Meter 0.00	Program Total @ Generator 54.57 40.93 102,797 0 n Total @ Generator 0.00			
Summer kV Winter kW Annual kWI Annual Dei Summer kV Winter kW Annual kWI	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction	rgy Savings - 2	Per In @ Meter 51.00 38.25 97,716 020-2029 DSM Per In @ Meter 6.16 2.48 17,863	stallation @ Generator 54.57 40.93 102,797 Plan stallation @ Generator 6.59 2.65 18,792	@ Meter 51.00 38.25 97,716 Participants Program @ Meter 0.00 0.00	Program Total @ Generator 54.57 40.93 102,797 0 n Total @ Generator 0.00 0.00 0 1			
Summer kV Winter kW Annual kWI Annual Der Summer kV Annual kWI Annual Der Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction	rgy Savings - 2	Per In @ Meter 51.00 38.25 97,716 020-2029 DSM Per In @ Meter 6.16 2.48 17,863	stallation @ Generator 54.57 40.93 102,797 Plan stallation @ Generator 6.59 2.65 18,792	@ Meter 51.00 38.25 97,716 Participants Program @ Meter 0.00 0.00 0 Participants	Program Total @ Generator 54.57 40.93 102,797 0 n Total @ Generator 0.00 0.00 0 1			
Summer kV Winter kW Annual kW Annual Der Summer kV Annual kW Summer kV Winter kW Annual kW	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction Reduction h Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 51.00 38.25 97,716 020-2029 DSM Per In @ Meter 6.16 2.48 17,863	stallation @ Generator 54.57 40.93 102,797 Plan stallation @ Generator 6.59 2.65 18,792	@ Meter 51.00 38.25 97,716 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter 51.00 38.25 97,716	Program Total @ Generator 54.57 40.93 102,797 0 n Total @ Generator 0.00 0.00 0 1 n Total @ Generator 54.57 40.93			
Summer kV Winter kW Annual kWl Annual Der Summer kV Minter kW Annual ber Summer kV Winter kW Annual kWl Utility Cost	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction Reduction h Reduction h Reduction per Installation (rgy Savings - 24 rgy Savings - C (\$):	Per In @ Meter 51.00 38.25 97,716 020-2029 DSM Per In @ Meter 6.16 2.48 17,863	stallation @ Generator 54.57 40.93 102,797 Plan stallation @ Generator 6.59 2.65 18,792	@ Meter 51.00 38.25 97,716 Participants Program @ Meter 0.00 0.00 0 0 Participants Program @ Meter 51.00 38.25 97,716	Program Total @ Generator 54.57 40.93 102,797 0 n Total @ Generator 0.00 0.00 0 1 n Total @ Generator 54.57 40.93			
Summer kV Winter kW Annual kW Annual Der Summer kV Annual kW Annual kW Minter kW Annual kW Utility Cost Total Progra	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction Reduction h Reduction	rgy Savings - 24 rgy Savings - C (\$): Jtility (\$000):	Per In @ Meter 51.00 38.25 97,716 020-2029 DSM Per In @ Meter 6.16 2.48 17,863	stallation @ Generator 54.57 40.93 102,797 Plan stallation @ Generator 6.59 2.65 18,792 1	@ Meter 51.00 38.25 97,716 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter 51.00 38.25 97,716	Program Total @ Generator 54.57 40.93 102,797 0 n Total @ Generator 0.00 0.00 0 1 n Total @ Generator 54.57 40.93			

tility:		Tampa Electri	ic Company						
rogram Na	ame:	CONSERVAT	ION VALUE						
rogram St	tart Date:	April 1991							
eporting F	Period:	Annual 2020							
а	b	с	d	е	f	g	h	i	j
a	Б	C	u	C	!	9		I	Actual
				Projected	Projected	Actual	Actual	Actual	Participatio
		Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Unde
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participant
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	80,277	80,277	4	4	0.0%	4	4	0.0%	(
2015	80,875	80,875	4	8	0.0%	2	6	0.0%	(2
2010	81,532	81,532	4	11	0.0%	2	6	0.0%	(.
2017	81,740	81,740	2	13	0.0%	0	6	0.0%	()
	,	,	2 1			-			
2019	82,359	82,359	•	14	0.0%	0	6	0.0%	(
2020	83,332	83,332	1	15	0.0%	0	6	0.0%	(
2021									
2022									
2023									
2024									
2024									
	mand and Enc.	my Covingo D	045 2024 DSM	Dian	Dorticipanto	0			
	mand and Ener	gy Savings - 2			Participants	0 Program Total			
	mand and Ener	gy Savings - 2	Per In	stallation	· · ·	Program Total			
nnual De		gy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
nnual De i ummer kV	V Reduction	gy Savings - 2	Per In @ Meter 185.40	stallation @ Generator 198.38	@ Meter 0.00	Program Total @ Generator 0.00			
nnual De ummer kV /inter kW	V Reduction Reduction	rgy Savings - 2	Per In @ Meter 185.40 0.00	stallation @ Generator 198.38 0.00	@ Meter 0.00 0.00	Program Total @ Generator 0.00 0.00			
nnual De ummer kV /inter kW	V Reduction	rgy Savings - 2≀	Per In @ Meter 185.40	stallation @ Generator 198.38	@ Meter 0.00	Program Total @ Generator 0.00			
nnual Der ummer kV /inter kW nnual kWI	V Reduction Reduction		Per In @ Meter 185.40 0.00 19,244	stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0 Participants	Program Total @ Generator 0.00 0.00 0			
nnual Der ummer kV /inter kW nnual kWI	V Reduction Reduction h Reduction		Per In @ Meter 185.40 0.00 19,244 020-2029 DSM	stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0	Program Total @ Generator 0.00 0.00 0 0 n Total			
nnual Der ummer kV /inter kW nnual kWI	V Reduction Reduction h Reduction		Per In @ Meter 185.40 0.00 19,244 020-2029 DSM	<u>atallation</u> <u>@ Generator</u> 198.38 0.00 20,245 Plan	@ Meter 0.00 0.00 0 Participants	Program Total @ Generator 0.00 0.00 0			
nnual Dei ummer kV /inter kW nnual kWI nnual Dei	V Reduction Reduction h Reduction		Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In	stallation @ Generator 198.38 0.00 20,245 Plan stallation	@ Meter 0.00 0.00 0 Participants Program	Program Total @ Generator 0.00 0.00 0 0 n Total			
nnual Dei ummer kV /inter kW nnual kWI nnual Dei ummer kV	N Reduction Reduction h Reduction mand and Ener		Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator	@ Meter 0.00 0.00 0 Participants Program @ Meter	Program Total @ Generator 0.00 0.00 0 0 m Total @ Generator			
nnual Der ummer kV /inter kW nnual kWI nnual Der ummer kV /inter kW	W Reduction Reduction h Reduction mand and Ener W Reduction		Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter 185.40	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator 198.38	@ Meter 0.00 0.00 0 Participants Program @ Meter 0.00	Program Total @ Generator 0.00 0.00 0 m Total @ Generator 0.00			
nnual Der Vinter kW nnual kWI nnual Der ummer kW Vinter kW nnual kWI	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter 185.40 0.00 19,244	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0 Participants Program @ Meter 0.00 0.00 0	Program Total @ Generator 0.00 0.00 0 m Total @ Generator 0.00 0.00 0.00			
nnual Dei Vinter kW nnual kWI nnual Dei ummer kV Vinter kW nnual kWI	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2	Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter 185.40 0.00 19,244	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0 Participants Program @ Meter 0.00 0.00 0 Participants	Program Total @ Generator 0.00 0 0 m Total @ Generator 0.00 0.00 0.00 0 0 0			
nnual Der Vinter kW nnual kWI nnual Der ummer kW Vinter kW nnual kWI	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter 185.40 0.00 19,244	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0 Participants <u>Program</u> 0.00 0.00 0 Participants Program	Program Total @ Generator 0.00 0 0 m Total @ Generator 0.00 0.00 0 0 m Total			
nnual Dei Vinter kW nnual kWI nnual Dei ummer kV Vinter kW nnual kWI nnual Dei	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter 185.40 0.00 19,244	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter	Program Total @ Generator 0.00 0 0 n Total @ Generator 0.00 0.00 0 0 n Total @ Generator			
nnual Dei Vinter kW nnual kWI nnual Dei Vinter kW nnual kWI nnual Dei ummer kV	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter 185.40 0.00 19,244	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0 Participants Program @ Meter 0.00 0 0 Participants Program @ Meter 0.00 0 0	Program Total @ Generator 0.00 0.00 0 n Total @ Generator 0 0 n Total @ Generator 0 0 0 0 0 0 0 0 0 0 0 0 0			
nnual Dei Vinter kW nnual kWI nnual Dei Vinter kW nnual kWI nnual Dei Vinter kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter 185.40 0.00 19,244	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter	Program Total @ Generator 0.00 0 0 n Total @ Generator 0.00 0.00 0 0 n Total @ Generator			
nnual Dei Vinter kW nnual kWI nnual Dei Vinter kW nnual kWI nnual Dei Vinter kW nnual kWI	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction h Reduction h Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter 185.40 0.00 19,244	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0 Participants Program @ Meter 0.00 0 Participants Program @ Meter 0.00 0 0 0 0 0 0 0 0 0 0 0 0	Program Total @ Generator 0.00 0.00 0 m Total @ Generator 0 m Total @ Generator 0 m Total @ Generator 0 0 0 0 0 0 0 0 0 0 0 0 0			
nnual Dei Vinter kW Vinter kW nnual kWI nnual Dei ummer kW nnual kWI nnual bei ummer kW nnual kWI unmar kW	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction Reduction h Reduction h Reduction per Installation	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter 185.40 0.00 19,244	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0 Participants Program @ Meter 0.00 0 0 Participants Program @ Meter 0.00 0 0 0 0 0 0 0 0 0 0 0 0	Program Total @ Generator 0.00 0.00 0 m Total @ Generator 0 m Total @ Generator 0 m Total @ Generator 0 0 0 0 0 0 0 0 0 0 0 0 0			
nnual Dei ummer kV /inter kW nnual kWI nnual Dei ummer kV /inter kW nnual Dei ummer kV /inter kW nnual kWI tility Cost otal Progr	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction h Reduction h Reduction	rgy Savings - 24 rgy Savings - C (\$): Jtility (\$000):	Per In @ Meter 185.40 0.00 19,244 020-2029 DSM Per In @ Meter 185.40 0.00 19,244	stallation @ Generator 198.38 0.00 20,245 Plan stallation @ Generator 198.38 0.00 20,245	@ Meter 0.00 0.00 0 Participants Program @ Meter 0.00 0 Participants Program @ Meter 0.00 0 0 0 0 0 0 0 0 0 0 0 0	Program Total @ Generator 0.00 0.00 0 m Total @ Generator 0 m Total @ Generator 0 m Total @ Generator 0 0 0 0 0 0 0 0 0 0 0 0 0			

			I	Demand Side M	anagement Annua	l Report			
Jtility: Program Na Program Sf Reporting F	tart Date:	Tampa Electri COMMERCIA May 2011 Annual 2020	c Company L COOL ROOF						
а	b	С	d	е	f	g	h	i	j
Year 2015 2016 2017 2018 2019 2020 2021 2022 2023	Total Number of <u>Customers</u> 80,277 80,875 81,532 81,740 82,359 83,332	Total Number of Eligible <u>Customers</u> 80,128 80,681 81,313 81,508 82,106 83,064	Total Number of Projected Participants 35 25 25 20 15 15	Projected Cumulative Number of Program Participants 35 60 85 105 120 135	Projected Cumulative Penetration Level % [(e/c)x100] 0.0% 0.1% 0.1% 0.1% 0.1% 0.2%	Actual Annual Number of Program Participants 45 25 13 21 15 22	Actual Cumulative Number of Program Participants 45 70 83 104 119 141	Actual Cumulative Penetration Level % [(h/c)x100] 0.1% 0.1% 0.1% 0.1% 0.2%	Actual Participation Over (Unde Projected Participants (h-e) 10 10 (2 (1 (1 6
Summer kV	mand and Ene V Reduction Reduction	rgy Savings - 2		Plan stallation @ Generator 11.03 0.00	Participants @ Meter 226.82 0.00	22 Program Total @ Generator 242.70 0.00			
	h Reduction		38,312	40,304	842,864	886,693			
Annual De	mand and Ene	rgy Savings - 2	Per In	stallation	Participants Progran				
Winter kW	V Reduction Reduction h Reduction		@ Meter - - -	@ Generator - - -	@ Meter - - -	@ Generator - - -			
Annual De	mand and Ene	rgy Savings - C	ombined, Note	e 1	Participants Progran	22 n Total			
Vinter kW	V Reduction Reduction h Reduction				@ Meter 226.82 0.00 842,864	@ Generator 242.70 0.00 886,693			
otal Progr	per Installation am Cost of the I s of Measures I		Reporting Peric	od (\$000):	8,386 184.5 121.6				

				Demand Side M	lanagement Annua	al Report			
Utility: Program Na Program St Reporting F	tart Date:	Tampa Electri COMMERCIA July 2000 Annual 2020	ic Company L COOLING - E	х					
а	b	с	d	е	f	g	h	i	j
				Projected	Projected	Actual	Actual	Actual	Actual Participatior
		Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Unde
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	80,277	80,277	127	127	0.2%	234	234	0.3%	107
2016	80,875	80,875	130	257	0.3%	9	243	0.3%	(14
2017	81,532	81,532	16	273	0.3%	0	243	0.3%	(30
2018	81,740	81,740	5	278	0.3%	25	268	0.3%	(10
2019	82,359	82,359	5	283	0.3%	15	283	0.3%	Ċ
2020	83,332	83,332	15	298	0.4%	14	297	0.4%	(1
2021									
2022									
2023									
2024									
		<u> </u>			– <i> .</i>				
Annual De	mand and Ener	rgy Savings - 2			Participants	14			
Annual De	mand and Ener	rgy Savings - 2	Per In	stallation		Program Total			
		rgy Savings - 2	Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
Summer kV	V Reduction	rgy Savings - 2	Per In @ Meter 0.99	stallation @ Generator 1.06	@ Meter 13.86	Program Total @ Generator 14.83			
Summer kV Winter kW	V Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.99 0.00	stallation @ Generator 1.06 0.00	@ Meter 13.86 0.00	Program Total @ Generator 14.83 0.00			
Summer kV Winter kW	V Reduction	rgy Savings - 2	Per In @ Meter 0.99	stallation @ Generator 1.06	@ Meter 13.86	Program Total @ Generator 14.83			
Summer kV Winter kW Annual kWI	V Reduction Reduction		Per In @ Meter 0.99 0.00 2,393 020-2029 DSM	<u>atallation</u> <u>@ Generator</u> 1.06 0.00 2,517 Plan	@ Meter 13.86 0.00 33,502 Participants	Program Total @ Generator 14.83 0.00 35,244 0			
Summer kV Winter kW Annual kWI	V Reduction Reduction h Reduction		Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In	stallation @ Generator 1.06 0.00 2,517 Plan stallation	@ Meter 13.86 0.00 33,502 Participants Program	Program Total @ Generator 14.83 0.00 35,244 0 m Total			
Summer kV Winter kW Annual kWI Annual Dei	V Reduction Reduction h Reduction mand and Ener		Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator	@ Meter 13.86 0.00 33,502 Participants <u>Progra</u> @ Meter	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator			
Summer kV Winter kW Annual kWI Annual De i Summer kV	V Reduction Reduction h Reduction mand and Ener V Reduction		Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75	@ Meter 13.86 0.00 33,502 Participants Program @ Meter 0.00	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00			
Summer kV Winter kW Annual kWI Annual De r Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction		Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64 0.00	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75 0.00	@ Meter 13.86 0.00 33,502 Participants Progra @ Meter 0.00 0.00	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00 0.00			
Summer kV Winter kW Annual kWI Annual De i Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction		Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75	@ Meter 13.86 0.00 33,502 Participants Program @ Meter 0.00	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00			
Summer kV Winter kW Annual kWI Annual De r Summer kV Winter kW Annual kWI	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64 0.00 3,960	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75 0.00 4,166	@ Meter 13.86 0.00 33,502 Participants Prograt @ Meter 0.00 0.00 0 Participants	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00 0.00 0 14			
Summer kV Winter kW Annual kWI Annual De r Summer kV Winter kW Annual kWI	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64 0.00 3,960	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75 0.00 4,166	@ Meter 13.86 0.00 33,502 Participants Program @ Meter 0.00 0.00 0 Participants Program	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00 0.00 0 14 m Total			
Summer kV Winter kW Annual kWI Annual Der Summer kV Winter kW Annual Der Annual Der	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64 0.00 3,960	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75 0.00 4,166	@ Meter 13.86 0.00 33,502 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00 0.00 0 14.83 0 0 35,244			
Summer kV Winter kW Annual kWI Annual Der Summer kW Annual Der Summer kV	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction h Reduction mand and Ener V Reduction	rgy Savings - 2	Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64 0.00 3,960	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75 0.00 4,166	@ Meter 13.86 0.00 33,502 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter 13.86	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00 0.00 0 14 m Total @ Generator 14.83			
Summer kV Winter kW Annual kWI Annual Der Summer kV Annual kWI Annual Der Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener V Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64 0.00 3,960	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75 0.00 4,166	@ Meter 13.86 0.00 33,502 Participants Prograt @ Meter 0.00 0.00 0 Participants Prograt @ Meter 13.86 0.00	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00 0.00 0 14 m Total @ Generator 14.83 0.00			
Summer kV Winter kW Annual kWI Annual Der Summer kV Annual kWI Annual Der Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction h Reduction mand and Ener V Reduction	rgy Savings - 2	Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64 0.00 3,960	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75 0.00 4,166	@ Meter 13.86 0.00 33,502 Participants Progra @ Meter 0.00 0.00 0 Participants Progra @ Meter 13.86	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00 0.00 0 14 m Total @ Generator 14.83			
Summer kV Winter kW Annual KWI Annual Der Summer kV Annual kWI Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener V Reduction Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64 0.00 3,960	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75 0.00 4,166	@ Meter 13.86 0.00 33,502 Participants Prograt @ Meter 0.00 0.00 0 Participants Prograt @ Meter 13.86 0.00	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00 0.00 0 14 m Total @ Generator 14.83 0.00			
Summer kV Winter kW Annual KWI Annual Der Summer kV Annual kWI Summer kV Winter kW Annual kWI Jtility Cost	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction W Reduction Reduction h Reduction h Reduction	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64 0.00 3,960	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75 0.00 4,166	@ Meter 13.86 0.00 33,502 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter 13.86 0.00 33,502	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00 0.00 0 14 m Total @ Generator 14.83 0.00			
Summer kV Winter kW Annual KWI Annual Der Summer kV Annual kWI Annual kWI Summer kV Winter kW Jtility Cost Total Progra	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction Reduction h Reduction h Reduction per Installation	rgy Savings - 2 rgy Savings - C (\$): Jtility (\$000):	Per In @ Meter 0.99 0.00 2,393 020-2029 DSM Per In @ Meter 1.64 0.00 3,960 Combined, Note	stallation @ Generator 1.06 0.00 2,517 Plan stallation @ Generator 1.75 0.00 4,166 1	@ Meter 13.86 0.00 33,502 Participants Program @ Meter 0.00 0.00 0 Participants Program @ Meter 13.86 0.00 33,502 277	Program Total @ Generator 14.83 0.00 35,244 0 m Total @ Generator 0.00 0.00 0 14 m Total @ Generator 14.83 0.00			

			D		anagement Annual	Report					
Utility: Program Na Program St Reporting F	art Date:										
а	b	С	d	е	f	g	h	i	j		
	Total	Total Number of	Total Number of	Projected Cumulative Number of	Projected Cumulative Penetration	Actual Annual Number of	Actual Cumulative Number of	Actual Cumulative Penetration	Actual Participation Over (Under) Projected		
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants		
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)		
2015	80,277	12,302	1	1	0.0%	4	4	0.0%	3		
2016	80,875	12,937	1	2	0.0%	0	4	0.0%	2		
2017	81,532	13,383	1	3	0.0%	0	4	0.0%	1		
2018	81,740	13,730	1	4	0.0%	1	5	0.0%	1		
2019	82,359	13,804	1 1	5 6	0.0%	0 0	5	0.0%	0		
2020 2021 2022	83,332	14,079	1	0	0.0%	0	5	0.0%	(1)		
2023											
2024											
				Dia		0					
Annual De	mand and Ene	rgy Savings - 2	015-2024 DSM		Participants Program	0					
			@ Meter	stallation @ Generator	@ Meter	@ Generator					
Summer kV	V Reduction		1.645.00	1,760.15	0.00	0.00					
Winter kW			1,645.00	1,760.15	0.00	0.00					
	h Reduction		123,375	129,791	0	0					
Annual De	mand and Ene	rgy Savings - 2	020-2029 DSM	Plan	Participants	0					
				stallation	Program						
			@ Meter	@ Generator	@ Meter	@ Generator					
	V Reduction		404.04	432.32	0.00	0.00					
Winter kW Annual kWl	Reduction h Reduction		404.04 30,298	432.32 31,873	0.00 0	0.00 0					
			,	,	-	-					
Annual De	mand and Ene	rgy Savings - C	ombined, Note	1	Participants Program						
					@ Meter	@ Generator					
	V Reduction				0.00	0.00					
Winter kW	Reduction h Reduction				0.00 0	0.00 0					
	Reduction				0	0					
Utility Cost	per Installation	(\$), Note 2:			32,657						
	am Cost of the				3,135.1						
			Reporting Perio	d (\$000):	418.3						
Net Denem											
	ings from meas	sured data									

			D	emand Side Ma	inagement Annua	al Report			
Utility: Program N Program St Reporting F	tart Date:	Tampa Electri COMMERCIA March 2008 Annual 2020	ic Company \L DUCT REPAI	IR					
а	b	с	d	е	f	g	h	i	j
Year 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 Annual De	Total Number of <u>Customers</u> 80,277 80,875 81,532 81,740 82,359 83,332	Total Number of Eligible <u>Customers</u> 70,369 70,112 70,016 70,013 70,007 70,007	Total Number of Participants 550 300 130 25 3 1 015-2024 DSM	Projected Cumulative Number of Program Participants 550 850 980 1,005 1,008 1,009	Projected Cumulative Penetration Level % [(e/c)x100] 0.8% 1.2% 1.4% 1.4% 1.4% 1.4%	Actual Annual Number of Program Participants 257 96 3 6 0 0 0	Actual Cumulative Number of Program Participants 257 353 356 362 362 362 362	Actual Cumulative Penetration Level % [(h/c)x100] 0.4% 0.5% 0.5% 0.5% 0.5% 0.5%	Actual Participation Over (Under) Projected Participants (h-e) (293) (497) (624) (643) (646) (647)
		5,		stallation	•	m Total			
Winter kW	V Reduction Reduction h Reduction		@ Meter 1.55 0.02 6,862	@ Generator 1.66 0.02 7,219	@ Meter 0.00 0.00 0	@ Generator 0.00 0.00 0			
Annual De	mand and Ener	gy Savings - 2	020-2029 DSM	Plan	Participants	0			
			Per In	stallation	Progra	m Total			
Winter kW	V Reduction Reduction h Reduction		@ Meter - - -	@ Generator - - -	@ Meter - - -	@ Generator - - -			
Annual De	mand and Ener	rgy Savings - C	combined, Note	91	Participants Program	0 m Total			
Winter kW	V Reduction Reduction h Reduction				@ Meter 0.00 0.00 0	@ Generator 0.00 0.00 0			
Total Progr Net Benefit	per Installation am Cost of the I s of Measures I vings from meas	Utility (\$000): nstalled During	Reporting Perio	od (\$000):	0 0.0 249.2				

Utility: Program Na Program St Reporting F	tart Date:	Tampa Electri COMMERCIA November 20 Annual 2020	L ELECTRONIC	CALLY COMMU	TATED MOTOR	S			
а	b	С	d	е	f	g	h	i	j
	Total Number of	Total Number of Eligible	Total Number of Projected	Projected Cumulative Number of Program	Projected Cumulative Penetration Level %	Actual Annual Number of Program	Actual Cumulative Number of Program	Actual Cumulative Penetration Level %	Actual Participation Over (Under) Projected Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	80,277	80,277	10	10	0.0%	85	85	0.1%	75
2016	80,875	80,875	10	20	0.0%	1,225	1,310	1.6%	1,290
2017	81,532	81,532	20	40	0.0%	202	1,512	1.9%	1,472
2018	81,740	81,740	200	240	0.3%	0	1,512	1.8%	1,272
2019 2020 2021 2022	82,359 83,332	82,359 83,332	5 0	245 245	0.3% 0.3%	0 0	1,512 1,512	1.8% 1.8%	1,267 1,267
2023 2024									
2027									
	mand and Ener	rgy Savings - 2			Participants	0			
	mand and Ener	rgy Savings - 2	Per In:	stallation	Program	m Total			
Annual De		rgy Savings - 2	Per In: @ Meter	stallation @ Generator	Program @ Meter	m Total @ Generator			
Annual De Summer kV	N Reduction	rgy Savings - 2	Per In: @ Meter 0.24	stallation @ Generator 0.25	Program @ Meter 0.00	m Total @ Generator 0.00			
Annual De Gummer kV Vinter kW		rgy Savings - 2	Per In: @ Meter	stallation @ Generator	Program @ Meter	m Total @ Generator			
Annual De Gummer kV Winter kW Annual kW	N Reduction Reduction		Per In: @ Meter 0.24 0.00 32 020-2029 DSM	<u>@ Generator</u> 0.25 0.00 34 Plan	Program @ Meter 0.00 0.00 0 Participants	m Total @ Generator 0.00 0.00 0			
Annual De Summer kV Winter kW Annual kW	N Reduction Reduction h Reduction		Per In: <u>@ Meter</u> 0.24 0.00 32 020-2029 DSM Per In:	stallation @ Generator 0.25 0.00 34 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program	m Total @ Generator 0.00 0.00 0 0 m Total			
Annual De Summer kV Winter kW Annual kW Annual De	W Reduction Reduction h Reduction mand and Ener		Per In: @ Meter 0.24 0.00 32 020-2029 DSM	<u>@ Generator</u> 0.25 0.00 34 Plan	Program @ Meter 0.00 0.00 0 Participants	m Total @ Generator 0.00 0.00 0			
Annual De Summer kV Winter kW Annual kW Annual De Summer kV	N Reduction Reduction h Reduction mand and Ene r N Reduction		Per In: <u>@ Meter</u> 0.24 0.00 32 020-2029 DSM Per In:	stallation @ Generator 0.25 0.00 34 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program	m Total @ Generator 0.00 0.00 0 0 m Total			
Annual De Summer kW Vinter kW Annual kW Annual De Summer kW	W Reduction Reduction h Reduction mand and Ener		Per In: <u>@ Meter</u> 0.24 0.00 32 020-2029 DSM Per In:	stallation @ Generator 0.25 0.00 34 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program	m Total @ Generator 0.00 0.00 0 0 m Total			
Annual De Gummer kW Winter kW Annual kW Annual De Gummer kW Winter kW	N Reduction Reduction h Reduction mand and Ene N Reduction Reduction	rgy Savings - 2	Per In: @ Meter 0.24 0.00 32 020-2029 DSM Per In: @ Meter - -	stallation @ Generator 0.25 0.00 34 Plan stallation @ Generator - -	Program @ Meter 0.00 0.00 0 Participants Program @ Meter - - - - Participants	m Total @ Generator 0.00 0.00 0 m Total @ Generator - - 0			
Summer kW Vinter kW Annual kW Annual De Summer kW Vinter kW	N Reduction Reduction h Reduction mand and Ener N Reduction Reduction h Reduction	rgy Savings - 2	Per In: @ Meter 0.24 0.00 32 020-2029 DSM Per In: @ Meter - -	stallation @ Generator 0.25 0.00 34 Plan stallation @ Generator - -	Program @ Meter 0.00 0.00 0 Participants Program - - Participants - Participants -	m Total @ Generator 0.00 0.00 0 m Total @ Generator - - 0 m Total			
Annual De Summer kV Vinter kW Annual De Summer kV Vinter kW Annual De	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In: @ Meter 0.24 0.00 32 020-2029 DSM Per In: @ Meter - -	stallation @ Generator 0.25 0.00 34 Plan stallation @ Generator - -	Program @ Meter 0.00 0.00 0 Participants Program @ Meter - - Participants Program @ Meter	m Total @ Generator 0.00 0.00 0 m Total @ Generator - - 0 m Total @ Generator			
Annual De Summer kW Annual kW Annual De Summer kW Annual De Summer kW	N Reduction Reduction h Reduction mand and Ener N Reduction Reduction h Reduction	rgy Savings - 2	Per In: @ Meter 0.24 0.00 32 020-2029 DSM Per In: @ Meter - -	stallation @ Generator 0.25 0.00 34 Plan stallation @ Generator - -	Program @ Meter 0.00 0.00 0 Participants Program - - Participants - Participants -	m Total @ Generator 0.00 0.00 0 m Total @ Generator - - 0 m Total			
Summer kV Vinter kW Annual kW Annual De Summer kV Annual De Summer kV Annual De Summer kV	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In: @ Meter 0.24 0.00 32 020-2029 DSM Per In: @ Meter - -	stallation @ Generator 0.25 0.00 34 Plan stallation @ Generator - -	Program @ Meter 0.00 0.00 0 Participants Program @ Meter - Participants Program @ Meter 0.00	m Total @ Generator 0.00 0 0 m Total @ Generator - - 0 m Total @ Generator 0 m Total @ Generator - 0 0			
Annual De Summer kW Vinter kW Annual De Summer kW Annual De Summer kW Annual De Summer kW Vinter kW Vinter kW Vinter kW	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction h Reduction h Reduction per Installation	rgy Savings - 2 rgy Savings - C (\$):	Per In: @ Meter 0.24 0.00 32 020-2029 DSM Per In: @ Meter - -	stallation @ Generator 0.25 0.00 34 Plan stallation @ Generator - -	Program @ Meter 0.00 0 Participants Program @ Meter Participants Program @ Meter 0.00 0.00	m Total @ Generator 0.00 0.00 0 m Total @ Generator - 0 m Total @ Generator 0.00 0.00 0.00			
Annual De Summer kW Annual kW Annual De Summer kW Annual De Summer kW Annual De Summer kW Annual kW Jtility Cost Fotal Progr	W Reduction Reduction h Reduction mand and Ener W Reduction h Reduction mand and Ener W Reduction Reduction h Reduction h Reduction	rgy Savings - 2 rgy Savings - C (\$): Utility (\$000):	Per In: @ Meter 0.24 0.00 32 020-2029 DSM Per In: @ Meter - - - - - - -	stallation @ Generator 0.25 0.00 34 Plan stallation @ Generator - - -	Program @ Meter 0.00 0.00 0 Participants Program @ Meter - - Participants Program @ Meter 0.000 0.00 0.00 0.00 0.0000 0.000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.00000 0.00000 0.00000000	m Total @ Generator 0.00 0.00 0 m Total @ Generator - 0 m Total @ Generator 0.00 0.00 0.00			

				Demand Side M	lanagement Annua	al Report			
Utility: Program N Program Si Reporting F	tart Date:	Tampa Electri FACILITY EN November 202 Annual 2020	ERGY MANAGI	EMENT SYSTEI	М				
а	b	с	d	е	f	g	h	i	j
Year	Total Number of Customers	Total Number of Eligible Customers	Total Number of Projected Participants	Projected Cumulative Number of Program Participants	Projected Cumulative Penetration Level % [(e/c)x100]	Actual Annual Number of Program Participants	Actual Cumulative Number of Program Participants	Actual Cumulative Penetration Level % [(h/c)x100]	Actual Participation Over (Under) Projected Participants (h-e)
2015 2016 2017 2018 2019 2020 2021 2022 2023 2024	83,332	83,332	2	Program w 2	vas started on Nov 0.0%	ember 2, 2020 0	0	0.0%	(2)
	mand and Enei	rgy Savings - 20			Participants	0			
			Per In @ Meter	stallation @ Generator	@ Meter	Program Total @ Generator			
Summer kl	W Reduction								
	Reduction					-			
	h Reduction		-	-	-	-			
Annual De	mand and Ener	rgy Savings - 20		Plan stallation	Participants Prograi	0 m Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
	N Reduction		33.20	35.52	0.00	0.00			
	Reduction		12.35	13.21	0.00	0.00			
Annual KW	h Reduction		175,633	184,766	0	0			
Annual De	mand and Ener	rgy Savings - C	ombined, Note	1	Participants Prograi	0 m Total			
Winter kW	N Reduction Reduction h Reduction				@ Meter 0.00 0.00 0	@ Generator 0.00 0.00 0			
Total Progr Net Benefit	per Installation am Cost of the I ts of Measures I vings from meas	Utility (\$000): nstalled During	Reporting Peric	d (\$000):	0 0.0 0.0				

				Demand Side I	Management Annual	Report			
Utility: Program N Program Sf Reporting F	tart Date:	Tampa Electri INDUSTRIAL September 19 Annual 2020	LOAD MANAGI	EMENT					
а	b	с	d	е	f	g	h	i	j
	Total Number of	Total Number of Eligible	Total Number of Projected	Projected Cumulative Number of Program	Projected Cumulative Penetration Level %	Actual Annual Number of Program	Actual Cumulative Number of Program	Actual Cumulative Penetration Level %	Actual Participation Over (Under) Projected Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	79,457	820	0	0	0.0%	1	1	0.1%	1
2016	80,875	848	0	0	0.0%	0	1	0.1%	1
2017	81,532	816	0	0	0.0%	0	1	0.1%	1
2018	81,740	954	0	0	0.0%	1	2	0.2%	2
2019	82,359	981	0	0	0.0%	1	3	0.3%	3
2020 2021 2022	83,332	840	1	1	0.1%	1	4	0.5%	3
2023									
2024									
Winter kW	V Reduction Reduction h Reduction		<u>@ Meter</u> 1,500.00 1,500.00 360,000	stallation @ Generator 1,605.00 1,605.00 378,720	Program @ Meter 1,500.00 1,500.00 360,000	@ Generator 1,605.00 1,605.00 378,720			
Annual De	mand and Ene	rav Savinas - 2	020-2029 DSM	Plan	Participants	0			
		igy outings - 2		stallation	Program				
			@ Meter	@ Generator	@ Meter	@ Generator			
Summer k\	V Reduction		5.060.00	5.414.20	0.00	0.00			
Winter kW	Reduction		4,757.00	5,089.99	0.00	0.00			
Annual kW	h Reduction		1,184,085	1,245,657	0	0			
Annual De	mand and Ene	rgy Savings - C	ombined, Note	e 1	Participants	1 Total			
					Program @ Meter	@ Generator			
Summer W	V Reduction				<u>@ Meter</u> 1,500.00	<u>@ Generator</u> 1,605.00			
Winter kW					1,500.00	1,605.00			
	h Reduction				360,000	378,720			
Utility Cost	per Installation	(\$), Note 2:			487,074				
	am Cost of the				17,047.6				
Net Benefit Note 1: Sav	s of Measures li /ings from meas	nstalled During sured data			2,372.0				
	ity costs based		am costs and to	otal participation					

				Demand Side M	lanagement Annua	al Report			
Utility: Program N Program S Reporting F	tart Date:	Tampa Electri COMMERCIA February 2018 Annual 2020	L STREET AND) OUTDOOR LI	GHTING CONVER	SION			
а	b	с	d	е	f	g	h	i	j Actual
Year	Total Number of Customers	Total Number of Eligible Customers	Total Number of Projected Participants	Projected Cumulative Number of Program Participants	Projected Cumulative Penetration Level % [(e/c)x100]	Actual Annual Number of Program Participants	Actual Cumulative Number of Program Participants	Actual Cumulative Penetration Level % [(h/c)x100]	Participation Over (Under Projected Participants (h-e)
2015 2016									
2017				Program	was started in Fel	oruary 2018			
2018	209,821	209,821	42,115	42,115	20.1%	31,936	31,936	15.2%	(10,17
2019	209,821	177,885	40,000	82,115	46.2%	32,366	64,302	36.1%	(17,81
2020 2021 2022 2023 2024	209,821	145,519	40,000	122,115	83.9%	25,469	89,771	61.7%	(32,34
Annual De	mand and Ener	rgy Savings - 2			Participants	21,502			
Annual De	mand and Ener	rgy Savings - 2	Per In	stallation	Prograr	n Total			
		rgy Savings - 2	Per In @ Meter	stallation @ Generator	Prograr @ Meter	n Total @ Generator			
Summer k\	N Reduction	rgy Savings - 2	Per In @ Meter 0.00	stallation @ Generator 0.00	Program @ Meter 0.00	n Total @ Generator 0.00			
Summer k\ Winter kW	N Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.00 0.13	stallation @ Generator 0.00 0.14	Program @ Meter 0.00 2,859.77	n Total @ Generator 0.00 3,059.95			
Summer k\ Ninter kW	N Reduction	rgy Savings - 2	Per In @ Meter 0.00	stallation @ Generator 0.00	Program @ Meter 0.00	n Total @ Generator 0.00			
Summer k\ Winter kW Annual kW	N Reduction Reduction		Per In @ Meter 0.00 0.13 576	stallation @ Generator 0.00 0.14 606	Program @ Meter 0.00 2,859.77	n Total @ Generator 0.00 3,059.95			
Summer k\ Winter kW Annual kW	N Reduction Reduction h Reduction		Per In @ Meter 0.00 0.13 576 020-2029 DSM	stallation @ Generator 0.00 0.14 606	Program @ Meter 0.00 2,859.77 12,385,152	n Total @ Generator 0.00 3,059.95 13,029,180 3,967			
Summer k\ Winter kW Annual kW	N Reduction Reduction h Reduction		Per In @ Meter 0.00 0.13 576 020-2029 DSM	<u>@ Generator</u> 0.00 0.14 606	Program @ Meter 0.00 2,859.77 12,385,152 Participants	n Total @ Generator 0.00 3,059.95 13,029,180 3,967			
Summer kV Winter kW Annual kW Annual De	N Reduction Reduction h Reduction		Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In	stallation @ Generator 0.00 0.14 606 Plan stallation	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total			
Summer kV Winter kW Annual kW Annual De Summer kV Winter kW	N Reduction Reduction In Reduction Imand and Ener N Reduction Reduction		Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In @ Meter 0.00 0.13	estallation @ Generator 0.00 0.14 606 Plan stallation @ Generator 0.00 0.14	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program @ Meter 0.00 527.61	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total @ Generator 0.00 564.54			
Summer kV Winter kW Annual kW Annual De Summer kV Winter kW	N Reduction Reduction 'h Reduction mand and Ene N Reduction		Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In @ Meter 0.00	tallation @ Generator 0.00 0.14 606 Plan stallation @ Generator 0.00	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program @ Meter 0.00	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total @ Generator 0.00			
Summer kW Winter kW Annual kW Annual De Summer kW Winter kW Annual kW	N Reduction Reduction In Reduction Imand and Ener N Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In @ Meter 0.00 0.13 576	@ Generator 0.00 0.14 606 Plan stallation @ Generator 0.00 0.14 606	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program @ Meter 0.00 527.61	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total @ Generator 0.00 564.54 2,403,812 25,469			
Summer kW Winter kW Annual kW Annual De Summer kW Winter kW Annual kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In @ Meter 0.00 0.13 576	@ Generator 0.00 0.14 606 Plan stallation @ Generator 0.00 0.14 606	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program @ Meter 0.00 527.61 2,284,992 Participants	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total @ Generator 0.00 564.54 2,403,812 25,469			
Summer KV Winter kW Annual KW Annual De Summer KV Winter kW Annual KW Annual De	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In @ Meter 0.00 0.13 576	@ Generator 0.00 0.14 606 Plan stallation @ Generator 0.00 0.14 606	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program 0.00 527.61 2,284,992 Participants Program	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total @ Generator 0.00 564.54 2,403,812 25,469 n Total			
Summer kW Winter kW Annual kW Annual De Summer kW Annual kW Annual De Summer kW Winter kW	W Reduction Reduction In Reduction M Reduction Reduction In Reduction M Reduction W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In @ Meter 0.00 0.13 576	@ Generator 0.00 0.14 606 Plan stallation @ Generator 0.00 0.14 606	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program @ Meter 0.00 527.61 2,284,992 Participants Program @ Meter 0.00 3,387.38	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total @ Generator 0.00 564.54 2,403,812 25,469 n Total @ Generator @ Generator 0.00 3,624.49			
Summer kW Winter kW Annual kW Annual De Summer kW Annual kW Annual De Summer kW	N Reduction Reduction In Reduction M Reduction Reduction In Reduction In Reduction M Reduction	rgy Savings - 2	Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In @ Meter 0.00 0.13 576	@ Generator 0.00 0.14 606 Plan stallation @ Generator 0.00 0.14 606	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program @ Meter 0.00 527.61 2,284,992 Participants Program @ Meter 0.00	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total @ Generator 0.00 564.54 2,403,812 25,469 n Total @ Generator 0.00			
Summer kW Winter kW Annual kW Annual De Summer kW Annual kW Annual kW Minter kW Winter kW	W Reduction Reduction In Reduction M Reduction Reduction In Reduction M Reduction W Reduction Reduction Reduction In Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In @ Meter 0.00 0.13 576	@ Generator 0.00 0.14 606 Plan stallation @ Generator 0.00 0.14 606	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program @ Meter 0.00 527.61 2,284,992 Participants Program @ Meter 0.00 3,387.38 14,670,144	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total @ Generator 0.00 564.54 2,403,812 25,469 n Total @ Generator @ Generator 0.00 3,624.49			
Summer kW Winter kW Annual kW Annual De Summer kW Annual kW Annual De Summer kW Winter kW Annual kW Utility Cost	W Reduction Reduction In Reduction mand and Ener W Reduction Reduction In Reduction mand and Ener W Reduction Reduction h Reduction per Installation	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In @ Meter 0.00 0.13 576	@ Generator 0.00 0.14 606 Plan stallation @ Generator 0.00 0.14 606	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program @ Meter 0.00 527.61 2,284,992 Participants Program @ Meter 0.00 3,387.38 14,670,144	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total @ Generator 0.00 564.54 2,403,812 25,469 n Total @ Generator @ Generator 0.00 3,624.49			
Summer kW Winter kW Annual kW Annual De Summer kW Winter kW Annual kW Winter kW Minter kW Annual kW Utility Cost Total Progr	W Reduction Reduction In Reduction M Reduction Reduction In Reduction M Reduction W Reduction Reduction Reduction In Reduction	rgy Savings - 2 rgy Savings - C (\$): Utility (\$000):	Per In @ Meter 0.00 0.13 576 020-2029 DSM Per In @ Meter 0.00 0.13 576 combined, Note	@ Generator 0.00 0.14 606 Plan stallation @ Generator 0.00 0.14 606 1	Program @ Meter 0.00 2,859.77 12,385,152 Participants Program @ Meter 0.00 527.61 2,284,992 Participants Program @ Meter 0.00 3,387.38 14,670,144	n Total @ Generator 0.00 3,059.95 13,029,180 3,967 n Total @ Generator 0.00 564.54 2,403,812 25,469 n Total @ Generator @ Generator 0.00 3,624.49			

ne: rt Date:		c Company							
eriod:	Tampa Electric Company COMMERCIAL LIGHTING - CONDITIONED SPACE January 1991 Annual 2020								
b	с	d	е	f	g	h	i	j Actual	
			Projected	Projected	Actual	Actual	Actual	Participation	
	Total	Total	,	,				Over (Under	
Total								Projected	
								Participants	
	•	,	•		•	0		(h-e)	
								80	
80,875	80,875	57	63	0.1%	159	245	0.3%	182	
81,532	81,532	75	138	0.2%	228	473	0.6%	335	
81,740	81,740	110	248	0.3%	193	666	0.8%	418	
82,359	82,359	475	723	0.9%	421	1,087	1.3%	364	
83,332	83,332	200	923	1.1%	186	1,273	1.5%	350	
and and Ener	gy Savings - 2								
Deduction		<u> </u>			<u> </u>				
				,	,				
		97,183	102,236	13,994,343	14,722,049				
and and Ener	gy Savings - 2	020-2029 DSM	Plan	Participants	36				
		Per In	stallation	Program	n Total				
		@ Meter	@ Generator	@ Meter	@ Generator				
Reduction		17.43	18.65	627.59	671.52				
eduction		13.57	14.52	488.63	522.83				
Reduction		77,206	81,221	2,779,416	2,923,946				
and and Ener	gy Savings - C	ombined, Note	e 1	Participants	180				
				¥					
				<u> </u>	<u> </u>				
				,	,				
				,	,				
Reduction				16,773,759	17,645,995				
er Installation (\$):			3,148					
				566.6					
	J (· · ·)	Reporting Perio	od (\$000):	7,457.7					
ngs from meas	•			•					
	81,532 81,740 82,359 83,332 and and Ener Reduction Reduction Reduction Reduction Reduction Reduction Reduction Reduction and and Ener Reduction reduction Reduction Reduction reduction Reduction	Number of Customers Eligible Customers 80,277 80,277 80,875 80,875 81,532 81,532 81,740 81,740 82,359 82,359 83,332 83,332 and and Energy Savings - 20 Reduction reduction Reduction rand and Energy Savings - 20 Reduction Reduction rand and Energy Savings - 20 Reduction reduction <t< td=""><td>Total Number of Customers Number of Eligible Customers Number of Projected Participants 80,277 80,277 6 80,875 80,875 57 81,532 81,532 75 81,740 81,740 110 82,359 82,359 475 83,332 83,332 200 Per In @ Meter Reduction 26.85 eduction 20.90 Reduction 97,183 97,183 and and Energy Savings - 2020-2029 DSM Per In @ Meter Reduction 11.43 eduction Reduction Reduction and and Energy Savings - 2020-2029 DSM Per In @ Meter Reduction 17.43 eduction 17.43 eduction eduction Reduction eduction eduction eduction <td col<="" td=""><td>Total Number of CustomersNumber of Eligible CustomersNumber of Projected ParticipantsNumber of Program Participants80,27780,2776680,87580,875576381,53281,5327513881,74081,74011024882,35982,35947572383,33283,332200923Per Installation @ Meter 26.85Reduction26.8528.73eduction20.9022.37Reduction97,183102,236Per Installation @ GeneratorReductionPer Installation @ Meter 0.90Per Installation @ MeterReduction17.4318.65eduction 13.5714.52Reduction13.5714.52Reduction77,20681,221and and Energy Savings - Combined, Note 1Reduction meductionReduction (\$): m Cost of the Utility (\$000): of Measures Installed During Reporting Period (\$000):</td><td>Total Total Total Total Cumulative Cumulative Cumulative Cumulative Cumulative Cumulative Penetration Level % Evel % Evel</td><td>Total Number of LustomersTotal Number of ProjectedCumulative Number of ProjectedCumulative Number of ProgramCumulative ProgramAnnual Number of Program80,277 80,87580,875 80,87557 5763 63 60.0%86 681,532 81,53281,532 81,53275 57 630.1% 6159 86 80,87597 86 80,875110 248 248 2428 2428 2428 241 243,33283,332 2009231.1%144 Program Total @ Generator 3,866.11Per Installation @ Meter 26.85 28.73 20.90Participants 21.37144 90 3,866.11Per Installation @ Meter 26.85 28.73 20.90Participants 3,866.11144 4,136.74 3,866.11Per Installation @ Meter @ Generator 17.43 102,236Participants 102,236144 90 97,183 102,236Participants 20.90 13,994,343 14,722,049Per Installation @ Meter @ Generator 17.43 13.57 14.52Participants 9671.52 2627.59671.52 671.52 671.52 671.52 681,221Participants 20.90 13,994,343 14,722,049Program Total @ Meter @ Generator @ Generator 627.59ReductionT7.206 3,498.63 3,222.83 ReductionParticipants 2,779,416 2,923,946Participants @ Meter @ Generator @ Generator 4,493.70ReductionT7.206 3,498.80 3,743.72 3,498.80 3,743.72180 Program Total </td><td>Total Number of Number of Eligible 2015-2024 DSM Plan ReductionTotal Number of ParticipantsCumulative Number of ParticipantsCumulative Number of Program ParticipantsCumulative Number of Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Program ParticipantsCumulative Penetration ParticipantsCumulative Penetration ParticipantsCumulative Penetration Pertor ParticipantsCumulative PenetrationNumber of Program ParticipantsNumber of Program ParticipantsNumber of PenetrationNumber of Program ParticipantsNumber of PenetrationNumber of ProgramNumber of PenetrationNumber of ParticipantsNumber of ProgramNumber of ProgramNumber of ParticipantsNumber of PenetrationNumber of ParticipantsNumber of PenetrationNumber of PenetrationNumber of PenetrationParticipantsNumber of PenetrationNumber of PenetrationNumber of PenetrationNumber of Penetratio</td><td>Total Number of Number of Number of Eligible Total Number of Projected Cumulative Penetration Participants Cumulative Penetration Program Annual Number of Program Cumulative Penetration Program Penetration Penetration and and Energy Savings - 2015-2024 DSM Plan eduction Per Installation 20.90 Participants 144 Program Program Total Penetration Program Total</td></td></td></t<>	Total Number of Customers Number of Eligible Customers Number of Projected Participants 80,277 80,277 6 80,875 80,875 57 81,532 81,532 75 81,740 81,740 110 82,359 82,359 475 83,332 83,332 200 Per In @ Meter Reduction 26.85 eduction 20.90 Reduction 97,183 97,183 and and Energy Savings - 2020-2029 DSM Per In @ Meter Reduction 11.43 eduction Reduction Reduction and and Energy Savings - 2020-2029 DSM Per In @ Meter Reduction 17.43 eduction 17.43 eduction eduction Reduction eduction eduction eduction <td col<="" td=""><td>Total Number of CustomersNumber of Eligible CustomersNumber of Projected ParticipantsNumber of Program Participants80,27780,2776680,87580,875576381,53281,5327513881,74081,74011024882,35982,35947572383,33283,332200923Per Installation @ Meter 26.85Reduction26.8528.73eduction20.9022.37Reduction97,183102,236Per Installation @ GeneratorReductionPer Installation @ Meter 0.90Per Installation @ MeterReduction17.4318.65eduction 13.5714.52Reduction13.5714.52Reduction77,20681,221and and Energy Savings - Combined, Note 1Reduction meductionReduction (\$): m Cost of the Utility (\$000): of Measures Installed During Reporting Period (\$000):</td><td>Total Total Total Total Cumulative Cumulative Cumulative Cumulative Cumulative Cumulative Penetration Level % Evel % Evel</td><td>Total Number of LustomersTotal Number of ProjectedCumulative Number of ProjectedCumulative Number of ProgramCumulative ProgramAnnual Number of Program80,277 80,87580,875 80,87557 5763 63 60.0%86 681,532 81,53281,532 81,53275 57 630.1% 6159 86 80,87597 86 80,875110 248 248 2428 2428 2428 241 243,33283,332 2009231.1%144 Program Total @ Generator 3,866.11Per Installation @ Meter 26.85 28.73 20.90Participants 21.37144 90 3,866.11Per Installation @ Meter 26.85 28.73 20.90Participants 3,866.11144 4,136.74 3,866.11Per Installation @ Meter @ Generator 17.43 102,236Participants 102,236144 90 97,183 102,236Participants 20.90 13,994,343 14,722,049Per Installation @ Meter @ Generator 17.43 13.57 14.52Participants 9671.52 2627.59671.52 671.52 671.52 671.52 681,221Participants 20.90 13,994,343 14,722,049Program Total @ Meter @ Generator @ Generator 627.59ReductionT7.206 3,498.63 3,222.83 ReductionParticipants 2,779,416 2,923,946Participants @ Meter @ Generator @ Generator 4,493.70ReductionT7.206 3,498.80 3,743.72 3,498.80 3,743.72180 Program Total </td><td>Total Number of Number of Eligible 2015-2024 DSM Plan ReductionTotal Number of ParticipantsCumulative Number of ParticipantsCumulative Number of Program ParticipantsCumulative Number of Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Program ParticipantsCumulative Penetration ParticipantsCumulative Penetration ParticipantsCumulative Penetration Pertor ParticipantsCumulative PenetrationNumber of Program ParticipantsNumber of Program ParticipantsNumber of PenetrationNumber of Program ParticipantsNumber of PenetrationNumber of ProgramNumber of PenetrationNumber of ParticipantsNumber of ProgramNumber of ProgramNumber of ParticipantsNumber of PenetrationNumber of ParticipantsNumber of PenetrationNumber of PenetrationNumber of PenetrationParticipantsNumber of PenetrationNumber of PenetrationNumber of PenetrationNumber of Penetratio</td><td>Total Number of Number of Number of Eligible Total Number of Projected Cumulative Penetration Participants Cumulative Penetration Program Annual Number of Program Cumulative Penetration Program Penetration Penetration and and Energy Savings - 2015-2024 DSM Plan eduction Per Installation 20.90 Participants 144 Program Program Total Penetration Program Total</td></td>	<td>Total Number of CustomersNumber of Eligible CustomersNumber of Projected ParticipantsNumber of Program Participants80,27780,2776680,87580,875576381,53281,5327513881,74081,74011024882,35982,35947572383,33283,332200923Per Installation @ Meter 26.85Reduction26.8528.73eduction20.9022.37Reduction97,183102,236Per Installation @ GeneratorReductionPer Installation @ Meter 0.90Per Installation @ MeterReduction17.4318.65eduction 13.5714.52Reduction13.5714.52Reduction77,20681,221and and Energy Savings - Combined, Note 1Reduction meductionReduction (\$): m Cost of the Utility (\$000): of Measures Installed During Reporting Period (\$000):</td> <td>Total Total Total Total Cumulative Cumulative Cumulative Cumulative Cumulative Cumulative Penetration Level % Evel % Evel</td> <td>Total Number of LustomersTotal Number of ProjectedCumulative Number of ProjectedCumulative Number of ProgramCumulative ProgramAnnual Number of Program80,277 80,87580,875 80,87557 5763 63 60.0%86 681,532 81,53281,532 81,53275 57 630.1% 6159 86 80,87597 86 80,875110 248 248 2428 2428 2428 241 243,33283,332 2009231.1%144 Program Total @ Generator 3,866.11Per Installation @ Meter 26.85 28.73 20.90Participants 21.37144 90 3,866.11Per Installation @ Meter 26.85 28.73 20.90Participants 3,866.11144 4,136.74 3,866.11Per Installation @ Meter @ Generator 17.43 102,236Participants 102,236144 90 97,183 102,236Participants 20.90 13,994,343 14,722,049Per Installation @ Meter @ Generator 17.43 13.57 14.52Participants 9671.52 2627.59671.52 671.52 671.52 671.52 681,221Participants 20.90 13,994,343 14,722,049Program Total @ Meter @ Generator @ Generator 627.59ReductionT7.206 3,498.63 3,222.83 ReductionParticipants 2,779,416 2,923,946Participants @ Meter @ Generator @ Generator 4,493.70ReductionT7.206 3,498.80 3,743.72 3,498.80 3,743.72180 Program Total </td> <td>Total Number of Number of Eligible 2015-2024 DSM Plan ReductionTotal Number of ParticipantsCumulative Number of ParticipantsCumulative Number of Program ParticipantsCumulative Number of Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Program ParticipantsCumulative Penetration ParticipantsCumulative Penetration ParticipantsCumulative Penetration Pertor ParticipantsCumulative PenetrationNumber of Program ParticipantsNumber of Program ParticipantsNumber of PenetrationNumber of Program ParticipantsNumber of PenetrationNumber of ProgramNumber of PenetrationNumber of ParticipantsNumber of ProgramNumber of ProgramNumber of ParticipantsNumber of PenetrationNumber of ParticipantsNumber of PenetrationNumber of PenetrationNumber of PenetrationParticipantsNumber of PenetrationNumber of PenetrationNumber of PenetrationNumber of Penetratio</td> <td>Total Number of Number of Number of Eligible Total Number of Projected Cumulative Penetration Participants Cumulative Penetration Program Annual Number of Program Cumulative Penetration Program Penetration Penetration and and Energy Savings - 2015-2024 DSM Plan eduction Per Installation 20.90 Participants 144 Program Program Total Penetration Program Total</td>	Total Number of CustomersNumber of Eligible CustomersNumber of Projected ParticipantsNumber of Program Participants80,27780,2776680,87580,875576381,53281,5327513881,74081,74011024882,35982,35947572383,33283,332200923Per Installation @ Meter 26.85Reduction26.8528.73eduction20.9022.37Reduction97,183102,236Per Installation @ GeneratorReductionPer Installation @ Meter 0.90Per Installation @ MeterReduction17.4318.65eduction 13.5714.52Reduction13.5714.52Reduction77,20681,221and and Energy Savings - Combined, Note 1Reduction meductionReduction (\$): m Cost of the Utility (\$000): of Measures Installed During Reporting Period (\$000):	Total Total Total Total Cumulative Cumulative Cumulative Cumulative Cumulative Cumulative Penetration Level % Evel	Total Number of LustomersTotal Number of ProjectedCumulative Number of ProjectedCumulative Number of ProgramCumulative ProgramAnnual Number of Program80,277 80,87580,875 80,87557 5763 63 60.0%86 681,532 81,53281,532 81,53275 57 630.1% 6159 86 80,87597 86 80,875110 248 248 2428 2428 2428 241 243,33283,332 2009231.1%144 Program Total @ Generator 3,866.11Per Installation @ Meter 26.85 28.73 20.90Participants 21.37144 90 3,866.11Per Installation @ Meter 26.85 28.73 20.90Participants 3,866.11144 4,136.74 3,866.11Per Installation @ Meter @ Generator 17.43 102,236Participants 102,236144 90 97,183 102,236Participants 20.90 13,994,343 14,722,049Per Installation @ Meter @ Generator 17.43 13.57 14.52Participants 9671.52 2627.59671.52 671.52 671.52 671.52 681,221Participants 20.90 13,994,343 14,722,049Program Total @ Meter @ Generator @ Generator 627.59ReductionT7.206 3,498.63 3,222.83 ReductionParticipants 2,779,416 2,923,946Participants @ Meter @ Generator @ Generator 4,493.70ReductionT7.206 3,498.80 3,743.72 3,498.80 3,743.72180 Program Total 	Total Number of Number of Eligible 2015-2024 DSM Plan ReductionTotal Number of ParticipantsCumulative Number of ParticipantsCumulative Number of Program ParticipantsCumulative Number of Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Penetration Pertor Program ParticipantsCumulative Program ParticipantsCumulative Penetration ParticipantsCumulative Penetration ParticipantsCumulative Penetration Pertor ParticipantsCumulative PenetrationNumber of Program ParticipantsNumber of Program ParticipantsNumber of PenetrationNumber of Program ParticipantsNumber of PenetrationNumber of ProgramNumber of PenetrationNumber of ParticipantsNumber of ProgramNumber of ProgramNumber of ParticipantsNumber of PenetrationNumber of ParticipantsNumber of PenetrationNumber of PenetrationNumber of PenetrationParticipantsNumber of PenetrationNumber of PenetrationNumber of PenetrationNumber of Penetratio	Total Number of Number of Number of Eligible Total Number of Projected Cumulative Penetration Participants Cumulative Penetration Program Annual Number of Program Cumulative Penetration Program Penetration Penetration and and Energy Savings - 2015-2024 DSM Plan eduction Per Installation 20.90 Participants 144 Program Program Total Penetration Program Total

				Demand Side M	lanagement Annua	al Report			
Jtility: ^D rogram Na Program St Reporting F	tart Date:	Tampa Electr COMMERCIA March 2008 Annual 2020	ic Company AL LIGHTING - L	JNCONDITION	ED SPACE				
а	b	с	d	е	f	g	h	i	j
				Projected	Projected	Actual	Actual	Actual	Actual Participatior
		Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Unde
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	80,277	80,277	2	2	0.0%	16	16	0.0%	14
2016	80,875	80,875	13	15	0.0%	60	76	0.1%	61
2017	81,532	81,532	50	65	0.1%	338	414	0.5%	349
2018	81,740	81,740	50	115	0.1%	246	660	0.8%	545
2019	82,359	82,359	200	315	0.4%	132	792	1.0%	47
2020	83,332	83,332	70	385	0.5%	93	885	1.1%	500
2021	,	,							
2022									
2023									
2024									
Annual De	mand and Ener	rgy Savings - 2	015-2024 DSM	Plan	Participants	82			
Annual De	mand and Ener	rgy Savings - 2	Per In	stallation	Program	m Total			
		rgy Savings - 2	Per In @ Meter	stallation @ Generator	Program @ Meter	m Total @ Generator			
Summer kV	V Reduction	rgy Savings - 2	Per In @ Meter 11.80	stallation @ Generator 12.63	Program @ Meter 967.60	m Total @ Generator 1,035.33			
Summer kV Ninter kW	V Reduction Reduction	rgy Savings - 2	Per In @ Meter 11.80 11.80	stallation @ Generator 12.63 12.63	Program @ Meter 967.60 967.60	m Total @ Generator 1,035.33 1,035.33			
Summer kV Ninter kW	V Reduction	rgy Savings - 2	Per In @ Meter 11.80	stallation @ Generator 12.63	Program @ Meter 967.60	m Total @ Generator 1,035.33			
Summer kV Winter kW Annual kWI	V Reduction Reduction		Per In @ Meter 11.80 11.80 57,731	stallation @ Generator 12.63 12.63 60,733	Program @ Meter 967.60 967.60 4,733,912 Participants	m Total @ Generator 1,035.33 1,035.33 4,980,076 11			
Summer kV Winter kW Annual kWI	V Reduction Reduction h Reduction		Per In @ Meter 11.80 11.80 57,731	stallation @ Generator 12.63 12.63 60,733	Program @ Meter 967.60 967.60 4,733,912 Participants Program	m Total @ Generator 1,035.33 1,035.33 4,980,076 11			
Summer kV Winter kW Annual kWI Annual De i	V Reduction Reduction h Reduction mand and Ener		Per In @ Meter 11.80 11.80 57,731 2020-2029 DSM Per In @ Meter	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator			
Summer kV Winter kW Annual kWI Annual De i Summer kV	V Reduction Reduction h Reduction mand and Ener V Reduction		Per In @ Meter 11.80 11.80 57,731 020-2029 DSM Per In @ Meter 24.77	tallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52			
Summer kV Winter kW Annual kWI Annual De i Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction		Per In @ Meter 11.80 11.80 57,731 020-2029 DSM @ Meter 24.77 24.77	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50 26.50	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45 272.45	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52 291.52			
Summer kV Winter kW Annual kWI Annual De i Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction		Per In @ Meter 11.80 11.80 57,731 020-2029 DSM Per In @ Meter 24.77	tallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52			
Summer kV Winter kW Annual kWi Annual Der Summer kV Winter kW Annual kWi	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction	rgy Savings - 2	Per In @ Meter 11.80 11.80 57,731 020-2029 DSM Per In @ Meter 24.77 24.77 133,219	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50 26.50 26.50 140,146	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45 272.45	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52 291.52			
Summer kV Winter kW Annual kWi Annual Der Summer kV Winter kW Annual kWi	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction	rgy Savings - 2	Per In @ Meter 11.80 11.80 57,731 020-2029 DSM Per In @ Meter 24.77 24.77 133,219	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50 26.50 26.50 140,146	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45 272.45 272.45 1,465,410 Participants Program	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52 291.52 1,541,611 93 m Total			
Summer kV Winter kW Annual kWI Annual Der Summer kV Winter kW Annual Der Annual Der	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 11.80 11.80 57,731 020-2029 DSM Per In @ Meter 24.77 24.77 133,219	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50 26.50 26.50 140,146	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45 1,465,410 Participants Program @ Meter	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52 291.52 1,541,611 93 m Total @ Generator			
Summer kV Winter kW Annual kWI Annual Der Summer kW Annual Der Summer kV	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction	rgy Savings - 2	Per In @ Meter 11.80 11.80 57,731 020-2029 DSM Per In @ Meter 24.77 24.77 133,219	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50 26.50 26.50 140,146	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45 1,465,410 Participants Program @ Meter 1,240.05	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52 291.52 1,541,611 93 m Total @ Generator 1,326.85			
Summer kV Winter kW Annual kWI Annual Der Summer kV Annual kWI Annual Der Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener V Reduction Reduction	rgy Savings - 2	Per In @ Meter 11.80 11.80 57,731 020-2029 DSM Per In @ Meter 24.77 24.77 133,219	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50 26.50 26.50 140,146	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45 1,465,410 Participants Program @ Meter 1,240.05 1,240.05	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52 291.52 1,541,611 93 m Total @ Generator 1,326.85 1,326.85			
Summer kV Winter kW Annual kWI Annual Der Summer kV Annual kWI Annual Der Summer kV Winter kW	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction	rgy Savings - 2	Per In @ Meter 11.80 11.80 57,731 020-2029 DSM Per In @ Meter 24.77 24.77 133,219	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50 26.50 26.50 140,146	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45 1,465,410 Participants Program @ Meter 1,240.05	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52 291.52 1,541,611 93 m Total @ Generator 1,326.85			
Summer kV Winter kW Annual kWI Annual Der Summer kV Annual kWI Summer kV Winter kW Annual kWI	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction W Reduction Reduction h Reduction h Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 11.80 11.80 57,731 020-2029 DSM Per In @ Meter 24.77 24.77 133,219	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50 26.50 26.50 140,146	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45 1,465,410 Participants Program @ Meter 1,240.05 1,240.05	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52 291.52 1,541,611 93 m Total @ Generator 1,326.85 1,326.85			
Summer kV Winter kW Annual kWI Annual Der Summer kV Annual kWI Summer kV Winter kW Annual kWI Jtility Cost	V Reduction Reduction h Reduction mand and Ener V Reduction Reduction h Reduction mand and Ener V Reduction Reduction	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 11.80 11.80 57,731 020-2029 DSM Per In @ Meter 24.77 24.77 133,219	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50 26.50 26.50 140,146	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45 1,465,410 Participants Program @ Meter 1,240.05 1,240.05 6,199,323	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52 291.52 1,541,611 93 m Total @ Generator 1,326.85 1,326.85			
Summer kV Winter kW Annual KWI Annual Der Summer kV Annual kWI Annual kWI Summer kV Winter kW Jtility Cost Total Progra	V Reduction Reduction h Reduction mand and Ener V Reduction h Reduction mand and Ener V Reduction Reduction h Reduction h Reduction per Installation	rgy Savings - 2 rgy Savings - C (\$): Jtility (\$000):	Per In @ Meter 11.80 11.80 57,731 2020-2029 DSM Per In @ Meter 24.77 24.77 133,219 Combined, Note	stallation @ Generator 12.63 12.63 60,733 Plan stallation @ Generator 26.50 26.50 140,146	Program @ Meter 967.60 967.60 4,733,912 Participants Program @ Meter 272.45 1,465,410 Participants Program @ Meter 1,240.05 1,240.05 6,199,323 1,565	m Total @ Generator 1,035.33 1,035.33 4,980,076 11 m Total @ Generator 291.52 291.52 1,541,611 93 m Total @ Generator 1,326.85 1,326.85			

				Demand Side N	/lanagement Annu	ual Report			
Utility: Program Na Program Sta Reporting P	art Date:	Tampa Electri COMMERCIA March 2008 Annual 2020	ic Company L OCCUPANC [\]	SENSORS					
а	b	с	d	е	f	g	h	i	j
Year 2015 2016 2017 2018 2019 2020 2021 2022	Total Number of <u>Customers</u> 80,277 80,875 81,532 81,740 82,359 83,332	Total Number of Eligible <u>Customers</u> 80,277 80,875 81,532 81,740 82,359 83,332	Total Number of Projected Participants 20 15 15 15 12 5 6	Projected Cumulative Number of Program Participants 20 35 50 62 67 73	Projected Cumulative Penetration Level % [(e/c)x100] 0.0% 0.0% 0.1% 0.1% 0.1% 0.1%	Actual Annual Number of Program Participants 2 12 4 7 3 4	Actual Cumulative Number of Program Participants 2 14 18 25 28 32	Actual Cumulative Penetration Level % [(h/c)x100] 0.0% 0.0% 0.0% 0.0% 0.0% 0.0%	Actual Participation Over (Under) Projected Participants (h-e) (18) (21) (32) (37) (39) (41)
Summer kW Vinter kW F	/ Reduction	gy Savings - 2	015-2024 DSM Per In: @ Meter 12.95 10.36 11,479	Plan stallation @ Generator 13.86 11.09 12.076	Participants — Progra @ Meter 51.80 41.44 45.918	4 @ Generator 55.43 44.34 48.305			
		av Savinas - 2	020-2029 DSM	,	Participants	0			
		gy davings - z		stallation		am Total			
Summer kW Winter kW F Annual kWh	Reduction		@ Meter 33.61 26.88 91,255	@ Generator 35.96 28.76 96,000	@ Meter 0.00 0.00 0	@ Generator 0.00 0.00 0			
Annual Den	nand and Ener	gy Savings - C	ombined, Note	1	Participants	4			
	Reduction				Progra @ Meter 51.80 41.44 45,918 2,402 9.6	am Total @ Generator 55.43 44.34 48,305			
Net Benefits		nstalled During	Reporting Perio	d (\$000):	24.9				

			De	mand Side Man	agement Annua	al Report			
Utility: Program N Program Si Reporting F	tart Date:	Tampa Electric Company COMMERCIAL LOAD MANAGEMENT- CYCLIC January 1988 Annual 2020							
а	b	с	d	е	f	g	h	i	j Actual
	Total Number of	Total Number of Eligible	Total Number of Projected	Projected Cumulative Number of Program	Projected Cumulative Penetration Level %	Actual Annual Number of Program	Actual Cumulative Number of Program	Actual Cumulative Penetration Level %	Participation Over (Under Projected Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015 2016	80,277 80,875	80,277 80,875	0	0	0.0%	0	0	0.0%	0
2017	81,532	81,532	0	0	0.0%	0	0	0.0%	0
2018	81,740	81,740	0	0	0.0%	0	0	0.0%	0
2019	82,359	82,359	0	0	0.0%	0	0	0.0%	0
2020 2021 2022 2023 2024	83,332	83,332	0	0	0.0%	0	0	0.0%	0
Annual De	mand and Ene	rgy Savings - 2			Participants	0			
				stallation	Program				
Summor kl	N Reduction		@ Meter 13.20	@ Generator 14.12	@ Meter 0.00	@ Generator 0.00			
	Reduction		0.00	0.00	0.00	0.00			
	h Reduction		0.00	0.00	0.00	0.00			
Annual KW									
	mand and Ene	rgy Savings - 2	020-2029 DSM	Plan	Participants	0			
	mand and Ene	rgy Savings - 2		Plan stallation	Participants Prograi				
Annual De		rgy Savings - 2	Per In @ Meter	stallation @ Generator	Program @ Meter	m Total @ Generator			
Annual De Summer kV	N Reduction	rgy Savings - 2	Per In @ Meter 13.20	stallation @ Generator 14.12	Program @ Meter 0.00	m Total @ Generator 0.00			
Annual De Summer kV Winter kW	N Reduction Reduction	rgy Savings - 2	Per In @ Meter 13.20 0.00	stallation @ Generator 14.12 0.00	Program @ Meter 0.00 0.00	<u>m Total</u> <u>@ Generator</u> 0.00 0.00			
Annual De Summer kV Winter kW	N Reduction	rgy Savings - 2	Per In @ Meter 13.20	stallation @ Generator 14.12	Program @ Meter 0.00	m Total @ Generator 0.00			
Annual De Summer kV Winter kW Annual kW	N Reduction Reduction		Per In @ Meter 13.20 0.00 0	stallation @ Generator 14.12 0.00 0	Program @ Meter 0.00 0.00 0 Participants	m Total @ Generator 0.00 0.00 0 0			
Annual De Gummer kV Winter kW Annual kW	N Reduction Reduction 'h Reduction		Per In @ Meter 13.20 0.00 0	stallation <u>@ Generator</u> 14.12 0.00 0	Program @ Meter 0.00 0.00 0 Participants Program	n Total @Generator 0.00 0.00 0 0 n Total			
Annual De Summer kV Winter kW Annual kW Annual De	N Reduction Reduction 'h Reduction		Per In @ Meter 13.20 0.00 0	stallation <u>@ Generator</u> 14.12 0.00 0	Program @ Meter 0.00 0.00 0 Participants	m Total @ Generator 0.00 0.00 0 0			
Annual De Summer KV Winter kW Annual kW Annual De Summer KV	W Reduction Reduction 'h Reduction mand and Ene W Reduction		Per In @ Meter 13.20 0.00 0	stallation <u>@ Generator</u> 14.12 0.00 0	Program @ Meter 0.00 0.00 0 Participants Program @ Meter	m Total @ Generator 0.00 0.00 0 m Total @ Generator			
Annual De Summer kW Winter kW Annual kW Annual De Summer kW Winter kW	W Reduction Reduction 'h Reduction mand and Ene W Reduction		Per In @ Meter 13.20 0.00 0	stallation <u>@ Generator</u> 14.12 0.00 0	Program @ Meter 0.00 0.00 0 Participants Program @ Meter 0.00	n Total @ Generator 0.00 0.00 0 n Total @ Generator 0.00			
Annual De Summer kW Winter kW Annual kW Annual De Summer kW Winter kW	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	rgy Savings - C	Per In @ Meter 13.20 0.00 0	stallation <u>@ Generator</u> 14.12 0.00 0	Program @ Meter 0.00 0.00 0 Participants Program @ Meter 0.00 0.00 0	n Total @ Generator 0.00 0 0 n Total @ Generator 0.00 0.00 0.00			
Annual De Summer kW Winter kW Annual kW Annual De Summer kW Winter kW Annual kW Utility Cost	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction per Installation	rgy Savings - C (\$), Note 1:	Per In @ Meter 13.20 0.00 0	stallation @ Generator 14.12 0.00 0	Program @ Meter 0.00 0.00 0 Participants Program @ Meter 0.00 0.00	n Total @ Generator 0.00 0 0 n Total @ Generator 0.00 0.00 0.00			
Annual De Summer kV Winter kW Annual kW Annual De Summer kV Winter kW Annual kW Utility Cost Total Progr	W Reduction Reduction h Reduction mand and Ener W Reduction Reduction h Reduction	rgy Savings - C (\$), Note 1: Utility (\$000):	Per In @ Meter 13.20 0.00 0	stallation @ Generator 14.12 0.00 0	Program @ Meter 0.00 0 Participants Program @ Meter 0.00 0.00 0 1,323	n Total @ Generator 0.00 0 0 n Total @ Generator 0.00 0.00 0.00			

			De	emand Side Mar	agement Annua	al Report				
Utility: Program Na Program St Reporting P	art Date:									
а	b	С	d	е	f	g	h	i	j	
Year 2015 2016	Total Number of Customers 80,277 80,875	Total Number of Eligible Customers 80,277 80,875	Total Number of Projected Participants 0 0	Projected Cumulative Number of Program Participants 0 0	Projected Cumulative Penetration Level % [(e/c)x100] 0.0% 0.0%	Actual Annual Number of Program Participants 0 0	Actual Cumulative Number of Program Participants 0 0	Actual Cumulative Penetration Level % [(h/c)x100] 0.0% 0.0%	Actual Participation Over (Under) Projected Participants (h-e) 0 0	
2017 2018 2019 2020 2021 2022	81,532 81,740 82,359 83,332	81,532 81,740 82,359 83,332	0 0 0 0	0 0 0 0	0.0% 0.0% 0.0% 0.0%	0 0 0 0	0 0 0 0	0.0% 0.0% 0.0%	0 0 0 0	
2023 2024										
Annual Der	mand and Ener	gy Savings - 2		Plan stallation	Participants Progra	0 m Total				
o			@ Meter	@ Generator	@ Meter	@ Generator				
Summer KV Winter kW I	V Reduction Reduction		92.00 60.00	98.44 64.20	0.00 0.00	0.00 0.00				
Annual kWł	n Reduction		0	0	0	0				
Annual Der	mand and Ener	gy Savings - 2		Plan stallation	Participants Prograi	0 m Total				
			@ Meter	@ Generator	@ Meter	@ Generator				
Summer kV Winter kW I	V Reduction		92.00 60.00	98.44 64.20	0.00 0.00	0.00 0.00				
	n Reduction		0.00	04.20	0.00	0.00				
Annual Der	mand and Ener	rgy Savings - C	ombined		Participants	0				
					Prograi @ Meter	m Total @ Generator				
Winter kW I					0.00 0.00	0.00 0.00				
Annual KWI	n Reduction				0	0				
Total Progra	per Installation am Cost of the I s of Measures II		Reporting Perio	d (\$000):	0 0.0 0.0					

				10:1 14					
			De	mand Side Man	agement Annua	a Report			
Utility:		Tampa Electri	Company						
Program Na	amo:			DEEDICEDATI					
-			L/INDUSTRIAL	REFRIGERATI	ON (ANTI-CON	DENSATE)			
Program St		March 2008							
Reporting F	Period:	Annual 2020							
а	b	с	d	e	f	g	h	i	j
									Actual
		-	-	Projected	Projected	Actual	Actual	Actual	Participation
	- · ·	Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Under)
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	<u>(h-e)</u>
2015	80,277	8,028	2	2	0.0%	0	0	0.0%	(2)
2016	80,875	8,088	2	4	0.0%	0	0	0.0%	(4)
2017	81,532	8,153	2	6	0.1%	0	0	0.0%	(6)
2018	81,740	8,174	2	8	0.1%	0	0	0.0%	(8)
2019	82,359	8,236	1	9	0.1%	0	0	0.0%	(9)
2020	83,332	8,333	0	9	0.1%	0	0	0.0%	(9)
2021									
2022									
2023									
2024									
Annual Der	mand and Ener	av Savinas - 2	015-2024 DSM	Plan	Participants	0			
				stallation	Program	n Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
Summer kV	V Reduction		0.80	0.86	0.00	0.00			
Winter kW	Reduction		1.32	1.41	0.00	0.00			
	h Reduction		12,933	13,606	0	0			
Annual Da	mand and Ener	av Sovings 2	M90 2020 DEM	Dian	Participants	0			
Annual Dei		gy Savings - 2		Fian	Farticipants	0			
			Dorla	stallation	Drogram	n Totol			
				stallation	Program				
Summor kV	M Roduction		Per In @ Meter	@ Generator	Prograr @ Meter	@ Generator			
	V Reduction			@ Generator -		@ Generator -			
Winter kW	Reduction			@ Generator		@ Generator			
Winter kW				@ Generator -		@ Generator -			
Winter kW Annual kWł	Reduction	gy Savings - C	@ Meter - - -	@ Generator -		@ Generator -			
Winter kW Annual kWł	Reduction h Reduction	gy Savings - C	@ Meter - - -	@ Generator -	@ Meter - - Participants Program	@ Generator - - - 0 n Total			
Winter kW I Annual kWł Annual Dei	Reduction h Reduction mand and Ener	gy Savings - C	@ Meter - - -	@ Generator -	@ Meter - - Participants Program @ Meter	@ Generator - - 0 n Total @ Generator			
Winter kW I Annual kWł Annual Dei Summer kV	Reduction h Reduction mand and Ener V Reduction	gy Savings - C	@ Meter - - -	@ Generator -	@ Meter - - Participants Program @ Meter 0.00	@ Generator - - 0 m Total @ Generator 0.00			
Winter kW Annual kWf Annual Der Summer kV Winter kW	Reduction h Reduction mand and Ener V Reduction Reduction	gy Savings - C	@ Meter - - -	@ Generator -	@ Meter - - Participants Program @ Meter 0.00 0.00	@ Generator - - 0 n Total @ Generator 0.00 0.00			
Winter kW Annual kWf Annual Der Summer kV Winter kW	Reduction h Reduction mand and Ener V Reduction	gy Savings - C	@ Meter - - -	@ Generator -	@ Meter - - Participants Program @ Meter 0.00	@ Generator - - 0 m Total @ Generator 0.00			
Winter kW Annual kWH Annual Der Summer kW Winter kW Annual kWH Utility Cost	Reduction h Reduction mand and Ener V Reduction Reduction h Reduction per Installation (\$):	@ Meter - - -	@ Generator -	@ Meter - Participants Program @ Meter 0.00 0.00 0	@ Generator - - 0 n Total @ Generator 0.00 0.00			
Winter kW Annual kWH Annual Der Summer kW Winter kW Annual kWH Utility Cost	Reduction h Reduction mand and Ener V Reduction Reduction h Reduction	\$):	@ Meter - - -	@ Generator -	@ Meter - - Participants <u>Program</u> @ Meter 0.00 0.00 0	@ Generator - - 0 n Total @ Generator 0.00 0.00			
Winter kW I Annual kWI Annual Der Summer kV Winter kW I Annual kWI Utility Cost Total Progra	Reduction h Reduction mand and Ener V Reduction Reduction h Reduction per Installation (\$): Jtility (\$000):	@ Meter - - ombined	@ Generator - - -	@ Meter - Participants Program @ Meter 0.00 0.00 0	@ Generator - - 0 n Total @ Generator 0.00 0.00			

			Da	mand Side Man	agomont Annue	al Papart			
			De	manu Side Man	lagement Annua				
Utility: Program N Program S Reporting I	tart Date:	Tampa Electri COMMERCIA November 202 Annual 2020	L SMART THE	RMOSTATS					
а	b	с	d	е	f	g	h	i	j
Year 2015	Total Number of Customers	Total Number of Eligible Customers	Total Number of Projected Participants	Projected Cumulative Number of Program Participants	Projected Cumulative Penetration Level % [(e/c)x100]	Actual Annual Number of Program Participants	Actual Cumulative Number of Program Participants	Actual Cumulative Penetration Level % _[(h/c)x100]	Actual Participation Over (Under) Projected Participants (h-e)
2016 2017 2018				Drogrom was	started on New	ombor 2, 2020			
2019 2020	83,332	83,332	5	Program was 5	started on Nov 0.0%	ember 2, 2020 0	0	0.0%	(5)
2020 2021 2022 2023 2024	03,332	03,332	5	5	0.0 %	U	U	0.0 %	(5)
Annual De	mand and Ene	rgy Savings - 2		Plan stallation	Participants Progra	0 m Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
	W Reduction		-	-	-	-			
Winter kW			-	-	-	-			
Annual KVV	h Reduction		-	-	-	-			
Annual De	mand and Ene	rgy Savings - 2	020-2029 DSM	Plan	Participants	0			
			Per In	stallation	Progra	m Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
	W Reduction		2.60	2.78	0.00	0.00			
	Reduction h Reduction		0.95 45,895	1.02 48,282	0.00 0	0.00 0			
	Inteduction		40,000	40,202	0	0			
Annual De	mand and Ene	rgy Savings - C	ombined		Participants	0			
						m Total			
Summer k	W Reduction				@ Meter 0.00	@ Generator 0.00			
Winter kW					0.00	0.00			
	h Reduction				0	0			
Utility Cost	per Installation	(\$)			0				
	ram Cost of the				0.0				
	ts of Measures I		Reporting Perio	d (\$000):	0.0				
1				····/					

				Demand Side N	lanagement Anni	ual Report			
Utility: Program Na Program St Reporting P	art Date:	Tampa Electri STANDBY GE January 1991 Annual 2020							
а	b	с	d	е	f	g	h	i	j
	Total Number of	Total Number of Eligible	Total Number of Projected	Projected Cumulative Number of Program	Projected Cumulative Penetration Level %	Actual Annual Number of Program	Actual Cumulative Number of Program	Actual Cumulative Penetration Level %	Actual Participation Over (Under) Projected Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	80,277	2,304	0	0	0.0%	4	4	0.2%	4
2016	80,875	2,449	1	1	0.0%	0	4	0.2%	3
2017	81,532	2,430	1	2	0.1%	6	10	0.4%	8
2018	81,740	2,486	1	3	0.1%	1	11	0.4%	8
2019	82,359	2,608	7	10	0.4%	9	20	0.8%	10
2020 2021 2022	83,332	2,490	6	16	0.6%	14	34	1.4%	18
2023									
2024									
Annual Dei	mand and Ene	rgy Savings - 2	015-2024 DSM		Participants	12			
			-	stallation		m Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
	Reduction		250.82	268.37	3,009.80	3,220.49			
Winter kW I			250.82	268.37	3,009.80	3,220.49			
Annual kWh	Reduction		25,082	26,386	300,984	316,635			
Annual Dei	mand and Ener	rav Savinas - 2	020-2029 DSM	Plan	Participants	2			
/ annaar Boi		gy ournigo 1		stallation		m Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
Summer kV	Reduction		201.50	215.61	403.00	431.21			
Winter kW I			201.50	215.61	403.00	431.21			
Annual kWł	Reduction		20,150	21,198	40,300	42,396			
	mand and Ener	rav Savinas - C	combined, Note	1	Participants	14			
Annual Dei		igy Savings - C		7 1	•	m Total			
					@ Meter	@ Generator			
Summer kV	Reduction				3,412.80	3,651.70			
Winter kW I					3,412.80	3,651.70			
Annual kWh					341,284	359,031			
		(ft) Nata O			04.000				
	per Installation				34,063				
	am Cost of the I		Departir - D-	4 (\$000)-	3,747.0				
	s of Measures II		Reporting Perio	a (2000):	5,349.3				
INULE I. SAV									
Note 2: Utili	ty costs boood			stal participation					

			De	mand Side Mar	nagement Annual	Report			
Utility: Program Na Program St Reporting F	art Date:	Tampa Electric Co THERMAL ENER November 2015 Annual 2020							
а	b	С	d	е	f	g	h	i	j
Year	Total Number of Customers	Total Number of Eligible Customers	Total Number of Projected Participants	Projected Cumulative Number of Program Participants	Projected Cumulative Penetration Level % [(e/c)x100]	Actual Annual Number of Program Participants	Actual Cumulative Number of Program Participants	Actual Cumulative Penetration Level % [(h/c)x100]	Actual Participation Over (Under) Projected Participants (h-e)
2015	80,277	7,733	1	1	0.0%	0	0	0.0%	(1)
2016	80,875	7,791	6	7	0.1%	ů 0	0	0.0%	(7)
2017	81,532	7,845	3	10	0.1%	1	1	0.0%	(9)
2018	81,740	7,865	3	13	0.2%	1	2	0.0%	(11)
2019	82,359	7,960	1	14	0.2%	1	3	0.0%	(11)
2020	83,332	8,040	0	14	0.2%	0	3	0.0%	(11)
2021 2022 2023 2024									
	mand and Ena	gy Savings - 2015		-	Participants	0			
		gy Savings - 2015		stallation	Progran				
			@ Meter	@ Generator	@ Meter	@ Generator			
Summer kV	V Reduction		1,577.00	1,687.39	0.00	0.00			
Winter kW			0.00	0.00	0.00	0.00			
	h Reduction		0.00	0.00	0.00	0.00			
Annual De	mand and Ene	gy Savings - 2020			Participants	0			
				stallation	Program				
.			@ Meter	@ Generator	@ Meter	@ Generator			
	V Reduction		-	-	-	-			
Winter kW	Reduction		-	-	-	-			
Annual KVVI	II Reduction		-	-	-	-			
					Participants	0			
Annual De	mand and Ene	rgy Savings - Com	bined		i artioiparito	•			
Annual De	mand and Ene	rgy Savings - Com	bined		Progran	n Total			
		rgy Savings - Com	bined		Progran @ Meter	n Total @ Generator			
Summer kV	V Reduction	gy Savings - Com	bined		Program @ Meter 0.00	n Total @ Generator 0.00			
Summer kV Winter kW	V Reduction Reduction	rgy Savings - Com	bined		Program @ Meter 0.00 0.00	n Total @ Generator 0.00 0.00			
Summer kV Winter kW	V Reduction	rgy Savings - Com	bined		Program @ Meter 0.00	n Total @ Generator 0.00			
Summer kV Winter kW Annual kWl	V Reduction Reduction h Reduction		bined		<u>Program</u> @ Meter 0.00 0.00 0	n Total @ Generator 0.00 0.00			
Summer kV Winter kW Annual kWl Utility Cost	V Reduction Reduction h Reduction per Installation	(\$):	bined		Program @ Meter 0.00 0.00 0	n Total @ Generator 0.00 0.00			
Summer kV Winter kW Annual kWl Utility Cost Total Progra	V Reduction Reduction h Reduction per Installation am Cost of the	(\$):		000):	<u>Program</u> @ Meter 0.00 0.00 0	n Total @ Generator 0.00 0.00			

			De	mand Side Man	agement Annua	al Report					
Utility: Program Na Program St Reporting F	art Date:	VARIABLE FR	Tampa Electric Company VARIABLE FREQUENCY DRIVE CONTROL FOR COMPRESSORS November 2020 Annual 2020								
а	b	с	d	е	f	g	h	i	j		
Year 2015	Total Number of Customers	Total Number of Eligible Customers	Total Number of Projected Participants	Projected Cumulative Number of Program Participants	Projected Cumulative Penetration Level % [(e/c)x100]	Actual Annual Number of Program Participants	Actual Cumulative Number of Program Participants	Actual Cumulative Penetration Level % [(h/c)x100]	Actual Participation Over (Under) Projected Participants (h-e)		
2016 2017 2018 2019				Program was	started on Nov	ember 2, 2020					
2013 2020 2021 2022 2023 2024	83,332	83,332	2	2	0.0%	0	0	0.0%	(2)		
Annual De	mand and Ener	rgy Savings - 2		Plan stallation	Participants Progra	0 m Total					
Winter kW	V Reduction Reduction n Reduction		@ Meter - -	@ Generator - -	@ Meter - -	@ Generator - - -					
Annual De	mand and Ener	rgy Savings - 2		Plan stallation	Participants Progra	0 m Total					
Winter kW	V Reduction Reduction n Reduction		@ Meter 1.86 1.16 13,160	<u>@ Generator</u> 1.99 1.24 13,844	@ Meter 0.00 0.00 0	@ Generator 0.00 0.00 0.00					
Annual De	mand and Ener	rgy Savings - C	ombined, Note	1		0 m Total					
Winter kW	V Reduction Reduction n Reduction				@ Meter 0.00 0.00 0	@ Generator 0.00 0.00 0					
Total Progr	per Installation am Cost of the I s of Measures I		Reporting Period	d (\$000):	0 0.0 0.0						

Jtility:		Tampa Electri							
Program N			L WALL INSUL	ATION					
Program S Reporting I		March 2008 Annual 2020							
Reporting i	Penou.	Annual 2020							
а	b	С	d	е	f	g	h	i	j Actual
				Projected	Projected	Actual	Actual	Actual	Participation
		Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Under)
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	80,277	80,277	1	1	0.0%	0	0	0.0%	(1)
2016	80,875	80,875	1	2	0.0%	0	0	0.0%	(2)
2017	81,532	81,532	1	3	0.0%	0	0	0.0%	(3)
2018	81,740	81,740	1	4	0.0%	0	0	0.0%	(4)
2019	82,359	82,359	0	4	0.0%	0	0	0.0%	(4)
2020	83,332	83,332	0	4	0.0%	0	0	0.0%	(4)
2021	,	,							()
2022									
2023									
2024									
				Disa	De uti sin surte	0			
	emand and Ener	rgy Savings - 2			Participants	0 Total			
	emand and Ener	rgy Savings - 2	Per In	stallation	Program	n Total			
Annual De		rgy Savings - 2	Per In @ Meter	stallation @ Generator	Program @ Meter	n Total @ Generator			
Annual De Gummer kl	W Reduction	rgy Savings - 2	Per In @ Meter 0.50	stallation @ Generator 0.54	Program @ Meter 0.00	m Total @ Generator 0.00			
unnual De Summer kv	W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.50 0.39	stallation @ Generator 0.54 0.42	Program @ Meter 0.00 0.00	<u>m Total</u> <u>@ Generator</u> 0.00 0.00			
Annual De Gummer kv Vinter kW	W Reduction	rgy Savings - 2	Per In @ Meter 0.50	stallation @ Generator 0.54	Program @ Meter 0.00	m Total @ Generator 0.00			
Annual De Summer kV Vinter kW Annual kW	W Reduction Reduction		Per In @ Meter 0.50 0.39 682 020-2029 DSM	stallation @Generator 0.54 0.42 717 Plan	Program @ Meter 0.00 0.00 0 Participants	<u>m Total</u> <u>@ Generator</u> 0.00 0.00 0			
Summer k Vinter kW	W Reduction Reduction /h Reduction		Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program	n Total @Generator 0.00 0.00 0 0 n Total			
Summer k Summer k Vinter kW Annual kW	W Reduction Reduction /h Reduction emand and Energy		Per In @ Meter 0.50 0.39 682 020-2029 DSM	stallation @Generator 0.54 0.42 717 Plan	Program @ Meter 0.00 0.00 0 Participants	<u>m Total</u> <u>@ Generator</u> 0.00 0.00 0			
Annual De Summer kV Vinter kW Annual kW Annual De Summer kV	W Reduction Reduction 'h Reduction emand and Ene W Reduction		Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program	n Total @Generator 0.00 0.00 0 0 n Total			
Annual De Summer k Winter kW Annual kW Annual De Summer kW	W Reduction Reduction 'h Reduction emand and Ene W Reduction Reduction		Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program	n Total @Generator 0.00 0.00 0 0 n Total			
Summer k Vinter kW Vinter kW Annual kW Annual De Summer kW	W Reduction Reduction 'h Reduction emand and Ene W Reduction		Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program	n Total @Generator 0.00 0.00 0 0 n Total			
Annual De Summer kW Winter kW Annual kW Annual De Summer kW Winter kW	W Reduction Reduction 'h Reduction emand and Ene W Reduction Reduction	rgy Savings - 2	Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In @ Meter - - -	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program	n Total @Generator 0.00 0.00 0 0 n Total			
Summer kly Vinter kW Vinnual kW Annual De Summer kV Vinter kW	W Reduction Reduction /h Reduction emand and Ener W Reduction Reduction /h Reduction	rgy Savings - 2	Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In @ Meter - - -	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program @ Meter - -	<u>m Total</u> <u>@ Generator</u> 0.00 0.00 0 <u>0</u> <u>0</u> <u>0</u> <u>0</u> <u>0</u> <u>0</u> <u>0</u>			
Annual De Summer kW Vinter kW Annual kW Annual De Summer kW Vinter kW	W Reduction Reduction /h Reduction emand and Ener W Reduction Reduction /h Reduction	rgy Savings - 2	Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In @ Meter - - -	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants @ Meter - - - - - - - -	<u>m Total</u> <u>@ Generator</u> 0.00 0.00 0 <u>0</u> <u>0</u> <u>0</u> <u>0</u> <u>0</u> <u>0</u> <u>0</u>			
Summer k Vinter kW Annual kW Annual De Summer k Vinter kW Annual NW	W Reduction Reduction /h Reduction emand and Ener W Reduction Reduction /h Reduction	rgy Savings - 2	Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In @ Meter - - -	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants - - - - Participants - - - - - -	n Total @ Generator 0.00 0.00 0 n Total @ Generator - - 0 n Total			
Annual De Summer kW Annual kW Annual De Summer kW Annual De Summer kW	W Reduction Reduction In Reduction mand and Ener W Reduction Reduction In Reduction mand and Ener	rgy Savings - 2	Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In @ Meter - - -	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program @ Meter Participants Program 0 Participants	n Total @ Generator 0.00 0 0 n Total @ Generator - 0 n Total @ Generator			
Summer ki Vinter kW Annual kW Annual De Summer ki Vinter kW Annual De Summer ki Vinter kW	W Reduction Reduction 'h Reduction mand and Ener W Reduction 'h Reduction 'h Reduction mand and Ener W Reduction	rgy Savings - 2	Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In @ Meter - - -	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program @ Meter Participants Program @ Meter 0.00	n Total @ Generator 0.00 0 0 n Total @ Generator - 0 n Total @ Generator 0 n Total @ Generator 0.00			
Annual De Summer KV Annual kW Annual De Summer KV Annual kW Annual De Summer KV Annual kW	W Reduction Reduction 'h Reduction mand and Ener W Reduction 'h Reduction mand and Ener W Reduction Reduction 'h Reduction	rgy Savings - 2 rgy Savings - C	Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In @ Meter - - -	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0 Participants Program @ Meter Participants Program @ Meter 0.00 0.00 0	m Total @ Generator 0.00 0 0 m Total @ Generator - 0 m Total @ Generator 0 m Total @ Generator 0.00 0.00 0.00 0.00 0 0 0 0 0 0 0 0 0 0 0 0			
Annual De Summer kl Winter kW Annual kW Annual De Summer kl Annual kW Annual kW Annual kW Jtility Cost	W Reduction Reduction 'h Reduction mand and Ener W Reduction 'h Reduction mand and Ener W Reduction Reduction	rgy Savings - 2 rgy Savings - C (\$):	Per In @ Meter 0.50 0.39 682 020-2029 DSM Per In @ Meter - - -	stallation @ Generator 0.54 0.42 717 Plan stallation	Program @ Meter 0.00 0.00 0 Participants Program @ Meter Participants Program @ Meter 0.00 0.00	m Total @ Generator 0.00 0 0 m Total @ Generator - 0 m Total @ Generator 0 m Total @ Generator 0.00 0.00 0.00 0.00 0 0 0 0 0 0 0 0 0 0 0 0			

			De	mand Side Man	agement Annua	al Report			
			20		J				
Utility:		Tampa Electri	c Company						
Program Na	ame:	COMMERCIA	L WATER HEA	TING					
Program St	art Date:	March 2008							
Reporting F		Annual 2020							
а	b	С	d	е	f	g	h	i	j
									Actual
				Projected	Projected	Actual	Actual	Actual	Participation
		Total	Total	Cumulative	Cumulative	Annual	Cumulative	Cumulative	Over (Under)
	Total	Number of	Number of	Number of	Penetration	Number of	Number of	Penetration	Projected
	Number of	Eligible	Projected	Program	Level %	Program	Program	Level %	Participants
Year	Customers	Customers	Participants	Participants	[(e/c)x100]	Participants	Participants	[(h/c)x100]	(h-e)
2015	80,277	80,277	1	1	0.0%	0	0	0.0%	(1)
2016	80,875	80,875	1	2	0.0%	0	0	0.0%	(2)
2017	81,532	81,532	3	5	0.0%	0	0	0.0%	(5)
2018	81,740	81,740	3	8	0.0%	0	0	0.0%	(8)
2019	82,359	82,359	1	9	0.0%	0	0	0.0%	(9)
2020	83,332	83,332	0	9	0.0%	0	0	0.0%	(9)
2021									
2022									
2023									
2024									
Annual Day	mand and Fusi	and Condinana D	45 0004 DOM	Diam	Deuticinente	0			
Annual Dei	manu anu Ener	gy Savings - 2		stallation	Participants	m Total			
					0				
			@ Meter	@ Generator	@ Meter	@ Generator			
Winter kW	V Reduction		0.63 0.33	0.68 0.35	0.00 0.00	0.00 0.00			
	h Reduction				0.00	0.00			
Annual KW	Reduction		4,735	4,981	0	0			
Annual Der	mand and Enei	gy Savings - 2	020-2029 DSM	Plan	Participants	0			
		0, 0		stallation	Prograi	m Total			
			@ Meter	@ Generator	@ Meter	@ Generator			
Summer kV	V Reduction		0.87	0.93	0.00	0.00			
Winter kW	Reduction		0.58	0.62	0.00	0.00			
Annual kWł	h Reduction		5,128	5,395	0	0			
Annual Day	mand and Fran	and Condinana C	a wa hi wa al		Denticinente	0			
Annual Del	mand and Ener	rgy Savings - C	ombined		Participants				
						m Total			
Summer H	V Reduction				@ Meter 0.00	@ Generator			
						0.00			
Winter kW					0.00 0	0.00			
Annual KWI	h Reduction				0	0			
	per Installation				0				
Total Progra	am Cost of the I	Jtility (\$000):			0.0				
Net Benefits	s of Measures I	nstalled During I	Reporting Perior	d (\$000):	0.0				

		withfut			eu Goals			
ELECTRIC CON	MPANY							
Win		luction	Sum		duction	GWh Energy Reduction		
		<i></i>			<u>.</u>	Commission		
								% Variana
								Variance 1,177.8%
								377.1%
								310.4%
								280.3%
								243.2%
								243.2%
3.5	1.0	45.5%	2.0	3.3	18.2%	0.9	7.4	120.3%
			Commerci	al/Industrial				
Win	ter Peak MW Rec	luction			duction	GWh Energy Reduction		
Total		%	Total		%	Total		%
								Variance
								320.5%
								296.7%
								377.5%
								365.9%
								753.4%
								253.3%
10.4	1.7	012.570	11.0	5.5	550.070	20.1	10.5	200.070
			Com	bined				
Win	ter Peak MW Red	luction	Sum	mer Peak MW Re	duction	GW	h Energy Reduc	tion
	Commission			Commission			Commission	
Total	Approved	%	Total	Approved	%	Total	Approved	%
Achieved	Goal	Variance	Achieved	Goal	Variance	Achieved	Goal	Variance
20.4	3.8	536.8%	22.5	2.8	803.6%	33.7	5.7	591.2%
10.6	5.4	196.3%	9.5	4.1	231.7%	31.0	9.5	326.3%
16.1	6.8	236.8%	15.1	4.9	308.2%	45.1	12.8	352.3%
21.0	8.2	256.5%	20.5	6.0	342.1%	50.8	15.3	331.8%
30.7	9.2	333.7%	35.0	6.4	546.2%	91.4	16.8	543.9%
13.9	9.3	149.1%	14.3	6.8	210.9%	35.0	17.7	197.7%
	Win Total Achieved 12.3 7.7 6.9 8.0 8.3 3.5 Win Total Achieved 8.1 2.9 9.2 13.0 22.4 10.4 Total Achieved 2.0 10.4	Commission Achieved Approved Achieved Goal 12.3 2.6 7.7 4.1 6.9 5.2 8.0 6.5 8.3 7.6 3.5 7.6 Commission Total Approved Achieved Goal 8.1 1.2 2.9 1.3 9.2 1.6 13.0 1.7 22.4 1.6 10.4 1.7 Commission Total Approved Achieved Goal 20.4 3.8 10.6 5.4 16.1 6.8 21.0 8.2 30.7 9.2	Winter Peak MW Reduction Total Approved % Achieved Goal Variance 12.3 2.6 473.1% 7.7 4.1 187.8% 6.9 5.2 132.7% 8.0 6.5 123.0% 8.3 7.6 108.8% 3.5 7.6 45.5% Winter Peak MW Reduction Commission Total Approved % Achieved Goal Variance 8.1 1.2 675.0% 2.9 1.3 223.1% 9.2 1.6 575.0% 13.0 1.7 767.1% 22.4 1.6 1401.9% 10.4 1.7 612.5% Winter Peak MW Reduction Commission Total Approved % Achieved Goal Variance 20.4 3.8 536.8% 10.6 5.4	With Public Service Comm Savings at the ELECTRIC COMPANY Resident Commission Total Approved % Total Achieved Goal Variance Achieved Achieved Goal Variance Achieved Achieved State State	With Public Service Commission Establishe Savings at the Generator ELECTRIC COMPANY Residential Winter Peak MW Reduction Summer Peak MW Reduction Commission Commission Total Approved % Achieved Goal Variance Achieved Goal 12.3 2.6 473.1% 10.8 1.1 7.7 4.1 187.8% 5.1 1.6 6.9 5.2 132.7% 4.7 2.2 8.0 6.5 123.0% 5.6 2.7 8.3 7.6 108.8% 5.7 3.1 3.5 7.6 45.5% 2.6 3.3 Commission Total Approved Achieved Goal Variance Achieved Goal 8.1 1.2 675.0% 10.4 2.7 9.2 1.3 223.1% 4.4 2.5 Commission	ELECTRIC COMPANY Residential Winter Peak MW Reduction Commission Total Approved % Achieved Goal Variance 12.3 2.6 473.1% 10.8 1.1 981.8% 6.9 5.2 132.7% 4.7 2.2 213.6% 8.0 6.5 123.0% 5.6 2.7 205.7% 8.3 7.6 108.8% 5.7 3.1 184.5% 3.5 7.6 45.5% 2.6 3.3 78.2% Commercial/Industrial Commercial/Industrial Commission Commission Total Approved % Achieved Goal Variance 8.1 1.2 675.0% 11.7 1.7 688.2% 2.9 1.6 575.0% 11.4 2.5 176.0% Summer Peak MW Reduction Combined Combined	with Public Service Commission Established Goals Savings at the Generator ELECTRIC COMPANY Residential Winter Peak MW Reduction GW Commission Total Approved % Achieved Goal Variance Achieved Goal Variance Achieved Goal Variance Achieved Commission Cotal Arriance Achieved Clipped 8.3 Commercial/Industrial Commercial/Industrial Commercial/Industrial Commercial/Industrial Commission Goal Variance Achieved Asign colspan="2">Commission Goal Variance Achieved Advision Commercial/Industrial Commission Commercial/Industrial	with Public Service Commission Established Goals Savings at the Generator ELECTRIC COMPANY Residential Commission GWH Energy Reduction CWINTER Peak MW Reduction GWH Energy Reduction Commission Commission Commission Commission Commission Commission Commission Commission Commercial/Industrial Commercial/Industrial Commercial/Industrial Commercial/Industrial Commercial/Industrial Commercial/Industrial Commission Commission Commission

				f Cumulative Ach lic Service Comn					
				Savings at th	e Generator				
ity: TAMPA		MPANY							
,									
	14/im	ter Peak MW Red	hustion	Resid	ential ner Peak MW Re	duction	C14	/h Energy Deduct	lian
		Commission	JUCTION	Sum	Commission	duction	GW	h Energy Reduct Commission	lion
	Total	Approved	%	Total	Approved	%	Total	Approved	%
Year	Achieved	Goal	Variance	Achieved	Goal	Variance	Achieved	Goal	Variance
2015	12.3	2.6	473.1%	10.8	1.1	981.8%	21.2	1.8	1.177.89
2016	20.0	6.7	298.5%	15.9	2.7	588.9%	34.4	5.3	649.1%
2017	26.9	11.9	226.1%	20.6	4.9	420.4%	49.3	10.1	488.1%
2018	34.9	18.4	189.6%	26.2	7.6	344.1%	66.4	16.2	409.9%
2019	43.2	26.0	166.0%	31.9	10.7	297.9%	83.2	23.1	360.1%
2020	46.6	33.6	138.7%	34.5	14.0	246.1%	92.1	30.5	301.9%
2021	10.0	00.0	100.170	01.0	11.0	210.170	02.1	00.0	001.07
2022									
2022									
2023									
2024									
				Commercia	al/Industrial				
	Win	ter Peak MW Red	duction	Summer Peak MW Reduction			GWh Energy Reduction		
		Commission		Commission			Commission		
	Total	Approved	%	Total	Approved	%	Total	Approved	%
Year	Achieved	Goal	Variance	Achieved	Goal	Variance	Achieved	Goal	Varianc
2015	8.1	1.2	675.0%	11.7	1.7	688.2%	12.5	3.9	320.5%
2016	11.0	2.5	440.0%	16.1	4.2	383.3%	30.3	9.9	306.1%
2017	20.2	4.1	492.7%	26.5	6.9	384.1%	60.5	17.9	338.0%
2018	33.2	5.8	573.1%	41.5	10.2	406.6%	94.2	27.1	347.5%
2019	55.7	7.4	752.3%	70.7	13.5	523.7%	168.7	37.0	456.1%
2020	66.1	9.1	726.2%	82.5	17.0	485.1%	194.8	47.3	411.9%
2021		0.1	120.270	02.0		1001170	10 110		
2022									
2023									
2024									
2024									
				Com	pined				
	Win	ter Peak MW Red	duction	Sumr	ner Peak MW Re	duction	GW	h Energy Reduct	tion
		Commission			Commission			Commission	
	Total	Approved	%	Total	Approved	%	Total	Approved	%
Year	Achieved	Goal	Variance	Achieved	Goal	Variance	Achieved	Goal	Varianc
2015	20.4	3.8	536.8%	22.5	2.8	803.6%	33.7	5.7	591.2%
2016	31.0	9.2	337.0%	32.0	6.9	463.8%	64.7	15.2	425.7%
2017	47.1	16.0	294.4%	47.1	11.8	399.2%	109.8	28.0	392.1%
2018	68.1	24.2	281.6%	67.6	17.8	379.9%	160.6	43.3	370.8%
2019	98.8	33.4	295.9%	102.6	24.2	423.9%	251.9	60.1	419.2%
2020	112.7	42.7	263.9%	116.9	31.0	377.2%	286.9	77.8	368.8%
2021									
2022									
2023									
2024									

Appendix "A"

Tampa Electric's 2020 Conservation related efforts toward the COVID Pandemic

On March 16, 2020, Tampa Electric suspended non-essential operations with customers that require face-to-face interactions (on-site). Due to this suspension in non-essential conservation operations, Tampa Electric has taken many steps and efforts to mitigate the impacts to the company's Residential and Commercial/Industrial DSM programs and to provide customers special consideration during these challenging times. These steps and efforts are provided below:

Communication: Tampa Electric has proactively communicated with customers since the suspension of non-essential conservation operations. These communications include communicating to those customers wanting to participate in one or more of the company's DSM programs that have been affected by providing them specific information. These communications have also been targeted to the company's general body of customers by posting COVID messages and continuing to closely monitor and provide updates to customers. Below is an example of the pop-up message that was added to the company's website:



Tampa Electric continues to promote non-customer contact programs via paid advertising channels including television, radio and online. The company also leverages social owned channels including social media platforms, bill communications, website, direct mail and email to promote the company's DSM programs during these challenging times.

Tampa Electric's Energy Management Services ("EMS") staff and contractors were contacted and informed of specific process changes that allowed for continued

participation in some of the company's COVID impacted DSM programs. This included allowing for an extension of insulation certificates and duct repair letters, and allowing customers to provide pictures of their qualifying energy efficient equipment install as an upload to their online rebate application.

Waiting Lists: Tampa Electric created wait lists for customer's wanting to participate in one or more of the company's DSM programs that was either fully suspended or had the on-site visit portion of the DSM program suspended. All customers awaiting a residential or commercial energy audit have been offered or have had an initial phone or virtual energy audit performed. All customers on the wait lists will receive a follow-up phone call to schedule the field portion when the suspension of on-site visits is lifted.

- Attic Inspections: 65
- Residential Energy Audits: 1,325
- Neighborhood Weatherization: 1,251
- Energy Planner: 677
- Commercial Energy Audits: 179

Additional Energy Education: Tampa Electric recognized that the increased number of customers working from home would need additional energy education to assist them in controlling their electrical usage during these challenging times.

Tampa Electric Residential Energy Analysts created seven energy conservation videos to promote energy savings tips and promotion of programs on social media platforms (Facebook, Twitter, etc.). These videos reached 61,516 people and had 501 likes/shares from customers. These videos included the following topics:

- The benefits of an online energy audit
- Water heating energy conservation tips
- HVAC maintenance and changing air filters monthly
- The benefits of a phone energy audit
- Energy efficiency tips for summer (Spanish)
- The benefits of weatherization kits/program and who qualifies
- Energy efficiency tips for the summer closing blinds, adjusting thermostat settings and other methods to reduce HVAC runtime

The Residential Energy Management Team also worked with Tampa Electric's Marketing and Communications Department to provide energy-efficient press releases which offered tips and guidance on the following energy related topics:

- Working from home
- Costs to run appliances
- Standby (vampire) loads
- Holiday lighting
- Cooking

• Safety

Tampa Electric's Energy Planner Team developed and delivered specific tips to the DSM program's participants on energy conservation while working from home and/or virtual school activities. These tips included:

- Reminding customers of the timing of the high tier rates and when lower rates are available
- Recommendations for taking the company's online energy audit and provided the link to the audit
- Simple adjustments while working or schooling from home that could conserve energy such as:
 - 1. Avoiding the use of hot water
 - 2. When to run the clothes dryer
 - 3. Programing the pool pump not to run during the high tier time
 - 4. Set the thermostat at 78 degrees Fahrenheit or higher when cooling
 - 5. Run ceiling fans in occupied rooms only
 - 6. Inspect and/or change air conditioner filters regularly
 - 7. Wash clothes in cold water
 - 8. Use a microwave for cooking when possible
 - 9. Turn off lights in unoccupied rooms

Tampa Electric's Commercial Energy Analysts offered a virtual energy efficiency webinar on Variable Frequency Drive ("VFD") Basics /Application technology and Disinfecting and Deodorizing with Ozone and Ultraviolet ("UV") Light. The Commercial Energy Management Team ("CEMT") brought in an expert in the industry and the webinar had 44 commercial/industrial customers.

The CEMT also reached out to many commercial/industrial customers who previously participated in the company's programs over the years to offer energy efficiency assistance needed during these times. At a minimum, the customers were informed that the CEMT was available for phone audits and to answer any questions on the company's existing or new DSM programs.

In addition to providing these opportunities for energy education, the company updated customers on the status of the DSM programs which were suspended.

DSM Program Facilitation: In an effort to provide some level of assistance to customers during the pandemic, the company increased the emphasis on the Phone, Online and Virtual audit offerings for residential customers and Phone audit offerings for Commercial/Industrial customers. In addition, as explained above all customers who have expressed interest in any of the programs currently on hold have been placed on a waiting list and will be contacted upon resuming operations.

Tampa Electric added an Online Energy Audit module to the company's customer experience portal which promotes the DSM program. When customers enter the portal and login, a popup message appears asking if they are interested in completing an Online Energy Audit which allows them to select and perform the energy audit.

The company has continued to receive and process applications for DSM programs not requiring customer interaction in which these DSM programs have not experienced any measurable impact from COVID pandemic. The company gave flexibility with normal application deadlines, while adhering to all the current Commission approved DSM Standards, to accommodate customers unable to utilize the original verification process or to allow for project extensions on the rebate process due to hardship, COVID restrictions or financial burdens. Tampa Electric's EMS Team members will review the project(s) and will extend the approval certificate date where applicable.

Tampa Electric also allowed for a different facilitation process to achieve verifications by allowing customers to provide "after installed" pictures of the install as an upload to their online rebate application. In addition, on the transition to the new 2020-2029 DSM Plan, Tampa Electric initiated a process of virtual verifications which has been successful for the new residential ENERGY STAR Thermostat program.

Tampa Electric's Weatherization program started mailing the comprehensive energyefficiency kits, in April 2020, to participating customers advising them to install what they were comfortable with installing and the remaining items would be installed by Tampa Electric when normal business operations resume. This affords the customer to start taking advantage of some energy savings now until the remaining portion of the kit is installed, and the other program measures can be performed (Walk-through energy audit, insulation and duct repair if needed). As explained above, all customers that have not fully received the applicable measures of the program have been placed on a waiting list and Tampa Electric will contact these customers to schedule the remaining measures once normal business operations resume.

Tampa Electric's CEMT implemented an online electronic signature tool which allows for customers to sign the necessary legally binding documentation to participate in one of the company's load management and demand response DSM programs. This change allowed the Standby Generator Program to grow by 14 participants and the addition of one General Service Load Management (GSLM-2) participant while providing a higher level of customer service with this convenient electronic option.



Benefits of Electric Vehicles to Tampa Electric Company

Final Report

Project # PO4500168634

PREPARED FOR TECO Energy



August 2020



Center for Urban Transportation Research University of South Florida 4202 E. Fowler Ave., CUT100, Tampa, FL 33620-5375

51

Benefits of Electric Vehicles to Tampa Electric Company

Final Report

PO4500168634

Prepared for:



TECO Energy

Kenneth Hernandez Business Development Manager Electric Transportation and Modernization

Prepared by:



USF Center for Urban Transportation Research

Alexander Kolpakov Austin M. Sipiora

August 2020

Disclaimer

The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of TECO Energy.

Metric Conversion

SYMBOL	WHEN YOU KNOW	MULTIPLY BY	TO FIND	SYMBOL
		LENGTH		
in	inches	25.4	millimeters	mm
ft	feet	0.305	meters	m
yd	yards	0.914	meters	m
mi	miles	1.61	kilometers	km
		VOLUME		
fl oz	fluid ounces	29.57	milliliters	mL
gal	gallons	3.785	liters	L
ft³	cubic feet	0.028	cubic meters	m ³
yd³	cubic yards	0.765	cubic meters	m ³
	NOTE: volumes gro	eater than 1000 L sh	all be shown in m ³	
		MASS		
oz	ounces	28.35	grams	g
lb	pounds	0.454	kilograms	kg
т	short tons (2000 lb)	0.907	megagrams (or "metric ton")	Mg (or "t")
	ТЕМРЕ	RATURE (exact de	grees)	
°F	Fahrenheit	5 (F-32)/9 or (F-32)/1.8	Celsius	°C

Technical Report Documentation

1. Report No.	2. Government Accession N	o. 3. Recipier	nt's Catalog No.	
4. Title and Subtitle Benefits of Electric Vehicles to '	Tampa Electric Comp	any 5. Report I August		
		6. Performi	ing Organization Co	de
7. Author(s) Alexander Kolpakov Austin M. Sipiora		8. Performi	ing Organization Re	port No.
9. Performing Organization Name and Address Center for Urban Transportation Research		10. Work L	Jnit No. (TRAIS)	
4202 E. Fowler Ave, CÛT 100 Tampa, FL 33620		PO4500	11. Contract or Grant No. PO4500168634	
12. Sponsoring Agency Name and Address Tampa Electric Company (TECO) 6944 US Highway 41 North Apollo Beach, FL 33572			13. Type of Report and Period Covered Final Report	
		14. Sponso	oring Agency Code	
15. Supplementary Notes		•		
 16. Abstract Electric utilities can realize sign service territory, including possi peak charging, more efficient us upgrades through potential load technologies and integrating rem PEV technologies can also cause increase in peak demand, unmar obstacles. To maximize the potential benefincentives with effective time-of charging is shifted to the periods 	ble reduction in GHG e of existing generatir control, building grid ewable power sources e challenges to electric aged charging, grid o to f increased EV add -use electric rates to e	emissions, bala ng capacity, avoir resilience throug . At the same tin e utility companies verloading, cost option, utilities r ensure that addit	ncing the grid iding expensive gh vehicle-to-g ne, widespread ies, related to p s of fast chargi may consider c ional load from	through off- e grid grid (V2G) d adoption of ootential ing and other ombining EV
17. Key Word		18. Distribution State	ment	
Electric vehicle, plug-in hybrid, time-of-use, off-peak, electric ra				
19. Security Classif. (of this report) Unclassified	20. Security Classif. (o Unclassif	f this page) ied	21. No. of Pages 62	22. Price

Form DOT F 1700.7 (8-72)

Acronyms

AFDC	Alternative Fuel Data Center
BEV	Battery electric vehicle
DCFC	Direct current fast charging
DOE	U.S. Department of Energy
EV	Electric vehicle
eVMT	Electric vehicle miles traveled
EVSE	Electric vehicle supply equipment
ICE	Internal combustion engine
kW	Kilowatt
kWh	Kilowatt-hour
PEV	Plug-in electric vehicle
PHEV	Plug-in hybrid-electric vehicle
TOU	Time-of-use
USABC	United States Advanced Battery Consortium
XFC	Extreme fast charging
ZEV	Zero-emission vehicle

Executive Summary

While gasoline- and diesel-powered internal combustion engine (ICE) vehicles continue to maintain dominant market share, electric vehicles (EV) are increasingly gaining market share as capital costs are falling while range and performance of EV technology continue to improve. Potential benefits from higher adoption of EV technologies include reduction in GHG emissions of the transportation sector, improved energy efficiency and lower vehicle operating cost realized by vehicle owners.

Plug-in electric vehicle (PEV) sales in Florida have grown considerably over the past several years as battery-electric vehicles (BEV) and plug-in hybrid electric vehicles (PHEVs) entered the marketplace, from 524 PEVs sold in 2011 to over 7,500 sold in 2017, for a total of over 37,000 PEVs sold to date. As of the end of 2018, there were 7,480 registered PEVs in the six-county Tampa Bay region, representing 20.0 percent of the total statewide PEV fleet. There are currently over 740 charge ports in the region, with the vast majority of those chargers available to the public.

Public utility companies across the U.S. often implement various energy conservation programs aimed at encouraging their customers to conserve energy. Tampa Electric Company (TECO) currently offers 12 energy-efficiency programs for residential customers and 19 programs for business customers helping them to reduce energy consumption and save money on energy costs. TECO is considering developing an EV rebate, that may be integrated into its conservation program and combined with time of use capabilities that would encourage customers to change their usage behavior and distribute the consumption of electricity more evenly.

In general, electric utilities can realize significant benefits from increased number of EV/PHEV in their service territory, including possible reduction in GHG emissions, additional electricity sales, balancing the grid through off-peak charging, more efficient use of existing generating capacity, avoiding expensive grid upgrades through potential load control, building grid resilience through vehicle-to-grid (V2G) technologies, integrating renewable power sources, and other potential benefits.

At the same time, widespread adoption of PEV technologies can also cause challenges to electric utility companies, related to potential increase in peak demand, unmanaged charging, grid overloading, costs of fast charging and other obstacles. For example, clustering of EVs in some sections of the grid may cause an overload of transformers due to on-peak charging, multiple off-peak charging, or from inadequate design of transformers that were initially assumed to be underused at night. The application of time-of-use (TOU) rates can help mitigate clustering problem up to a certain degree.

Rapid growth in solar generation in some markets (including Florida) can be associated with a particular challenge for grid operators known as a "duck curve", that reflects timing imbalance in power production over the course of the day between peak demand and peak solar generation. In many markets, peak demand occurs after sunset when solar generation is unavailable or significantly reduced. If not managed, EVs charging in late afternoon (when EV owners plug in their cars after arriving home from work) could aggravate the duck curve challenge.

Utilities see TOU rates as an effective tool to incentivize demand for electricity during off-peak hours when there is significant underutilized capacity, thus, moving the demand away from the peak hours when generating capacity is heavily utilized. At the same time, EV owners are likely to benefit the most from TOU rates when they can meter EV charging separately from their household electric use. This can allow EV owners to fully take advantage of lower offpeak electricity costs for charging their vehicles.

If combined with managed charging, incentivizing EV ownership can ultimately benefit all utility customers by allowing more efficient utilization of existing utility generating capacity and, thus, lowering electric rates to all customers. This argument is used by some utilities across the country to rate-base the costs of utility-provided incentives for EVs and charging infrastructure. At least two utilities in the U.S. have been successful in receiving an approval from their state utility commissions to recover the cost of EV incentive programs through electric rates paid by all customers.

Previous research and anecdotal evidence indicate that successful alternative fuel/technology incentives typically have the following seven characteristics: 1) focused on a specific goal; 2) incentive amount is large enough to entice investment in AFV; 3) grant-based; 4) easy for a potential applicant to use and for the provider to administer; 5) address the development of fueling infrastructure in addition to acquiring AFV; 6) include a cap or phase-out provision; and 7) monitoring the program's success or failure.

Forty three utility companies operating in 25 U.S. states currently offer various rebates for EVSE installation. The average utility-provided rebate amount is \$471 for residential Level-2 EVSE, \$4,069 for commercial Level-2 charger, and \$43,286 for commercial DCFC. Sixteen utility companies operating in 10 U.S. states offer rebates to their customers for purchasing or leasing plug-in electric vehicles. The average utility-provided EV rebate across the country is \$383 for PHEV and \$954 for EV.

There are currently no state-funded financial incentives for EV or EV charging infrastructure in Florida. Three Florida utilities provide incentives for purchasing or leasing EVs that range from \$100 to \$1,000. Jacksonville Electric Authority offers, by far, the most generous incentive to EV owners among other Florida utilities, providing customers with \$500 rebate for purchasing or leasing PHEV and \$1,000 rebate for purchasing or leasing EV.

To maximize the potential benefit of increased EV adoption, utilities may consider combining EV incentives with effective time-of-use electric rates to ensure that additional load from EV charging is shifted to the periods when utility generating capacity is under-utilized.

Table of Contents

Disclaimerii
Metric Conversioniii
Technical Report Documentationiv
Acronymsv
Executive Summaryvi
List of Figuresx
List of Tablesx
1. EV Market Analysis 1
1.1. Literature Review 1
1.2. EV Market Overview 3
1.2.1 State EV Market Overview3
1.2.2 Tampa Electric EV Market Overview9
2. Impact and Benefits of EVs 12
2.1. Emissions Reduction 12
2.2. Energy Efficiency 12
2.3. Operating Costs
2.4. Conservation Program
2.5. Benefits of EVs to utility company
2.5.1 Reduction in GHG emissions
2.5.2 More energy sales17
2.5.3 More efficient use of utility assets during off-peak
2.5.4 Avoid expensive upgrades19
2.5.5 Load control
2.5.6 Vehicle-to-Grid (V2G)20
2.5.7 Integration of renewable sources21
2.6. Challenges and barriers 21
2.7. Price mechanisms employed by utility companies for EVs
2.7.1 Time-of-use rates23
2.7.2 Dynamic pricing24
2.7.3 Demand charges25
2.7.4 Electric Transit25
2.7.5 Second EV meter vs. whole-house rates25
2.7.6 Cost Recovery and Rate-basing26
3. Designing EV rebate
3.1. Things to consider while designing an incentive/rebate

3.2. Best Practices in AFV Incentives	
3.3. Overview of utility EV incentives nationwide	30
3.4. Incremental costs and benefit of EVs	32
Conclusions	
References	
Appendix	40

List of Figures

Figure 1 - PEV Density by County	3
Figure 2 - Florida PEV Sales by Year	
Figure 3 - PEV Market Share in Florida by Year	6
Figure 4 - Total PEV Market Share by Year	
Figure 5 - Average Annual Growth Rate in PEV Market Share	7
Figure 6 - Number of EVSE Connectors Added by Type Per Year	
Figure 7 - Number of Charging Ports in Highest PEV Density Florida Counties	8
Figure 8 - Charging Station Density by County	9
Figure 9 - Count of Registered PEV Models in Hillsborough County	
Figure 10 - Percentage of PEV Registrations by Model in Hillsborough County	11
Figure 11 – Effect of Workplace Charging on Charging Profile	14
Figure 12 – Average Charging Sessions per Month – Southern U.S.	15
Figure 13 – Home vs. Away Charging by Type – Southern U.S.	15

List of Tables

Table 1 - Recharging Time and Range by Charging Infrastructure Type	1
Table 2 - Top Ten Counties in Florida by PEV Market Share	
Table 3 - Top States by PEV Sales	5
Table 4 – EVSE and EV Incentives Provided by Florida Utilities	
Table A-1 - Utilities Offering Special Rates to EV Owners	40
Table A-2 – Utilitiy EV/EVSE Incentives	42
Table A-3 – Utility-provided EVSE Incentives Summary	
Table A-4 – Utility-provided PHEV/EV Incentives Summary	

1. EV Market Analysis

This analysis presents an overview of the general trends in the statewide and regional electric vehicle (EV) market, including the state of technology, battery costs, vehicle operating costs, and other aspects of market development. This analysis also provides a brief overview of the electric vehicle market and corresponding electric vehicle charging infrastructure in Florida and in Tampa Electric's service area.

1.1. Literature Review

State of Technology

While gasoline- and diesel-powered internal combustion engine (ICE) vehicles continue to maintain majority market share, electric vehicles are increasingly gaining market share as capital costs are falling and improvements in performance and technology continue to improve. Battery electric vehicle (BEV) technology has been rapidly evolving since the introduction of the early model Nissan Leaf, with the most significant advancements being made in charging capacity and battery technology. Though plug-in electric vehicles (PEVs) have not reached parity with ICE vehicles, improvements in electric motor design, range extender systems, and charging infrastructure are also anticipated to enhance economic viability of BEVs as access to fast charging is a critical component of wider PEV adoption.

The U.S. Department of Energy (DOE) has outlined several key criteria necessary for commercializing BEV adoption, including: reducing production cost of battery systems to \$80 per kilowatt-hour (kWh), raising the average EV range to 300 miles, and decreasing charge time to under 15 minutes (Howell et al., 2017). The literature has found that in areas where PEV drivers can charge at 50 kilowatt (kW) or 120 kW stations, annual electric vehicle miles traveled (eVMT) have increased by 25 percent (Howell et al., 2017). Ultra-fast charging systems, which use 350 kW and extreme fast charging (XFC), which begins charging at 400 kW, are capable of significantly decreasing total charge time.

Table 1 - Recharging Time and Range by Charging Infrastructure Type			
Range Per Minute of Charging (miles)	Time to Charge 200 miles (in minutes)		
0.42	417		
2.92	60		
8.17	21		
23.3	7.50		
	Range Per Minute of Charging (miles) 0.42 2.92 8.17		

Reproduced from: (Howell et al. 2017)

Present challenges to the development and implementation of large-scale XFC include needs for materials research and development, particularly to address thermal management issues for battery preservation at higher voltages. In addition, there is a need to evaluate real-world application of XFC to identity standard operating limits as well as develop XFC siting requirements, including coding and station design (Howell et al., 2017). At present, most commercially-available PEV models are not able to charge at those higher kW levels, however, auto manufacturers have released plans indicating intent to manufacture BEV models capable

of charging at ultra-fast levels by 2020 (Galeon, 2017; Evarts, 2018; Whitwam, 2018). At the end of 2017, the U.S. DOE announced plans to allocate \$19 million to fund research projects focused on batteries and vehicle electrification technologies to facilitate extreme fast charging, and specifically projects that focus on developing electric vehicles that can recharge at higher power levels to reduce charging times to 15 minutes or less or utilize a wireless charging system (DOE, 2017).

Battery Costs

Factors that enhance market viability and extend vehicle range include considerations of energy density, power density, battery life, and cost per kWh (Burke et al., 2007). Battery cost is considered a crucial player in driving PEV adoption. There is some variation in the literature on the projected kWh cost at which PEV achieves widespread commercialization; estimates range from \$150 to \$300 per kWh (Teter et al., 2017; Andwari et al., 2017). The United States Advanced Battery Consortium (USABC) identifies several other technology factors, in addition to cost, that are necessary for driving BEV market uptake, including: 110-year/1000 cycles with 80 percent of discharge, calendar life of 15 years, and recharging capabilities with a J1772 connector seven-hour recharge and 15-minute charge time for direct current fast charging (DCFC) (Andwari et al., 2017).

Consumer Attitudes

There are a multitude of factors that impact PEV growth, which include policies and incentives, capital costs, charging times, availability of PEV models, and consumer attitudes. A review of the market research found that typical early PEV adopters tend to be young to middle-aged (18 to 34 years) educated, high earners (\$65,000 to \$100,000 annual income), and homeowners from single family suburban or urban households (Mohamed et al., 2016; Kiser & Essery, 2017). The Tesla market, which accounts for nearly half of the total BEV market share, tends to attract upper-income adopters, though that is expected to change with the introduction of the Tesla 3 base model in 2019. As PEVs become increasingly more affordable, it is anticipated they may expand into other light vehicle market segments.

Market Penetration Projections

EV market penetration projections vary significantly from source to source. There is no single agreed-upon projection of EV market development in the future. The Energy Information Administration (EIA) forecasts that sales of EV/PHEV will exceed 1.1 million vehicles per year, accounting for 7 percent of all light-duty vehicle sales in 2025. EV/PHEV sales are also projected to reach 14 percent of annual vehicle sales in 2050. The National Renewable Energy Laboratory (NREL) forecasts that EVs will account for 20 percent of all light-duty vehicle sales in the U.S. in 2030. More aggressive forecasts place the share of EV sales at 35 percent of new light-duty vehicle sales in 2040, and up to 60 percent of all light-duty vehicle sales in 2050.

Overall, the reviewed industry forecasts imply short-to medium-term (10-15 years) annual growth rates of EV sales ranging from 20.6 percent to 25.1 percent per year and long-term (20+ years) growth rates ranging from 7.5 to 16 percent per year. The projections found in

the literature regarding the stock of EVs range from 7 million vehicles in 2025, to 15 million vehicles in 2030 and to 41 million EVs in 2040. Even the most aggressive forecasts, however, indicate that the electric vehicle fleet is not expected to exceed 15 percent of the overall U.S. vehicle stock in 2040.

1.2. EV Market Overview

1.2.1 State EV Market Overview

Florida PEV Stock

The Florida Department of Motor Vehicles reported 29,433 plug-in vehicles registered in Florida as of June 2018¹. Of those registrations, 2,253 (7.7 percent) are considered commercial vehicles and the remaining 27,180 (92.3 percent) are individually owned. PEV registrations grew by 6,057 units or 25.9 percent from 2017 to 2018, reflecting an average of 1.72 PEVs per 1,000 residents (Atlas Public Policy 2018). The figure below depicts PEV density per 1,000 residents by county, with Miami-Dade, Broward, Palm Beach, Orange, Hillsborough, and Pinellas Counties leading the state with the highest electric vehicle market shares.




Figure 1 - PEV Density by County

¹ Florida Department of Motor Vehicles data obtained through personal communication on September 20, 2018.

County	PEV Registration Count	Market Share (in percent)
Miami-Dade	4,198	14.3
Palm Beach	3,521	12.0
Broward	3,424	11.6
Orange	2,230	7.6
Hillsborough	1,914	6.5
Pinellas	1,587	5.4
Duval	919	3.1
Sarasota	892	3.0
Brevard	821	2.8
Seminole	812	2.8

Table 2 - Top Ten Counties in Florida by PEV Market Share

PEV registrations in Florida as of June 2018 (29,433 units) are reported at a lower volume than PEV sales during the same time period—as of June 2018, Auto Alliance reports a cumulative 31,790 PEV units sold, a difference of 2,357 PEVs, or 7.41 percent. The difference may be due to several factors, including migration of PEVs as Florida population changes, as well as minor inconsistencies in reported sales data.

Florida PEV Sales

While gasoline-powered vehicles make up nearly 97.5 percent of the total light-duty vehicle sales in Florida, PEV sales have grown considerably over the past several years as BEVs and plug-in hybrid electric vehicles (PHEVs) entered the marketplace, from 524 PEVs sold in 2011 to over 7,500 sold in 2017, for a total of 34,410 PEVs sold to date. Plug-in hybrid electric vehicles led the market until 2013, when battery electric vehicle sales surpassed those of PHEVs. As of August 2018, Florida BEV sales made up 54 percent of total PEV sales.





Figure 2 - Florida PEV Sales by Year Source: (Auto Alliance, 2018)

While plug-in electric vehicle sales make up a relatively small share of the total light-duty vehicle market in Florida, both BEVs and PHEVs have grown in market share at similar rates, with PEVs increasing from 0.31 percent of total share in 2013 to 0.93 percent in the first half of 2018. As of August 2018, Florida ranked fourth in total PEV sales, behind California, New York, and Washington, and represents approximately 3.2 percent of the total cumulative PEV sales in the United States (Atlas EV Hub, 2018).

Table 3 - Top States by PEV Sales		
State	Total PEV Units Sold	
California	441,679	
New York	38,480	
Washington	35,517	
Florida	34,410	
Georgia	31,200	
Texas	28,796	
New Jersey	21,090	
Oregon	18,523	
Illinois	18,343	
Massachusetts	17,859	
Courses (Auto Alliance 2010)		

Source: (Auto Alliance, 2018)

Florida has experienced significant growth in PEV sales during the first half of 2018, with 7,567 PEV units sold as of August 2018 compared to 6,573 units sold in 2017 during the same timeframe, resulting in 15 percent growth from 2017.



Source: (Auto Alliance, 2018)

Florida PEV Market in Comparison to ZEV Mandate States

California has the right to implement vehicle emissions standards that are more stringent than federal standards due to authority granted in Section 209 of the Clean Air Act, which also provides that other states can adopt California's standards (C2ES, 2019). The California Advanced Clean Cars program requires that auto manufacturers must sell a certain percentage of zero-emission vehicles (ZEV) electric vehicles, or purchase credits from other auto manufacturers to make up those percentages. Nine other states have adopted the California Advanced Clean Cars program, including Connecticut, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Rhode Island, and Vermont, and Colorado is in the process of establishing a similar low emission vehicle mandate (Stainken, 2018). In 2013, California, Connecticut, Maryland, Massachusetts, New York, Rhode Island, and Vermont established a memorandum of understanding to establish a goal of putting 3.3 million zero emission vehicles on the road by 2025 (CARB, 2014). Florida initially lagged in PEV sales during the initial market introduction of commercially available PEVs, however, historical sales data and trends suggest more robust growth in PEV market share even in comparison to ZEV mandated states (Kolpakov et al., 2018).




Figure 4 - Total PEV Market Share by Year Source: (Auto Alliance, 2018)




Figure 5 - Average Annual Growth Rate in PEV Market Share *Source: (Auto Alliance, 2018)*

Electric Vehicle Charging Infrastructure in Florida

Though most electric vehicle charging occurs at home and at the workplace, public charging is an important component of the charging infrastructure system for increasing visibility of electric vehicles and relieving range anxiety (Kwan et al., 2016). Charging infrastructure is assessed using data from the U.S. Department of Energy's Alternative Fuel Data Center (AFDC) Station Locator and the Atlas Public Policy EV Hub Charging Deployment dataset from December 2018. The dataset downloaded in December 2018 reflects the number of charging stations to date. There are 176 direct current fast charging (DCFC) stations with 636 ports

and over 1,400 Level 2 stations with 3,341 ports in the State of Florida, which averages 0.16 Level 2 charging ports per 1,000 people and 0.03 DCFC charging ports per 1,000 people (AFDC, 2019a). Figure 6 provides the number of EVSE connectors added by type by year from 2010 – 2018 in Florida. Most of the charging stations are concentrated along highway corridor routes, coastal areas, and in the densely populated urban centers of Miami, Orlando, Tampa, and Jacksonville.




Figure 6 - Number of EVSE Connectors Added by Type Per Year

Figure 7 depicts the distribution of Level 2 and DCFC charging ports in the Florida counties with the highest electric vehicle share by county. As shown, Miami-Date County has the highest charging availability compared to the other counties, followed by Orange, Broward, and Hillsborough Counties. Figure 8 provides a map illustrating the statewide distribution of electric vehicle charging stations.








Figure 8 - Charging Station Density by County Reproduced from: (DOE, 2018)


There are several ongoing initiatives and funding opportunities that are expected to expand existing publically-available EV charging in Florida. The Duke Energy Park and Plug Program is expected to add an additional 530 public EV charging stations through 2022 (Walton, 2018). The State of Florida will also allocate \$24.9 million from the Volkswagen Environmental Mitigation Trust for additional electric vehicle supply equipment (EVSE) infrastructure (FDEP, 2019). Additionally, Miami was selected to receive community charging stations through the Electrify America program, which could potentially add additional Level 2 and DCFC through the greater Miami metro area. Electrify America has already installed 23 DCFC stations in the State of Florida along the I-75, I-95, I-10, and I-4 corridors through the Electrify America highway corridor fast charging program, and more stations are planned for the next cycle of investment (Electrify America, 2019).

1.2.2 Tampa Electric EV Market Overview

The Tampa Bay region, including Pinellas, Polk, Pasco, Hillsborough, Manatee, and Sarasota Counties, has experienced a relatively healthy growth in electric vehicle fleet and infrastructure. As of the end of 2018, there were 7,480 registered PEVs in the six-county Tampa Bay region, representing 20.0 percent of the total statewide PEV fleet (FLHSMV, 2018). Charging infrastructure in Tampa Bay is developing to accommodate the growth of PEVs. There are currently over 740 charge ports in the region, with the vast majority of those chargers available to the public.

Tampa Bay PEV Stock

Tampa Electric services nearly 1 million customers in a 2,000 square mile territory in West Florida, which includes Hillsborough County and sections of Polk, Pasco, and Pinellas Counties. Hillsborough County is the mostly densely populated county served, with over 1.3 million residents in 1,266 square miles (U.S. Census Bureau, 2018). The table below provides an overview of the number of PEV models by type registered in Hillsborough County as of June 2018. Through June 2018, Tesla Model 3, X, and S accounted for nearly half (44 percent) of the total registered PEVs in Hillsborough County, followed by the Chevrolet Volt (14.7 percent), and the Nissan Leaf (7.2 percent). Hillsborough County contains approximately 6.5 percent of the total registered PEVs in the state as of June 2018 figures (FLHSMV, 2018), and averages 1.42 PEVs per 1,000 people (Atlas Public Policy, 2018).








Figure 10 - Percentage of PEV Registrations by Model in Hillsborough County *Source: (Florida Department of Highway Safety & Motor Vehicles, 2018)*

Tampa Bay EV Charging Infrastructure

Alternative Fuel Data Center (AFDC) reports that there are 201 Level 2 charging ports (190 public and 11 private ports) and 54 DCFC in Hillsborough County, averaging 0.14 Level 2 charging ports per 1,000 people and 0.04 DCFC ports per 1,000 people, which are comparable to statewide averages.

In addition to Hillsborough County, Tampa Electric serves portions of Polk and Pasco County. Polk County has 22 Level 2 charging ports (17 are public) and 5 DCFC ports, averaging 0.03 Level 2 chargers per 1,000 residents and 0.007 DCFC per 1,000 residents. Pasco county has 38 Level 2 charge ports (30 of them are open to the public) and 3 DCFC, averaging 0.07 Level 2 charge ports per 1,000 residents and 0.006 DCFC per 1,000 residents.

2. Impact and Benefits of EVs

The transportation sector in the United States is the largest contributor to carbon emissions among other sectors of the economy, including electric power, residential, commercial, industrial, and manufacturing sectors (Bonitz et al., 2018). In 2016, greenhouse gas emissions from the transportation sector surpassed the emissions from the electric power generation sector for the first time since 1970s.

High dependence of the transportation sector on petroleum-based fuels contributes significantly to emissions. Petroleum products account for over 90 percent of total energy used by the U.S. transportation sector. Biofuels, such as ethanol, and biodiesel account for approximately 5 percent of total energy consumed by the transportation sector. Natural gas accounts for approximately 3 percent of energy while electricity accounts for less than 1 percent of total energy consumed by transportation (EIA, 2017).

2.1. Emissions Reduction

With the increased domestic petroleum production and the recent trend of the U.S. becoming a net energy exporter, energy security aspect of alternative fuel vehicles may become less significant. However, the predominant use of petroleum-based fuels for transportation is the primary reason for greenhouse gas (GHG) emission from the transportation sector. In 2016, transportation sector accounted for 28.5 percent of the total U.S. GHG emissions, making it the largest contributors to country's GHG emission among other sectors (EPA, 2016). Lightduty vehicle account for the majority of GHG emission from the transportation sector. Wider use of electric vehicles (both battery-electric and plugin hybrids), that don't rely on petroleum-based fuel, can result in a significant reduction in greenhouse gas (GHG) emissions.

Electric vehicles that operate solely on electricity have zero tailpipe emissions. However, generating electricity does produce emissions that can be associated with operating EVs. Environmental benefits of EVs and PHEVs depend heavily on the source of electricity generation. Electric vehicles operating in regions that use low-polluting sources for electricity generation have significant emissions reduction advantages over conventional vehicles. In areas when electric generation is heavily reliant on traditional fossil fuels, electric vehicles may not be able to demonstrate significant life-cycle emissions benefits.

On average though, the use of EVs can potentially reduce carbon dioxide (CO₂) emissions by up to 60 percent compared to internal combustion engines. Based on the U.S. energy mix for electricity generation, EVs produce approximately 141 grams of CO₂ per mile, on a lifecycle basis (over 57 percent less than gasoline-powered vehicles), compared to 329 grams per mile for regular gasoline vehicles (WEF, 2018). Based on the electricity generation mix in Florida, a light-duty battery electric vehicle in Tampa Bay area produces 43.0 percent lower life cycle GHG emissions than comparable gasoline vehicle (AFLEET, 2018).

2.2. Energy Efficiency

EVs tend to be more energy efficient than conventional vehicles due to the difference in the way the electric engine converts fuel into vehicle propulsion energy. The internal combustion

engine converts the chemical energy from burning liquid or gaseous fuel (e.g., gasoline or diesel) into mechanical energy that moves the vehicle. During the combustion process, a large portion of energy is lost in the form of heat. As a result, conventional gasoline combustion vehicles typically convert only 17% to 21% of the energy stored in the gasoline to propulsion energy at the wheels. On the other hand, electric motors convert electric power into mechanical power to propel the vehicle without significant heating. EVs are able to achieve 59% to 62% efficiency in converting electric energy to propulsion energy at the wheels (DOE, 2018).

Due to higher energy efficiency of electric propulsion, electric vehicles demonstrate significantly higher fuel economy, compared to internal combustion engines. EV models that are currently on the market demonstrate an average fuel economy of 104.3 miles per gallon equivalent (MPGE), which is over 4 times higher than an average fuel economy of 2017 model year light-duty vehicles in the U.S. (25.2 MPG). Plug-in hybrid models demonstrate an average combined (electric plus gasoline) fuel economy of 78.5 MPG, over three times higher than the average fuel economy of light-duty vehicles produced in 2017 (EPA, 2018).

Grid Impacts

The impact of EV charging to the electrical grid depends on the type (level) of charging used. Level-1 charging uses 110 volts and imposes about 1-2 kW of demand over a long period of time (10 hours or more per full charge). Level-2 charging uses 240 volts and creates 7-10 kW of demand for a few hours (typically, 4-8 hours per full charge). DCFC can typically draw 50-350 kW of demand but it usually takes less than an hour to fully charge an EV (often can charge in 20 minutes to 80% state of charge).

The higher the power of the charging station, the more "peaky" the demand is. This means that the grid needs to create that power over very short intervals to adjust to big spikes. This is a tough thing to do. The Level-1 and Level-2 are much lower demand over longer periods, so these levels of charging require less adjustment by the grid compared to DCFC.

Long flat curves are easy to predict and serve, whereas short peaks are more difficult. Since electricity must be produced the moment it is consumed, generation on the system must match the load. In general, it is easier to plan for long slow shifts in demand rather than short peaky bursts. It becomes even more complicated as the generation on the system is shifting from traditional fossil fuel that can be ramped up and down faster to renewable resources.

Since charging over Level-1 takes so long (10-12 hours), it is difficult to shift it to off-peak period (it will most likely not be able to fit entirely inside an off-peak period). At the same time, Level-2 charging requires less time for full charge, without imposing excessive short-term power demand as DCFC. Therefore, Level-2 charging is better suited than Level-1 for applying utility rates aiming to incentivize off-peak charging.

Since charging away from home often occurs during on-peak, the design of DCFC stations may include strategies to minimize or manage the impact to the grid. The use of energy storage is often a preferred method of managing grid impact because it enables demand reduction and load balancing. The energy storage system can be designed to charge at a relatively low constant rate (independent of vehicle charging) to ensure flat load profile over time and reduce electricity cost by keeping demand charges down. Some of the drawbacks of such energy storage systems include high capital and operating costs, as well as the fact that the system is designed to discharge (to provide power to vehicles) faster than it is charged by the grid. As a result, if vehicles arrive for charging when the energy storage system is fully depleted, the system will either need to draw higher power from the grid (negatively impacting the grid and increasing demand charges for station operator), or reduce the power provided to the vehicles (increasing charging time) (Francfort et al., 2017).

Availability of various charging options can significantly alter charging behavior and translate into material impact to the electric grid. A recent electric vehicle charging pilot study involving collecting data from 439 EVSE charge ports over three-year period demonstrated that EV commuters with both workplace and residential charging availability charged less at home than those with only residential charging, causing reduced evening peak load. At the same time, this also increased peak load from workplace charging in the morning during colder winter temperatures. The data collected by the pilot project demonstrated that commuters with access to workplace charging create two peaks during an average workday. The highest peak of 0.7 kW occurs at workplace chargers at 8 am, with a second smaller peak of 0.46 kW occurring at home, at 5 pm. As a result, the availability and use of workplace chargers reduces the average residential peak demand by 0.15 kW in the evening, but also increases the morning peak by 0.63 kW (Farley et al., 2019).




Figure 11 – Effect of Workplace Charging on Charging Profile Source: (Farley et al., 2019)

Charging behavior can be affected by climate in a given geographic area, as well as the season. A recently completed study by FleetCarma examined how regional climates impact charging and driving behavior, comparing southern states and northern states of the U.S. during winter and summer months. The study demonstrated that short-range EVs and PHEVs operating in southern U.S. states tend to charge more than once per day to meet their driving needs both in the summer and winter months. At the same time, long-range EVs charged less frequently, than other EV types (FleetCarma, 2020).




Figure 12 – Average Charging Sessions per Month – Southern U.S. *Source: (FleetCarma, 2020)*

The above study by FleetCarma showed that approximately 70% of charging (in terms of energy use), both in winter and summer months, occur at home, with Level-2 accounting for the majority of energy used and charge sessions. The data also demonstrated that DCFC and home Level-1 usage increased during the summer months, while home Level-2 charging decreased (FleetCarma, 2020).




Figure 13 – Home vs. Away Charging by Type – Southern U.S. Source: (FleetCarma, 2020)

2.3. Operating Costs

Alternative fuel vehicles can often provide operating costs savings due to lower fuel cost and lower maintenance costs. Electric vehicles require less maintenance since they have fewer moving parts than conventional vehicles. While internal combustion engines have hundreds of moving parts, an electric motor has only one moving part, the shaft, rotated by an electric magnet. Additionally, while conventional vehicles use multi-speed transmissions, EVs often have no gearboxes and use only one lowering gear ratio.

Based on the current fuel prices in Florida, a light-duty battery-electric vehicle operating in Tampa Bay is expected to demonstrate 12.0 percent lower maintenance and repair costs and 50.0 percent lower fuel cost over the life of the vehicle, compared to a similar gasoline vehicle. A light-duty PHEV in Tampa Bay is expected to provide a 5.0 percent lower lifetime repair and maintenance cost and 33.0 percent lower lifetime fuel cost, compared to similar gasoline-powered vehicle (AFLEET, 2018).

Due to the higher acquisition cost of EVs and PHEVs, their total cost of ownership still remains higher than regular vehicles. However, the total cost of ownership of EVs and PHEVs has been decreasing dramatically over the past few years. As battery prices continue to fall and more government incentives/rebates are implemented, EVs/PHEVs are expected to reach parity in the total cost of ownership with gasoline vehicles in the near future.

2.4. Conservation Program

Public utility companies across the U.S. often implement various energy conservation programs aimed at encouraging their customers to conserve energy. Such programs come in different shapes and forms and promote residential upgrades, installation of energy-efficient equipment, materials and insulation, as well as various incentives to residential and business customers. Tampa Electric Company (TECO) currently offers 12 energy-efficiency programs for residential customers and 19 programs for business customers helping them to reduce energy consumption and save money on energy costs. TECO programs for residential customers include energy audits to identify energy waste, installation of high-efficiency heating and cooling systems, encouraging ceiling and exterior wall insulation, repairing and sealing leaking air ducts, HVAC maintenance and motor replacement, offering variable electricity rates to encourage off-peak consumption, and other programs.

An electric vehicle rebate has a potential to be integrated into TECO conservation program if combined with time of use and/or vehicle-to-grid (V2G) capabilities that would encourage customers to change their usage behavior and distribute the consumption of electricity more evenly. While such a program might not be able to reduce the overall energy use, it has the potential to shift demand from peak hours to off-peak when excess generating capacity is available and energy costs are generally lower. This can benefit both the utility company, as well as electric customers, including the ones that do not own EVs.

2.5. Benefits of EVs to utility company

With the increased market penetration rates of electric drive technologies, especially in the light-duty sector, electric utilities can realize significant benefits that can range from reduction in GHG emissions to higher electricity sales, grid resilience and management of peak demand.

Specifically, potential benefits of having higher number of EV/PHEV in utility's service territory typically include possible reduction in GHG emissions, additional electricity sales, balancing the grid through off-peak charging, more efficient use of existing generating capacity, avoiding expensive grid upgrades through potential load control, building grid resilience through vehicle-to-grid (V2G) technologies, integrating renewable power sources, and other potential benefits. Utilities may have differences in the local markets and regulation environment that may limit their ability to take advantage of some of these benefits. The above potential benefits of EVs to the utility companies are discussed in more detail below.

2.5.1 Reduction in GHG emissions

Wider use of EVs could result in significant reductions in GHG emissions. Electric vehicles today produce approximately 50 percent lower lifetime carbon emissions compared to gasoline vehicles. As electricity sources shift away from coal towards natural gas and renewable sources, the emissions advantage of EVs will continue To increase, despite improvements in emissions and efficiency of the new gasoline vehicles.

The declining trend of the U.S. grid emissions per kilowatt-hour of electricity produced, that had been observed in the past, is expected to continue in the future. From 2003 to 2013, CO₂ emission intensity of the U.S. electric grid decreased by 15 percent, SO₂ emission intensity decreased by 70 percent and NOx emission intensity decreased by 50 percent. At the same time, electricity generation increased by 6 percent during the same period. The study by the Electric Power Research Institute (EPRI) and Natural Resources Defense Council (NRDC) forecasts that by 2050, plug-in electric vehicles can produce up to 70 percent fewer lifetime GHG emissions than comparable gasoline vehicles with 48 MPG fuel efficiency (Alexander et al., 2015).

Encouraging transportation technologies with lower environmental impact may put utilities in positive light with customers, regulators and community stakeholders, and can potentially benefit them in the long run.

2.5.2 More energy sales

Over the past two decades, utilities across the U.S., as well as in Florida, have seen considerable slowdown in electricity sales growth rates. In 2017, sales of electricity to ultimate customers in the U.S. was down 1 percent compared to 2016, with the largest decline observed in the residential sector (2.3 percent decline compared to 2016).

In Florida, sales of electricity grew by a total of 0.9 percent from 2007 through 2017, with the residential sector growing 3.1 percent over the same period. This is a significant reduction in electricity consumption from the decade before. Over the period from 1997 through 2007, total electricity consumption in Florida increased by 32.0 percent, while the consumption in the residential sector grew by 34.1 percent over the same period. Electricity consumption is also projected to remain flat in the next decade due to continued improvements in energy efficiency and higher reliance of utility customers on solar energy generation (EIA, 2018a). This presents challenges for utility companies.

EVs offer an opportunity for utility companies to increase electricity sales in the long run. A study by the Idaho National Laboratory (INL) estimates that, based on the current EV driving profile, an average EV/PHEV consumes approximately 261 kWh of electricity per month

(Salisbury and Toor, 2016). This implies that an EV can increase an average U.S. household's electricity demand by about 30 percent, or 24 percent for an average Florida household (EIA, 2018b).

This new source of revenue may be very important for utilities to maintain their profitability and growth. Potential business models can include selling energy for charging EVs at their residences and/or managing public charging stations. Some utilities even consider leasing electric cars to their customers as a service, and combining energy use and car rental into one bill.

However, utilities need to manage this additional potential demand wisely in order to avoid overloading the grid. Some utilities offer time-of-use varying electric rates that encourage EV owners to charge their cars during off-peak times. This helps utilities to manage peak demand and shift some of the demand to off-peak when the utility has underutilized generating capacity. For example, San Diego Gas & Electric company managed charging pilot program offers EV owners lower rates to charge their vehicles at the time when the company has excess capacity and electricity supply is cheap (Schmidt, 2018).

A 2015 California Electric Transportation Coalition study assessing net benefit of the California's zero emission vehicle program found that California utility customers can benefit from increased adoption of electric vehicles in the form of lower electricity rates for all customers. The study estimated that the net revenue to the utility companies associated with EVs over the life of the vehicle ranged from \$2,788 to \$9,800, depending on the residential rate structure used (tiered rates vs. TOU rates). The study concluded, that at least part of these net revenues, received by the utilities from EV charging, can be shared with all utility customers in the form of reduced electric rates (Ryan and Lavin, 2015).

2.5.3 More efficient use of utility assets during off-peak

In order to meet peak load demand, that occurs only at certain times of day, and seasonally (typically in the summer), utilities have significant amounts of generating capacity that is typically underutilized during other times, especially during early morning or late night hours. For some utilities, peak demand can be more than double the average demand over the year, meaning that more than half of utility's generating capacity can be underutilized during off-peak periods. Utility load factor, measured as the ratio of average electric demand to utility's peak demand, shows the magnitude of utility's underutilized capacity during off-peak that may be used more efficiently by employing time of use incentives.

Underutilized capacity is a burden for the utility because it costs extra to maintain that capacity that is used only during short period of peaks. Extra capital costs of this capacity are recovered through higher electricity rates paid by all utility customers. When excess generating capacity is used more frequently (during off-peak), capital costs are spread over more electric production, reducing the cost of electricity. Therefore, more off-peak charging by electric vehicles allows to utilize excess generating capacity more efficiently and can help reduce electricity rates for all customers. Consequently, utility companies can justify offering favorable electric rates to EV owners to charge during off-peak since this can benefit all rate-payers, even the ones that do not own an EV. Additionally, higher utility payments from EV owners can help cover a larger share of grid costs, lowering the rates for everybody else.

However, the benefits depends heavily on the ability of utility companies to incentivize EV owners to charge during off-peak periods, when demand is low, to make better use of the existing utility assets. If, on the other hand, EV owners decide to charge their EVs in late

afternoon after coming home from work, this could exacerbate peak demand issues and put upward pressure on the rates.

Utilities can incentivize EV owners to charge their vehicles during off-peak periods by using time-of-use (TOU) electric rates. Since 80 percent of EV charging occurs at the vehicle owners' residence, utility companies can focus mainly on the residential sector to address peak demand issues resulting from EV charging (Farrell, 2014). Time-of-use pricing system can work well due to the ability of the EV owners to program their EVs to start charging when electricity prices drop.

Another approach may involve informing customers in real time when electricity prices drop, encouraging them to charge their EVs when supply is abundant and cheap. For example, under San Diego Gas & Electric managed charging program, EV owners are informed via mobile apps throughout the day about the planned changes in charging price so they could take advantage of lower energy cost and help the utility company manage its peak demand. In either case, though, the off peak electric prices have to be significantly lower for EV owners to switch their charging behavior. The research by Idaho National Laboratory determined that when the peak electric rate is six times higher than the off-peak rate, customers would be expected to charge their vehicles during off-peak periods 90 percent of the time (INL, 2015a). Across the country, electricity demand for EV charging peaks at midnight, indicating that EV owners are taking advantage of off-peak charging (Schey et al., 2012).

2.5.4 Avoid expensive upgrades

Managing peak demand with incentivizing off-peak EV charging can eliminate the need for investing in additional generating capacity that would be required to meet unmitigated demand peak. It is significantly cheaper for utility companies to shift demand to off-peak instead of building more capacity to accommodate the peak. Unlike other electric needs of residential customers, EV charging can be easily planned and scheduled for the time of day when utility companies have excess generating capacity.

Managed charging is extremely important. Poorly managed EV charging can result in overloading of transformers threatening the stability of the grid. A study commissioned by Sacramento Municipal Utility District estimates that unmanaged charging, coupled with high penetration rate of EVs, will require the utility to replace/upgrade 17 percent of its transformers due to overloading. This is approximately 12,000 transformers, at the cost of over 7,000 per transformer (Myers, 2017). These expenses can be avoided by effectively incentivizing EV owners to charge during off-peak with a combination of time-of-use variable electric rates and/or load control programs.

Integrating additional electric demand from EVs into the grid poses both challenges and opportunities for utility companies. Given the limited quantities of EVs, they are not expected to affect the grid at the system level in the near future. However, the impact of unmanaged charging on peak demand can be rather significant at the distribution-feeder level.

A 2013 analysis prepared for the International Council on Clean Transportation (ICCT) concluded that, if 5 percent of all vehicles in the U.S. charged at 4 kW rate (Level-2), or one percent of all vehicles charged at 20 kW rate (Level-3), EV charging load would stay within 10 percent of maximum potential peak load, which is typically within utility reserve margin (ICCT, 2013).

At the same time, uncontrolled EV charging may cause issues at the distribution-system level. Since distribution transformers generally serve 4-10 households and one EV uses about 1/3 of the household's annual energy consumption, even a relatively small number of vehicles charging at the same time on the same distribution system could significantly increase peak period loading of the transformer (VEIC, 2013).

A 2016 study by Rocky Mountain Institute that looked at the load profiles of select five states (including California, Hawaii, Texas, New York and Minnesota) and modeled electric vehicle charging demand under various EV adoption scenarios, emphasized the importance of effective electric rate design to achieve optimal electric system load distribution. The model demonstrated, that 23 percent of all vehicles doing uncontrolled charging in Hawaii is projected to increase state's peak load by 9 percent, compared to 1.34 percent increase when charging is managed and optimized. Shifting EV charging load to fill valleys and reduce peaks is capable of creating a more uniform load profile across the entire system. This finding demonstrated that controlled charging can help optimize the use of utility resources, reduce the need to invest in new peak generation capacity and integrate more renewable sources (wind and solar) (Fitzgerald et al., 2016).

2.5.5 Load control

Grid load can be controlled by a combination of infrastructure and communication signals send directly to a vehicle or through a charger to control charging event. These communication signals enable utility or a third party to increase or reduce the rate of charging, or completely stop charging to accommodate the needs of the grid. Charging loads can be controlled directly by the utilities, grid operators or charging equipment, based on the parameters programmed by the customer. This approach would allow proper charging management of distributed resources to optimize grid load.

Many EV owners are open to such load control programs as long as they can ensure that the vehicle will finish charging at a specified time. This is sometimes called intelligent, smart or adaptive charging and allows utilities to remotely control vehicle charging to achieve various goals of the grid, including emergency load reduction, capacity management, peak distribution or absorption of excess generation from renewable sources during certain time of day.

However, managing EV charging load through direct utility control will require utilities, EVs and charging equipment to implement bidirectional communication systems. The deployment of such systems and smart meters has been rather slow (Fitzgerald et al., 2016).

2.5.6 Vehicle-to-Grid (V2G)

Going a step further than regular managed charging, vehicle-to-grid (V2G) technology allows to integrate plugged-in EVs into the electrical grid as distributed storage sources with the capability to pull energy from EV batteries into the grid. While V2G technology has been tested in few pilot demonstrations and proved to be viable, there are still some unresolved technical and regulatory obstacles that prevent this technology from wide-spread adoption. One of the major obstacles includes faster battery degradation of the EVs actively employed for V2G communication. Automakers are not willing to cover the additional cycle wear of the batteries involved in V2G operations of EVs. Therefore, consumers will need to be adequately

reimbursed by the utility companies for allowing their EVs to be employed in V2G operations for the purpose of providing stability to the electrical grid.

While these obstacles have not been fully addressed yet, V2G and other managed charging approaches present opportunities for utilities and their customers for smarter use of EVs that can benefit both electric customers and the grid. In 2017, the average annual electric consumption from EVs represented approximately one terawatt-hour. Annual EV electric consumption is projected to increase to 33 terawatt-hours by 2025 (BNEF, 2016). Given this projected growth in electric demand from EVs, more utilities are considering implementing various forms of managed charging programs as the low-cost solutions to accommodating additional demand.

2.5.7 Integration of renewable sources

Renewable power generation sources, such as solar and wind, typically produce electricity during times when demand may be relatively low. Solar farms produce most of the power during the day, while wind tend to peak overnight. This generation, especially wind power, can often exceed demand, resulting in wasted energy. Using managed EV charging can shift electric demand towards the times when renewable sources are most prevalent, taking the full advantage of the renewable energy. For example, smart workplace charging can increase EV charging during the day to meet peak solar generation. The availability of managed charging makes it easier to justify the addition of renewable sources since the utility company can shift the demand from EV charging throughout the day to match the timing of renewable generation and maximize its efficiency.

Additionally, with V2G capabilities, electric vehicles can be used to store energy produced by renewable sources (solar or wind) and release it back to the grid during peak demand times, increasing the utility's reliance on "cleaner" energy. Finally, being environmentally conscious, EV buyers may be more likely to support the integration of renewable sources into power generation by the utility companies and may be willing to pay for various "green power" programs that improve environmental profile of electricity consumed by their EVs. There may also be other ways in which electric vehicles and the power grid can support each other.

2.6. Challenges and barriers

Any new technology brings not only potential benefits, but also different obstacles that can hinder technology implementation. Widespread adoption of plug-in electric vehicle technologies can cause challenges to electric utility companies, related to potential increase in peak demand, unmanaged charging, grid overloading, costs of fast charging and other obstacles.

The larger number of EVs enter the market, the more crucial becomes the ability of utility companies to influence when these vehicles are charged. While varying time of use rates have shown their effectiveness in managing electric demand in small-scale demonstrations, there is no guarantee that these programs will be as successful when the numbers of EVs on the market increases significantly. Even if a small percentage of EV owners prove to be not very responsive to time-of-use incentive programs, this may create challenges in meeting peak demand for the utilities, given a large total number of EVs on the market.

The majority of EVs currently charge at home with Level-1 outlets. But, as longer-range EVs become more common, a higher percentage of them may need to be charged with higher voltage either at workplace or at public charging sites. This may also cause DC fast charging to rise during peak times (although, there is no definitive conclusion if that will happen). Utilities may need to apply significantly higher rates during peak times and impose substantial demand charges on fast charging locations do discourage peak charging, or invest in local storage or generating capacity to accommodate potential increases in peak electric demand from more EVs.

DCFC can use up to 400 kW of electricity and can cause a sharp spike in otherwise low utilization profile of the station (Trabish, 2017). Therefore, DCFC owners often face high demand charges, that make operating these stations uneconomical. In order to be economical, many DCFCs currently require some form of subsidies and will likely require them in the near future. Additionally, as more DC fast charging stations are installed, especially when concentrated in high-usage charging areas in the city core or along heavily-travelled corridors, local distribution lines may experience significant spikes in demand.

Increase in the total number of EVs on the market may not result in an even spatial distribution of the vehicles. Some areas may see more EVs per capita than others. This clustering of EVs in some sections of the grid may cause an overload of transformers due to on-peak charging, multiple off-peak charging, or from inadequate design of transformers that were initially assumed to be underused at night. The application of time-of-use rates can help mitigate clustering problem up to a certain degree. But eventually, some transformers will have to be upgraded to accommodate uneven growth in the EV market (INL, 2005b).

Based on the experience from California, the need for electric system upgrades has been rare, at least at the early stages of EV adoption. However, as more EVs enter the market, especially long-range EVs with large batteries requiring less frequent, but faster charging, the increase in electric demand may require distribution-level upgrades to the grid. A 2015 U.K. pilot project studying the impact of EV clustering demonstrated that, if 40 percent of customers owned EVs, about one third of all low-voltage feeders would have to be upgraded to accommodate EV charging demand, assuming 3.5 kW charging. Faster charging rates (newer EVs can charge at 20 kW rate or faster) would require more upgrades to the electric system (Saunders et al., 2015).

A simulation study modeling potential impact of EVs on electric grid in New England, showed that, if 5 percent of all vehicles in New England were EVs and charging was not managed, this would result in a 3.5 percent increase in peak demand. At the same time, if 25 percent of all cars in New England were EVs and were charged in uncontrolled manner, peak demand could increase by up to 19 percent, requiring significant investment in new generation, transmission and distribution capacity. The same study also concluded, that the use of managed charging to spread demand over evening hours or shift to off-peak periods could cut peak demand increase to 6 percent or eliminate the increase altogether (Fitzgerald et al., 2016).

Rapid growth in solar generation in some markets (including Florida) can be associated with a particular challenge for grid operators known as a "duck curve", that reflects timing imbalance in power production over the course of the day between peak demand and peak solar generation. Solar generation typically peaks during early afternoon hours, lowering utility's net load during that time. At the same time, in many markets, peak demand occurs after sunset when solar generation is unavailable or significantly reduced.

In locations with substantial amount of solar capacity, power generation by the utility company is significantly reduced during late morning and early afternoon (when solar

generation is peaked), followed by a need to significantly increase generation from sources other than solar after sunset when solar generation tapers off and peak demand occurs. This produces a power production graph that resembles a silhouette of a duck. In the absence of energy storage, utility companies must rapidly increase power output around sunset to compensate for reduced solar generation and meet peak demand.

If not managed, EVs charging in late afternoon (when EV owners plug in their cars after arriving home from work) could aggravate the duck curve challenge. To minimize duck curve phenomenon, utility companies can employ time-of-use rates to discourage home charging in late afternoon and encourage workplace charging during the early afternoon hours to match peak solar generation timing.

Utilities with large wind generation capacity can face a challenge of energy generation exceeding demand at night time when wind generation typically peaks. Incentivizing EV owners to charge at night during peak production of wind energy can ensure that there is no wasted wind generation.

2.7. Price mechanisms employed by utility companies for EVs

2.7.1 Time-of-use rates

Time-of-use (TOU) electricity rates are rates that change throughout set periods of the day to reflect varying costs of providing electricity. The cost of generating and delivering additional kilowatt-hour of electricity is higher during the period of peak demand when a utility company has little or no excess capacity. During the off-peak periods, utilities typically have underutilized capacity and providing additional kWh of electricity costs significantly less. TOU rates reflect these fluctuations in costs by time of day and are also used to incentivize shifting the demand to off-peak periods.

While TOU rates have existed in some markets for quite a while, given the higher adoption of electric vehicles in the past few years, utilities across the country are staring to specifically target households with EVs. Residential EV charging can produce a noticeable increase in the household's electric demand. For example, a Level-2 home charger can produce up to seven kilowatts of demand and can exceed the maximum demand of a typical home. Faster charging technologies, that are becoming more and more available in public places, can present an even larger challenge for the utilities. A DC fast charger can draw as much as 120 kilowatts of electric demand (Hledik et al., 2019).

If not managed properly, the new demand from EVs could put a significant strain on the grid, especially if EVs are geographically clustered. Utilities see TOU rates as an effective tool to incentivize demand for electricity during off-peak hours when there is significant underutilized capacity, thus, moving the demand away from the peak hours when generating capacity is heavily utilized. Multiple case studies demonstrated that well-designed TOU rates can be very effective at influencing EV charging behavior, shifting charging demand to off-peak hours. TOU rates also provide benefits to EV owners that can benefit from less expensive electricity prices during off-peak periods.

Typically, the larger the differential between peak and off-peak hours, the more effective TOU rate is at shifting EV charging demand. One notable example of an effective TOU rate is from Nevada Energy that offers rates that may vary from 42.8 cents/kWh during summer peak (1 pm to 6 pm) to 6.1 cents/kWh during summer off-peak hours (10 pm to 6 am) (NV Energy, 2019).

An experimental rate study by Idaho National Laboratory (INL) and San Diego Gas and Electric (SDG&E) found that while drivers connected EVs immediately after coming home, they typically delayed charging until super-off-peak period with lowest electric prices. The study, involving different rate schedules, also concluded that customers with larger price differential between peak and off-peak, typically, charged their vehicles during super off-peak hours, while participants on other two rate schedules gradually shifted towards super off-peak during a learning phase in the first few months of the study. This finding emphasized the importance of influencing customers' charging behavior in the first few months of EV ownership. Finally, simulations, performed as part of the study, suggested that a price ratio of 6 to 1 between peak and super off-peak periods was sufficient to shift 90 percent of charging to super off-peak, and that further increasing electric rate differential would have minimal effect on charging behavior (INL, 2015a).

Power companies across the country use different approaches with implementing TOU rate programs. Some offer TOU rates only to EV owners while others offer TOU rates to all residential customers. Some EV TOU rate programs require the installation of a separate meter for EV charging, while others offer TOU rates for the entire house employing a single household meter. There are currently 30 utilities, located in 16 states, that offer special electric rates to EV owners. Eighteen of these utility companies are investor-owned, nine are member-owned cooperatives and three are municipally-owned. Five of the 30 utilities offering special rates to EV owners also allow TOU rates for all their residential customers (regardless if they own an EV). There are currently no utilities in the state of Florida that offer special electric rates to EVs. More details about EV-specific rates offered by utility companies across the country are provided in Table A-1 in the Appendix.

2.7.2 Dynamic pricing

Higher levels of EV penetration or higher density of EVs on the electric grid may require more precise management of charging than TOU rates can provide in order to avoid negative impacts on the local distribution system. Under dynamic pricing, electric rates can vary more frequently than TOU rates (e.g. hourly or with higher frequency) to more accurately reflect real-time cost of electricity generation and delivery. The effectiveness of such program will depend on the responsiveness of EV owners to dynamic changes in electricity prices throughout the day. San Diego Gas and Electric is in the process of implementing a pilot program that involves posting dynamic electric rates for EV charging for the next day to give customers the ability to plan their charging (Fitzgerald et al., 2016).

However, the complexity of dynamic pricing may limit the ability of customers to react to price changes. The use of smart meters and automatic charge controllers, that can be programmed to adjust charging based on real-time price signals from the utility, can help to address this issue. Dynamic pricing arrangements for EV charging are still in the testing phase and their real-life application has been rather limited.

2.7.3 Demand charges

In addition to per-kWh charge, some commercial customers may also be subject to demand charges that are based on the highest level of electricity demand over 15-minute period during a billing cycle. So, even if an electric customer has a brief spike in electric consumption one day of the month but a much lower consumption level throughout the rest of the billing period, he will still be charged based on the highest per-kilowatt demand rate for the entire month (Salisbury and Toor, 2016). This may present challenges for public charging station owners, especially DC fast charging stations, because they can create very high level of peak demand in the short period of time. In fact, demand charges can make operating DC fast charging stations.

Electric utilities may provide electric rates for commercial customers that do not impose demand charges. But when demand charges are imposed, they are often rather significant. A study by the U.S. DOE states that an EVSE site can incur monthly demand charges in excess of \$2,000 (DOE 2015). Another research also concluded that demand charges can increase a business's utility bill by as much as four times (INL, 2015c). In certain cases, however, demand charges can be avoided by charging during off-peak periods, staggering vehicle charging during high consumption periods or employing other approaches to manage charging at the site.

Hawaiian Electric Company offers special rates for commercial customers with EVSE that eliminate or mitigate demand charges. While there may be other examples of utility companies waiving demand charges to commercial EVSE providers, no such examples were found in Florida.

2.7.4 Electric Transit

As more transit agencies shift to battery-electric buses, utilities may experience challenges in meeting additional electric demand. Currently, this is not a pressing issue since most electric bus fleets are rather small. However, as the number of electric buses in operation increases, utilities may need to invest in grid upgrades as well as aggressively encourage managed charging. This can be especially relevant in the case of on-route charging that usually occurs during the day (e.g. electric demand peak period).

Transit agencies, operating electric buses are also expected to face challenges related with vehicle charging. On-route charging in the midst of operation is likely to incur significant demand charges, that may reduce or eliminate any operational savings that electric buses can provide to the agencies. Transit agencies, planning to switch large percentage of their fleets to electric buses, need to plan ahead, work with the utility company to negotiate a rate plan that minimizes or eliminates demand charges and/or consider managing vehicle charging.

2.7.5 Second EV meter vs. whole-house rates

Customers are likely to benefit the most from special EV rates when they can meter EV charging separately from their household electric use. This can allow EV owners to fully take advantage of lower off-peak electricity costs for charging their vehicles without having their

entire electricity consumption (which can be difficult to adjust throughout the day) subject to TOU rates. However, the amount of potential benefit will also depend on who pays for purchasing and installing a second meter. The cost of purchasing and installing a separate meter for EV charging may be prohibitive to certain drivers or outweigh the benefits to the consumer.

Five of the 24 utilities in the country that offer special EV rates, require a separate meter to be installed, while 19 utilities either apply TOU EV rate to the entire house or allows the customer to choose the metering approach (AFDC, 2019b). It is a good practice by the utilities to offer both whole-house rates and separate-meter TOU rates for EV charging that allows the customers to decide which plan is more beneficial for them. Utilities can also decide to share the costs associated with the separate EV meter with the customer (e.g. utility pays for the meter and installation while the customer is responsible for necessary upgrades to the electrical system, or other arrangements). Additionally, some EVSE equipment contains embedded meters enabling utilities to bill EV electric usage separately using subtractive billing (Salisbury and Toor, 2016).

2.7.6 Cost Recovery and Rate-basing

Rate-basing allow utilities to recover the cost of investment in EV infrastructure or EV incentives by charging a fee to all utility customers. Recovering a portion of infrastructure cost through customer rates helps reduce barriers for EV adoption. Regulated utilities need to get an approval from their state utility commission to include EV subsidies into the rate by demonstrating the benefit to all customers (even the ones that will not be using EVs). At least two utilities in the U.S. – Puget Sound Energy (PSE) and Hawaiian Electric Company (HECO) – have been successful in receiving an approval from their state utility commissions to recover the cost of EV incentive programs through electric rates paid by all customers.

PSE estimated that, over their 15-year life, an EV would generate a net benefit of \$770 to the utility through additional electricity sales. PSE has originally asked for an incentive of \$600 for Level-2 chargers installed by customers, but Washington utilities commission reduced the incentive to \$500 per charger and limited the incentive to the first 5,000 applicants (Salisbury and Toor, 2016).

Recognizing potential benefits to all utility customers from increased number of EVs, regulators in the West coast states considered allowing utilities to fund expenditures related to EV charging infrastructure with conservation or renewable energy funds, or by absorbing these costs into electric rates to all customers. For example, Washington state law allows utilities to subsidize EV charging infrastructure up to a maximum impact to non-participants of 0.25% increase in electricity rate (Fitzgerald et al., 2016).

Utilities in different states proposed to provide rebates for EVSE or lower rates for EV charging arguing that incremental revenue will exceed incremental costs and will benefit all customers. In some cases, utilities treat EV/EVSE incentives as economic development rates offered in some states to new or expanded industrial sites in anticipation of further development and increased customer/revenue base (Fitzgerald et al., 2016).

3. Designing EV rebate

3.1. Things to consider while designing an incentive/rebate

Nissan claims that states with an EV incentive, on average, sell twice as many EVs compared to states without an incentive, and states with two or more incentives typically sell three times as many EVs (Frades, 2014). While utilities cannot provide tax credits, such state-provided incentives are extremely cost-effective to utilities. Since EVs typically have higher acquisition costs, compared to conventional vehicles, incentives that reduce up-front EV costs typically have the highest practical value to consumers. Cash rebate at the time of the purchase is the most effective financial incentive with a significantly higher value than a tax credit (Gallagher and Muehlegger, 2011). While point-of-sale rebates are typically the most favored by consumers, they also involve careful coordination with automotive dealers and require the funds to be available in advance. Mail-in rebates, on the other hand, allows utilities to avoid working with dealers, but may also be less effective than point-of-sale rebates as consumers may discount the value of the rebate, especially if there is a significant time lag between vehicle purchase and receiving the rebate amount.

A mail-in EV rebate offered by the utility can provide additional benefits to the utility company in the form of establishing reliable communication channel with the new EV owner. Utilities often have flexibility to offer the full amount of rebate either up-front or take it off future electric bills of the customer. While the effectiveness of providing the rebate through future electric bills is lower than providing cash up-front, the utility does not have to allocate all funds for the rebate in advance of the program (CalETC, 2016).

Evaluating the data for vehicle sales in California suggests that new vehicle elasticity rate is -3.6, implying that a one percent reduction in the price of the vehicle results in a 3.6 percent increase in vehicle sales. California EV mail-in rebate of \$2,500 reduced the average price of EVs after federal tax credit by 9 percent and, therefore, should have been responsible for increasing EV sales by over 30 percent. A 2012 evaluation of the impact of federal incentive program on electric vehicle sales by the U.S. Congressional Budget Office estimated price elasticity of EVs in the range of -1.6 to -2.0 (Lawrence, 2015).

While consumers value the incentives that lower the purchase price of EVs more than incentives reducing operating costs, incentives that reduce operating costs are often preferred by utility companies. An incentive that is paid over time during the operation of the vehicle does not require allocation of incentive funds up-front, and can motivate EV owners to keep an EV within utility service territory longer rather than moving into a different area.

Time-of-use electric rates for EVs are a good example of incentive that lowers operating costs, lowering the cost of electricity to EV owners and also encouraging them to charge during off-peak period, which is typically beneficial to utility companies. TOU EV rates may also include a monitoring provision, allowing the utility to monitor electric usage, plan growth, implement load control and communicate better with EV customers.

While early adopters of electric vehicles were not very concerned about electricity rates to charge their EVs, 85 percent of later adopters considered electricity rates as part of their buying decision (Dubin et al., 2011). Additionally, a multi-state survey of EV owners found

that 22 percent would not have purchased their EVs without a residential EVSE subsidy, while additional 39 percent stated that EVSE subsidy was a very important part of their purchase decision (INL, 2015a).

The above findings emphasize the importance of both rebates that reduce purchase price of EVs, as well as the incentives that lower vehicle operating costs, including lower electric rates to EVs and financial incentives to purchase/install charging infrastructure.

3.2. Best Practices in AFV Incentives

Alternative fuel vehicle/technology incentives are designed to change established behavior and motivate individuals and organizations to perform actions desirable to the entity offering the incentive and the public. While there are multiple reasons that may contribute to the success or failure of an incentive (and some of them may be unrelated to the incentive itself), the incentive program design is an important consideration.

Previous research and anecdotal evidence indicate that successful alternative fuel/technology incentives typically have the following seven characteristics (Brown and Breckenridge, 2001):

- 1. Focused on a specific goal
- 2. Incentive amount is large enough to entice investment in AFV
- 3. Grant-based
- 4. Easy for a potential applicant to use and for the provider to administer
- 5. Address the development of fueling infrastructure in addition to acquiring AFV
- 6. Include a cap or phase-out provision
- 7. Monitoring the program's success or failure

Focused on a specific goal

Whether it is the state of a utility company, incentive provider should clearly identify the goals of the program and design the incentive in the best way to meet those goals. For most utilities, the goal is to increase the number of EVs in their service territory and ultimately increase electricity sales. A proper EV incentive encourages participants to maximize their electric driving rather than simply promotes ownership of EV/PHEV (e.g. a customer may own a EV/PHEV but do most of the driving on gasoline).

Incentive amount is large enough

Successful incentives should be large enough to offset much or all of the incremental cost of alternative fuel technologies/vehicles. Aside from a few enthusiasts, most individuals and businesses do not want to pay a higher price just to test new alternative fuel technologies. Even potential tangible benefits of the new technology, such as reduction in operation and maintenance costs, are not always able to convince buyers to pay the higher up-front acquisition cost. Theoretical studies of consumer behavior, as well as the survey of fleet managers, support this conclusion.

Smaller incentives such as fuel price discount and sales tax exemption are typically ineffective unless packaged with bigger incentives. Except in rare cases, fuel price discount or sales tax reduction (or even exemption) typically yield insignificant savings and fail to provide a strong enough incentive. At the same time, offering incentives that are too large is also not

recommended. There is rarely a good reason to offer an incentive that covers more than the incremental cost of the new technology.

Grant-based

The most effective incentives are often grants or rebates. Previous research found that consumers more readily take advantage of grant and rebate programs than tax-based incentives, and the findings indicate a clear preference for this incentive type. Grants/rebates offer immediate benefits and certainty, since customers know how much the grant or rebate is worth. Additionally, customers value point-of-sale rebates higher than the ones that they need to apply for later.

An example of an ineffective incentive is Florida's Electric Vehicle Supply Equipment (EVSE) financing program, which does not provide any financial incentive per se. Instead, the program allows property owners to apply for funding with local jurisdictions for qualified EVSE improvements, and allows local jurisdictions to impose tax assessments to finance those improvements. Without a dedicated source to finance the program, the incentive is unlikely to noticeably affect EVSE installations. A direct grant or a rebate, covering a portion or the entire amount of the incremental cost of EVSE installation, would more likely achieve the program goals.

Easy to use and administer

Successful incentives typically are easy to apply for and do not require burdensome reporting, which often discourages potential applicants. In addition, a good incentive should dedicate adequate resources (including financial support) for marketing and administering the program. California's South Coast Air Quality Management District offers a successful, easy-to-use incentive that provides a rebate for acquiring AF vehicles and is administered through auto manufacturers in cooperation with auto dealers. The dealer advertises the vehicle price including the incentive, passes the invoice to the manufacturer, the manufacturer immediately reimburses the dealer, and then applies for the incentive. This design keeps the incentive in the background for the consumer, yet provides an immediate benefit. While utility companies may not always be able to achieve similar level of application simplicity, it is recommended to minimize the burden for the customer to apply to an incentive as much as possible.

Focused on fueling infrastructure in addition to AFV

Infrastructure incentives are critical to the success of any AFV program. Previous consumer opinion studies and fleet manager surveys concluded that the availability of fueling infrastructure significantly impacts the decision of individuals and fleets to acquire AFVs. Similarly, many industry participants agree that the lack of fueling infrastructure is a critical barrier to the growth of AFVs. In addition to EV incentives, utilities are recommended to provide charging infrastructure incentives to facilitate the development of EV market.

A cap or phase-out provision

Utilities should be aware of the potential fiscal impact of incentives and make provisions to cap their total liability under the program. Policy makers need to balance the cost and benefits of incentive programs, keeping in mind that achieving a high benefit/cost ratio may be unattainable and impractical given the existing constraints.

Since the goal of an incentive program is to temporarily support the rollout of new technology until it becomes competitive, incentive programs often include a phase-out provision, allowing for declining support as time passes or as the market for the technology matures. It is generally recommended that the entities implementing incentive programs commit and release funding in a way that ensures program continuity for a specified period of time (e.g. a certain number of years). This allows local markets to develop and stabilize with relatively steady funding. Utilities may also consider establishing a gradually declining funding level, zeroing out after certain period of time or after reaching a certain number of program subscribers. Such an approach allows to set the maximum program cost and to correct annual payments in future years if the initial incentive level was too high.

Monitoring the program

It is a good practice to monitor the progress of an incentive program, evaluate its success in achieving the stated goals, and make adjustments to improve program performance. A good incentive program should be designed with provisions for collecting data to monitor its success, and should have the tools to make adjustments to program funding and incentive structure.

3.3. Overview of utility EV incentives nationwide

EV Infrastructure investment

Various utility companies in California developed pilot programs to help accelerate EV adoption and EV charging infrastructure deployment, using different cost recovery models. San Diego Gas and Electric recover the costs of "Power Your Drive" program, providing for the installation of low-cost EVSE, through general rates from all customers and through fees to participating EVSE site hosts. The company estimates that this program will increase consumer electric bill by 18 cents during the first year (0.02%) and by the \$2.75 per year by the end of three-year pilot period. Southern California Edison's "Charge Ready Pilot" program, providing for utility service and make-ready installations of EVSE at the sites of customer participants, will also be rate-based, increasing an average customer electricity bill 0.1 to 0.3 percent, or \$0.001 per kWh (MJB&A, 2017).

Utility-provided EV and EVSE incentives in the U.S.

Table A-2 in the Appendix provides a list and a brief description of all the incentives offered by utility companies across the U.S. for plug-in electric vehicles (including PHEV and EV) and electric vehicle charging infrastructure.

Forty three utility companies operating in 25 states currently offer various rebates covering the cost of equipment, installation or site preparation for residential or commercial EVSE. The typical rebate amount for residential Level-2 EVSE ranges from \$100 to \$1,000, with an average rebate amount of \$471. Additionally, three utilities offer free Level-2 EVSE for residential customers.

The typical utility rebate amount for commercial EVSE installations ranges from \$250 to \$32,000 for Level-2 stations and from \$6,000 to \$120,000 for commercial DC fast charging stations. The average utility rebate for commercial Level-2 charging station is \$4,069 while the average rebate for commercial DCFC is \$43,286. Additionally, two utilities offer free level-2 charger or DCFC to commercial customers, while 2 utility companies offer Level-2 chargers with 50% discount to commercial customers. A more detailed summary of utility-provided EVSE incentives available to residential and commercial customers is provided in Table A-3 in the Appendix.

Sixteen utility companies operating in 10 U.S. states offer rebates to their customers for purchasing or leasing plug-in electric vehicles, including battery-electric vehicles and plug-in hybrids. The terms and mechanisms or EV rebates offered by various utility companies across the country vary, sometimes significantly. While some utilities offer the rebate in the form of

electric bill credit, others send the customer a check for the full amount of rebate. Some utilities also offer lower rebates for purchasing or leasing pre-owned plug-in electric vehicles, while others offer larger rebates to customers with lower income.

A review of utility-provided EV rebates in the U.S. shows that a typical EV rebate ranges from \$50 to \$1,000 for plug-in hybrids and from \$50 to 2,500 for battery-electric vehicles. The average utility-provided EV rebate across the country is \$383 for PHEV and \$954 for EV. A more detailed summary of utility-provided EV rebates is presented in Table A-4 in the Appendix.

Utility-provided incentives in Florida

There are currently no state-funded financial incentives for EV or EV charging infrastructure in Florida. Four of the state's utilities offer financial incentives for EVs or EV charging infrastructure. The existing incentives offer free Level-2 of DCFC chargers, or cover the cost of hardware, networking services and warranties to commercial site hosts. Yet, there are little incentives for residential EVSE installations. Only one utility (Kissimmee Utility Authority) offers a rather small incentive (\$100) to residential customers for installing an EV charger. Three Florida utilities provide incentives for purchasing or leasing EVs that range from \$100 to \$1,000. Jacksonville Electric Authority offers, by far, the most generous incentive to EV owners among other Florida utilities, providing customers with \$500 rebate for purchasing or leasing new plug-in electric vehicles with the battery capacity of less than 15 kWh, and \$1,000 rebate for new electric vehicles with larger than 15 kWh battery capacity. Table 4 summarizes EVSE and EV incentives currently offered by Florida utility companies.

Utility	EVSE In	ncentive	EV Incentive		
	Residential	Commercial	PHEV	EV	
Brickell Energy		Covers cost of hardware, network service, management service & warranties			
Duke Energy		Free Level-2 or DCFC			
Jacksonville Electric Authority			\$500	\$1,000	
Kissimmee Utility Authority	\$100			\$100	
Orlando Utility Commission				\$200	

Source: AFDC 2019

It is worth noting that EV market conditions are often different for different utilities and continue to evolve. While it is useful to study different EV incentive programs, the experience from different geographic markets and political environments may not always be applied somewhere else without adjustment for local realities. Building a successful EV incentive program often involves trial-and-error approach. Utilities looking to establish EV incentives or specialized EV rate programs may consider implementing a small-scale pilot program that can be adjusted and/or expanded as more data on program utilization and customer response is collected.

3.4. Incremental costs and benefit of EVs

There are multiple studies quantifying potential benefits that managed EV charging can provide to utilities. A number of pilot projects or simulation studies attempt to identify the most effective electric rate structure to ensure that EVs can bring the most benefits to the grid managers. The general consensus in all of these studies is that, widespread EV adoption can benefit all electricity customers that may face lower electric costs, regardless of the type of vehicles they own. Regulated utilities may use these findings to justify rate-basing the costs of providing some of the EV incentives.

For example, a 2015 analysis of electricity rate models, encouraging EVs to charge during offpeak in the state of New York, found that, if half of EVs in the state charged during off-peak, this would result in an average daily statewide load reduction of 276 MW during summer peak hours in 2030. This translates to savings of over \$600 per EV that will be realized by New York utilities as a result of reduced generation and infrastructure expenditures (MJB&A, 2015).

A 2019 Duke Energy study estimated the costs and benefits of increased adoption of electric vehicles in Florida through 2050 under different electric vehicle adoption scenarios. The study forecasts, that under moderate EV growth scenario (currently assumed by the U.S. Energy Information Administration), by 2050, electric utility customers in Florida will receive a total cumulative benefit of \$2.2 billion in the form of reduced electric bills directly resulting from greater electric vehicle use. Additionally, Florida EV drivers are expected to realize cumulative savings of \$9.5 billion by 2050 in the form of reduced vehicle operating costs, or approximately \$925 per vehicle per year.

Assuming ten-year life of EV, the average electric vehicle in Florida is projected to increase utility net revenue (net of additional costs incurred to secure additional generating capacity and upgrade distribution system to accommodate growth in EV fleet) by \$1,068 in 2030 and by \$607 in 2050 over the life of the vehicles, provided that charging is managed (MJB&A, 2019).

Given the forecasted net benefit to the utilities in terms of additional electricity sales from EV charging, the amount of rebate the utility companies can potentially provide in the future to buyers of new EVs can range from \$600 to \$1,000. Managing EV charging will be critical for the utilities to realize the above benefits from additional EVs in their service territory, and, in turn, to be able to provide a rebate to customers. Therefore, implementing and EV rebate will require some form of charging management, either directly controlled by the utility or implemented through time-of-use rates, or other dynamic price signals, ensuring that EVs are charged during off-peak periods as much as possible.

Conclusions

Electric utilities can realize significant benefits from increased number of EV/PHEV in their service territory, including possible reduction in GHG emissions, additional electricity sales, balancing the grid through off-peak charging, more efficient use of existing generating capacity, avoiding expensive grid upgrades through potential load control, building grid resilience through vehicle-to-grid (V2G) technologies, integrating renewable power sources, and other potential benefits.

While EV market growth presents certain challenges, in general, the case can be made that, combined with managed charging, larger number of EVs can ultimately benefit all utility customers by allowing more efficient utilization of existing utility generating capacity and, thus, lowering electric rates to all customers. This argument is used by some utilities across the country to rate-base the costs of utility-provided incentives for EVs and charging infrastructure.

At least two utilities in the U.S. have been successful in receiving an approval from their state utility commissions to recover the cost of EV incentive programs through electric rates paid by all customers. A utility from Washington state estimated that an EV would generate a net benefit of \$770 to the utility through additional electricity sales during the life of the vehicle.

Forty three utility companies operating in 25 states currently offer various rebates for EVSE installation. The average utility-provided rebate amount is \$471 for residential Level-2 EVSE, \$4,069 for commercial Level-2 charger, and \$43,286 for commercial DCFC. Sixteen utility companies operating in 10 U.S. states offer rebates to their customers for purchasing or leasing plug-in electric vehicles. The average utility-provided EV rebate across the country is \$383 for PHEV and \$954 for EV.

There are currently no state-funded financial incentives for EV or EV charging infrastructure in Florida. Three Florida utilities provide incentives for purchasing or leasing EVs that range from \$100 to \$1,000. Jacksonville Electric Authority offers, by far, the most generous incentive to EV owners, compared to other Florida utilities, providing customers with \$500 rebate for purchasing or leasing PHEV and \$1,000 rebate for purchasing or leasing EV.

To maximize the potential benefit of increased EV adoption, utilities may consider combining EV incentives with effective time-of-use electric rates to ensure that additional load from EV charging is shifted to the periods when utility generating capacity is under-utilized.

Finally, since market conditions are different in different markets and continue to evolve, the experience of other utilities with incentive programs may not always be applicable in other areas without adjustment. Instead of attempting to design a perfect program from the start, utilities may consider implementing pilot incentive programs that can be adjusted and expanded as more data is collected on local EV market conditions and customer acceptance.

References

Alexander, M., Knipping, E., Young, D., Duvall, M., Tonachel, L. and Hwang, R., Environmental Assessment of Full Electric Transportation Portfolio, Volume 2: Greenhouse Gas Emissions. Electric Power Research Institute (EPRI) and Natural Resources Defense Council (NRDC), September 2015. [Online]. Available:

https://www.epri.com/#/pages/product/3002006876/?lang=en-US [Accessed: Dec 17, 2018].

Alternative Fuel Data Center (AFDC), Alternative Fueling Station Locator, 2019a. [Online]. Available: <u>https://afdc.energy.gov/stations/#/analyze</u> [Accessed: Sep 18, 2019].

Alternative Fuel Data Center (AFDC), State Laws and Incentives, 2019b. [Online]. Available: <u>https://afdc.energy.gov/laws/state</u> [Accessed: Oct 8, 2019].

Alternative Fuel Life-Cycle Environmental and Economic Transportation (AFLEET) Tool, Argonne National Laboratory, 2018. [Online]. Available: <u>https://afleet-</u> web.es.anl.gov/afleet/ [Accessed: Nov 27, 2018].

Andwari, A.M., Pesiridis, A., Rajoo, S., Martinez-Botas, R. and V. Esfahanian, "A review of battery electric vehicle technology and readiness levels," Renewable and Sustainable Energy Reviews 78, (2017): 414-430 [Online]. Available: https://doi.org/10.1016/j.rser.2017.03.138 [Accessed: Sep. 28, 2018].

Atlas Public Policy, Atlas EV Hub, Washington, D.C., 2018 [Online]. Available: https://www.atlasevhub.com/ [Accessed: Sep. 19, 2018].

Auto Alliance, Advanced Technology Vehilce Sales Dashboard, 2018. [Online]. Available: <u>https://autoalliance.org/energy-environment/advanced-technology-vehicle-sales-</u><u>dashboard/</u> [Accessed: Jan 28, 2019].

Bloomberg New Energy Finance (BNEF), EV Sales Forecast in the U.S. 2010-2040, May 2016.

Bonitz, J., H. Brutz, S. Buster, A. Carr, B. Lips and A. Proudlove, 50 States of Electric Vehicles: 2017 Policy Review, NC Clean Energy Technology Center, Raleigh, N.C., 2017, 74 pp. [Online]. Available: <u>https://nccleantech.ncsu.edu/wp-</u> content/uploads/2017 EVs Final2-1.pdf [Accessed Nov 20, 2018].

Brown, M.H. and L. Breckenridge. State Alternative Fuel Vehicle Incentives: A Decade and More of Lessons Learned. National Conference of State Legislatures, February 2001. [Online]. Available:

https://pdfs.semanticscholar.org/769d/43fa923bf4a55386dcaf2bdb69b35ca44964.pdf [Accessed: April 15, 2014].

Burke, A., Jungers, B., Yang, C. and J. Ogden, "Battery electric vehicles: an assessment of the technology and factors influencing market readiness," Public Interest Energy Program, California Energy Commission, (2007): 1 – 24 [Online]. Available: <u>http://samersanaat.com/en/wp-content/uploads/2012/07/AEP_Tech_AssessmentBEVs.pdf</u> [Accessed: Aug. 16, 2018].

California Air Resources Board (CARB), 8 state alliance releases plan to put 3.3 million zeroemission vehicles on the road, May 29, 2014. [Online]. Available: <u>https://ww2.arb.ca.gov/news/8-state-alliance-releases-plan-put-33-million-zero-emission-vehicles-road</u> [Accessed: Aug 21, 2019]. California Electric Transportation Coalition (CalETC), 2016. Evaluating Methods to Encourage Plug-in Electric Vehicle Adoption, October 2016. [Online]. Available: <u>https://pluginamerica.org/wp-content/uploads/2016/11/PEV-Incentive-Review-October-2016.pdf</u> [Accessed: Dec 10, 2018].

Center for Climate and Energy Solutions (C2ES), U.S. State Clean Vehicle Policies and Incentives, January, 2019. [Online]. Available: <u>https://www.c2es.org/document/us-state-clean-vehicle-policies-and-incentives/</u> [Accessed: May 25, 2019].

Dubin, J., Barney, R., Csontos, A., Um, J. and Wu, N. Realizing the Potential of Los Angeles Electric Vehicle Market, University of California, Los Angeles (UCLA), May 2011. [Online]. Available: <u>https://luskin.ucla.edu/sites/default/files/LA%20EV%20Final%20Report%20-%20Formatted%20-%20Final%20-%20High%20Quality%20for%20printing.pdf</u> [Accessed: Nov 5, 2019].

Electrify America, Cycle 2 National ZEV Investment Plan, Miami Overview, Sep 19, 2019. [Online]. Available: <u>https://southeastfloridaclimatecompact.org/wp-</u> <u>content/uploads/2019/09/Electrify-America-Cycle-2-National-ZEV-Investment-Plan.pdf</u> [Accessed: Nov 11, 2019].

Evarts, E.C., "VW plans 27 electric cars by 2022 on new platform," Green Car Reports, September 19, 2018 [Online]. Available: <u>https://www.greencarreports.com/news/1118857_vw-plans-27-electric-cars-by-2022-on-new-platform</u> [Accessed: Oct. 3, 218].

Farley, R., Vervair, M., Czerniak, J. "Electric Vehicle Supply Equipment Pilot", Avista Corporation, October 18, 2019. <u>https://www.myavista.com/-/media/myavista/content-documents/energy-savings/electricvehiclesupplyequipmentpilotfinalreport.pdf?la=en</u>

Farrell, J., Utilities Cry "Fowl" Over Duck Chart and Distributed Solar Power, CleanTechnica, Jul 21, 2014. [Online]. Available: <u>https://cleantechnica.com/2014/07/21/utilities-cry-fowl-over-duck-chart-and-distributed-solar-powercrying-fowl-or-crying-wolf-open-season-on-the-utilitys-solar-duck-chart/</u> [Accessed: Dec 19, 2018].

Fitzgerald, G., Nelder, C. and Newcomb, J. Electric Vehicles As Distributed Energy Resources. Rocky Mountain Institute, 2016. [Online]. Available: <u>https://rmi.org/wp-</u> <u>content/uploads/2017/04/RMI Electric Vehicles as DERs Final V2.pdf</u> [Accessed: Nov 19, 2018].

FleetCarma (2020), "The Geography of EV Charging: Understanding how regional climates impact charging and driving behavior", May 2020. <u>https://www.fleetcarma.com/geography-of-ev-charging/</u>

Florida Department of Environmental Protection (FDEP), State of Florida Beneficiary Mitigation Plan, October 2019. [Online]. Available: <u>https://floridadep.gov/sites/default/files/Florida%27s%20Beneficiary%20Mitigation%20Plan</u> .pdf [Accessed: October 27, 2018]

Florida Department of Highway Safety and Motor Vehicles (FLHSMV), Electric Vehicle Registrations by County, 2018.

Frades, M. A Guide to Lessons Learned from the Clean Cities Community Electric Vehicle Readiness Projects, 2014. [Online]. Available: <u>https://www.c2es.org/site/assets/uploads/2014/02/pev-guide-lessons-clean-cities-</u> <u>readiness-project.pdf</u> [Accessed: Nov 15, 2019]. Francfort, J., Salisbury, S., Smart, J., Garetson, T., Karner, D. "Considerations for Corridor and Community DC Fast Charging Complex System Design", Idaho National Laboratory, March 2017.

https://avt.inl.gov/sites/default/files/pdf/reports/DCFCChargingComplexSystemDesign.pdf

Galeon, D., "Carmaker sees ultrafast charging for 2022 electric vehicles," Mach, November 28, 2017 [Online]. Available: <u>https://www.nbcnews.com/mach/science/carmaker-sees-ultrafast-charging-2022-electric-vehicles-ncna824576</u> [Accessed: Oct. 21, 2018].

Gallagher, K. and Muehlegger, E. Giving Green to get Green? Incentives and Consumer Adoption of Hybrid Vehicle Technology, Journal of Environmental Economics and Management, Volume 61, Issue 1, January 2011, pp 1-15. [Online]. Available: <u>https://www.sciencedirect.com/science/article/pii/S0095069610000768</u> [Accessed: Nov 20, 2019].

Hledik, R., Higham, J. and Faruqui, A. Emerging Landscape of Residential Rates for EVs, Public Utilities Fortnightly, May 2019. [Online]. Available:

https://www.fortnightly.com/fortnightly/2019/05/emerging-landscape-residential-ratesevs?authkey=a156bf22c30ce08fdd0ccbd32b88b6445671698e2ca1b51abea38a7fa0488378 [Accessed: Oct 10, 2019].

Howell, D., Boyd, S., Cunningham, B., Gillard, S. and Slezak, L. Enabling Fast Charging: A Technology Gap Assessment, October 2017. [Online]. Available: https://www.energy.gov/sites/prod/files/2017/10/f38/XFC%20Technology%20Gap%20Assessment%20Report_FINAL_10202017.pdf [Accessed: Aug 30, 2019].

Idaho National Laboratory (INL), 2015 (a). Residential Charging Behavior in Response to Utility Experimental Rates in San Diego, EV Project, April 2015. [Online]. Available: https://avt.inl.gov/sites/default/files/pdf/EVProj/ResChargingBehaviorInResponseToExperim entalRates.pdf [Accessed: Dec 20, 2018].

Idaho National Laboratory (INL), 2015 (b). What Residential Clustering Effects Have been Experienced in the San Diego Region? April 2015. [Online]. Available: https://avt.inl.gov/sites/default/files/pdf/EVProj/ClusteringInSanDiego.pdf [Accessed: Mar 1, 2019].

Idaho National Laboratory (INL) 2015 (c). "What is the Impact of Utility Demand Charges on a DCFC Host?" INL/EXT-15-35706. June, 2015. [Online]. Available: <u>http://avt.inl.gov/pdf/EVProj/EffectOfDemandChargesOnDCFCHosts.pdf</u> [Accessed: Sep 19, 2019].

International Council on Clean Transportation (ICCT), 2013. Electric Vehicle Grid Integration in the U.S., Europe, and China, July 2013. [Online]. Available: <u>https://theicct.org/sites/default/files/publications/EVpolicies_final_July11.pdf</u> [Accessed: Nov 15, 2019].

Kiser, J. and M. Essery, Is There a Target Market for Electric Vehicles?, Ipsos, 2017, 8 pp.

Kolpakov, A., A.M. Sipiora, and B.R. Sneath. Task 4 - Technical Report: A Review of Alternative Fuel Vehicle Market Penetration and Projected VMT Penetration Rate Analysis for Florida, in Autonomous Vehicle (AV) and Alternative Fuel Vehicle (AFV) Florida Market Penetration Rate and VMT Assessment Study, October 2018, Florida Department of Transportation, Office of Policy Planning: Tallahassee, FL.

Kwan, I., Lutsey, N., Slowik, P., & Jin, L. Identifying the Leading Regional Electric Vehicle Markets in the United States. International Council on Clean Transportation, November, 2016. [Online]. Available: <u>www.theicct.org/regional-us-city-electric-vehicle</u> [Accessed: Nov 15, 2018].

Lawrence, M. California Electric Transportation Return on Investment Assessment, California Electric Transportation Coalition (CalETC), June 2015. [Online]. Available: https://www.caletc.com/wp-content/uploads/2016/08/New-Study-Shows-State-Investmentin-Zero-Emission-Vehicle-Incentives-Pays-Off.pdf [Accessed: Nov 27, 2019].

M. J. Bradley and Associates (MJB&A), Electricity Pricing Strategies to Reduce Grid Impacts from Plug-in Electric Vehicle Charging in New York State, June 2015. [Online]. Available: <u>https://www.mjbradley.com/sites/default/files/NYSERDA-EV-Pricing.pdf</u> [Accessed: Dec 3, 2019].

M. J. Bradley and Associates (MJB&A), Utility Investment in Electric Vehicle Charging Infrastructure: Key Regulatory Considerations, November 2017. [Online]. Available: <u>https://www.georgetownclimate.org/files/report/GCC-MJBA_Utility-Investment-in-EV-Charging-Infrastructure.pdf</u> [Accessed: May 15, 2019].

M. J. Bradley and Associates (MJB&A), Electric Vehcile Cost-Benefit Analysis, January 2019. [Online]. Available:

<u>https://www.mjbradley.com/sites/default/files/FLPEVCBAnalysis07jan19.pdf</u> [Accessed: May 10, 2019].

Mohamed, M., Ferguson, M.R., Higgins, C. and P. Kanaroglou, "Identifying and characterizing potential electric vehicle adopters in Canada: A two-stage modelling approach," Transportation Policy 52, (2016): 100-112 [Online]. Available: DOI: 10.1016/j.tranpol.2016.07.006 [Accessed: Oct. 30, 2018].

Myers, E., Utilities and Electric Vehicles, The Case for Managed Charging. Smart Electric Power Alliance, April 2017. [Online]. Available: <u>file:///C:/Users/Kolpakov/Documents/Projects/TECO/Benefits%20of%20EV/Resources/SEPA</u> 091 Managed EV Report print 1.pdf [Accessed: Dec 10, 2018].

NV Energy, Standard Residential Electric Vehilce Rates, 2019. [Online]. Available: <u>https://www.nvenergy.com/account-services/energy-pricing-plans/electric-vehicle/standard-rates-residential</u> [Accessed: Dec 2, 2019].

Ryan, N. and Lavin, L. Engaging Utilities and Regulators on Transportation Electrification, The Electricity Journal, Volume 28, Issue 4, May 2015, pp. 78-91. [Online]. Available: <u>https://www.sciencedirect.com/science/article/pii/S1040619015000755</u> [Accessed: Nov 4, 2019].

Salisbury, M. and Toor, W., How leading Utilities are Embracing Electric Vehicles, Southwest Energy Efficiency Project, February 2016. [Online]. Available: <u>https://www.swenergy.org/data/sites/1/media/documents/publications/documents/How Leading Utilities Are Embracing EVs Feb-2016.pdf</u> [Accessed: Dec 10, 2018].

Saunders, E., Butler, T., Quiros-Tortos, J., Ochoa, L. and Hartshorn, R. Direct Control of EV Charging on Feeders with EV Clusters, 23-rd International Conference, on Electricity Distribution, Lyon, France, June 15-18, 2015. [Online]. Available: <u>https://pdfs.semanticscholar.org/7642/33b30d24d33cb0f14f859628a44787af8e4b.pdf? ga</u> <u>=2.242276674.1993026712.1575325423-733549407.1575325423</u> [Accessed: Nov 20, 2019].

Schey, S., Scoffield, D. and Smart, J., A First Look at the Impact of Electric Vehicle Charging on the Electric Grid in the EV Project, EVS26 International Battery, Hybrid and Fuel Cell Electric Vehicle Symposium, Los Angeles, CA, May 6-9, 2012. [Online]. Available: https://www.energy.gov/sites/prod/files/2014/02/f8/evs26 charging demand manuscript. pdf [Accessed: Dec 19, 2018].

Schmidt, E., The Benefits of Electric Vehicle Adoption For Electric Power Utilities and Distributors, Fleetcarma, February 26, 2018. [Online]. Available: https://www.fleetcarma.com/benefits-electric-vehicle-adoption-electric-power-utilities- distributors/ [Accessed: Nov 20, 2018].

Stainken, K. Colorado makes a move to adopt the ZEV mandate, Plug-in America, August 21, 2018. [Online]. Available: <u>https://pluginamerica.org/colorado-makes-a-move-to-adopt-the-zev-mandate/</u> [Accessed: Sep 24, 2019].

Teter, J., Cazzola, P. and T. Gul, The Future of Trucks: Implications for Energy and the Environment, International Energy Agency (IEA), IEA Publications, France, 2017 [Online]. Available:

<u>https://www.iea.org/publications/freepublications/publication/TheFutureofTrucksImplication</u> <u>sforEnergyandtheEnvironment.pdf</u> [Accessed: Oct. 1, 2018].

Trabish, H. Why Utilities Need to Respond Now to the EV Boom, Utility Drive, Oct 9, 2017. [Online]. Available: <u>https://www.utilitydive.com/news/why-utilities-need-to-respond-now-to-the-ev-boom/506761/</u> [Accessed: Nov 20, 2018].

U.S. Census Bureau, Population Division, "Annual Estimates of the Resident Population: April 1, 2010 to July 1, 2017," 2018 Population Estimates, 2018 [Online.] Available: <u>https://factfinder.census.gov/faces/nav/jsf/pages/community_facts.xhtml</u> [Accessed September 2, 2019].

U.S. Department of Energy (DOE), Costs Associated with Non-Residential Electric Vehicle Supply Equipment, 2015. [Online]. Available:

https://afdc.energy.gov/files/u/publication/evse cost report 2015.pdf [Accessed: Oct 16, 2019].

U.S. Department of Energy (DOE), Funding Opportunity Anouncement DE-FOA-0001808, October 2017. [Online]. Available: <u>https://eere-</u> <u>exchange.energy.gov/Default.aspx?Search=DE-FOA-0001808&SearchType</u> [Accessed: Nov 11, 2017].

U.S. Department of Energy (DOE), All-Electric Vehicles, 2018. [Online]. Available: <u>https://www.fueleconomy.gov/feg/evtech.shtml</u> [Accessed: Dec 4, 2018].

U.S. Energy Information Administration (EIA), Energy Use for Transportation, Washington, D.C., 2017 [Online]. Available:

https://www.eia.gov/energyexplained/index.cfm?page=us_energy_transportation [accessed Nov. 20, 2018].

U.S. Energy Information Administration (EIA), Interactive Electricity Data, Retail Sales of Electricity to Ultimate Customers, by State and Utility, 2018a. [Online]. Available: <u>https://www.eia.gov/electricity/data.php</u> [Accessed: Dec 18, 2018].

U.S. Energy Information Administration (EIA), 2017 Average Monthly Bill – Residential, October 12, 2018b. [Online]. Available:

https://www.eia.gov/electricity/sales revenue price/pdf/table5 a.pdf [Accessed: Dec 19, 2018].

U.S. Environmental Protection Agency (EPA), Source of Greenhouse Gas Emissions, 2016. [Online]. Available: <u>https://www.epa.gov/ghgemissions/sources-greenhouse-gas-</u><u>emissions#transportation</u> [Accessed: Dec 5, 2018]. U.S. Environmental Protection Agency (EPA), Light-duty Automotive Technology, Carbon Dioxide Emissions, and Fuel Economy Trends: 1975 through 2017, January 2018. [Online]. Available: <u>https://nepis.epa.gov/Exe/ZyPDF.cgi?Dockey=P100TGDW.pdf</u> [Accessed: Dec 13, 2018].

Vermont Energy Investment Corporation (VEIC) and National Association of State Energy Officials (NASEO), Review of Utility Integrated Resource Plans and Electric Vehicle Load Forecasting, September 2013. [Onoline]. Available:

https://www.naseo.org/data/sites/1/documents/publications/NASEO-Review-of-Utility-Integrated-Resource-Plans-and-Electric-Vehicle-Load-Forecasting.pdf [Accessed: Nov 20, 2019].

Walton, R., "Duke to install 530 EV chargers in Florida, study grid integration," Utility Dive, October 4, 2018 [Online]. Available: <u>https://www.utilitydive.com/news/duke-to-install-530-</u> ev-chargers-in-florida-study-grid-integration/538813/ [Accessed: Oct 20, 2018].

Whitwam, R. BMW, Porsche Demo Super-Fast Electric Car Charger, ExtremeTech, December 17, 2018. [Online]. Available: <u>https://www.extremetech.com/extreme/282364-bmw-porsche-demo-super-fast-electric-car-charger</u> [Accessed: Oct 10, 2019].

World Economic Forum (WEF), Electric Vehicles for Smarter Cities: The Future of Energy and Mobility, Switzerland, January 2018, 13 pp. [Online]. Available: <u>http://www3.weforum.org/docs/WEF 2018 %20Electric For Smarter Cities.pdf</u> [Accessed: Dec 3, 2018].

Appendix

Utility	State	Type of Utility (ownership)	Special EV Rates	TOU for all Customers	Pay for Smart Meter	Separate Meter Required for EV Rate
Alabama Power AL IOU		Peak/off-peak rates for EV fleets; 1.7 c/kwh discount for residential for off-peak			Yes	
Salt River Project	AZ	Cooperative	Yes			
Tucson Electric Power	AZ	IOU	5% off TOU	Yes		
Sacramento Municipal Utility District	CA	Cooperative	1.5 c/kwh discount for EVs (midnight - 6 am)	Yes		
Los Angeles Department of Water and Power	CA	Municipal	2.5 c/kwh discount for EVs	Yes		Yes
Pacific Gas & Electric	CA	IOU	Off-peak TOU			
San Diego Gas & Electric	CA	IOU	Off-peak TOU			
Southern California Edison	CA	IOU	Off-peak TOU			
Azusa Light & Water	CA	Municipal	5 c/kwh discount for EVs off-peak			Yes
Burbank Water & Power	CA	Cooperative	Off-peak TOU			
Georgia Power	GA	IOU	Off-peak TOU			
Hawaiian Electric Company	HI	IOU	Off-peak TOU	Yes		Yes (for commercial EVSE)
Illinois Electric Cooperative	IL	Cooperative	Off-peak TOU			Yes
Indianapolis Power & Light	IN	IOU	Off-peak TOU			Yes
Indiana Michigan Power	IN	IOU	Off-peak TOU			
Baltimore Gas & Electric	MD	IOU	Off peak TOU for entire residence			
Рерсо	MD	IOU	Off-peak TOU		Yes	Yes
DTE Energy	MI	IOU	Off-peak TOU	Yes	Yes	Yes

Table A-1 - Utilities Offering Special Rates to EV Owners

Consumers Energy	MI	IOU	Off-peak TOU	
Lansing Board of Water & Light	MI	Municipal	Off-peak TOU	
Connexus Energy	MN	Cooperative	Off-peak TOU	
Dakota Electric	MN	Cooperative	Off-peak TOU	Yes
Xcel Energy	MN	IOU	Off-peak TOU	Yes
Cape Hatteras Electric Cooperative	NC	Cooperative	Off-peak TOU	
New Hampshire Electric Co-Op	NH	Cooperative	Off-peak TOU	Yes
Con Edison	NY	IOU	Off-peak TOU with guarantee to pay no more than standard electric rate	
Nevada Energy	NV	IOU	Off-peak TOU	
Randolph Electric Membership Cooperative	NC	Cooperative	Off-peak TOU	
Rocky Mountain Power	UT	IOU	Off-peak TOU for entire residence	
Madison Gas & Electric	WI	IOU	Off-peak TOU for entire residence	

Source: Alternative Fuel Data Center (AFDC), 2019

Utility	State	Incentive Description
Entergy	AR, LA, MS, TX	Qualified Entergy customers are eligible to receive \$250 cash incentive for residential Level 2 EVSE. <u>https://entergyetech.com/</u>
Salt River Project	AZ	SRP offers a rebate to business customers who purchase and install Level 2 EVSE for use by their employees. The rebate is \$500 per Level 2 EVSE installed. Rebates are available on a first-come, first-served basis. <u>https://savewithsrpbiz.com/rebates/evcharger.aspx</u>
Alameda Municipal Power	CA	AMP provides rebates of up to \$800 to residential customers toward the purchase of Level 2 EVSE. Customers may apply for multiple rebates at a time. <u>https://alameda.dsmtracker.com/shop/residential-rebates/level-2-electric-vehicle-charger.html</u>
Anaheim Public Utilities	CA	Anaheim Public Utilities provides rebates of up to \$500 for residential, commercial, and industrial customers that install EVSE at their home or business. Eligible expenses include the cost of the charger and installation. Anaheim Public Utilities will also pay for any associated permit fees. <u>http://www.anaheim.net/593/Personal-EV-Charger-Rebate</u>
Burbank Water and Power	CA	BWP provides rebates to commercial and residential customers toward the purchase of Level 2 EVSE. Commercial customers who purchase and install EVSE can receive up to \$2,000 for each charger and up to four rebates per fiscal year. Residential customers who install a charger can receive up to \$500 and will be placed on BWP's time-of-use electric rate. Applications must be submitted no later than four months from the date of purchase. Rebates are available on a first-come, first-served basis until funds are exhausted. https://www.burbankwaterandpower.com/conservation/electric-vehicles-rebate
Glendale Water and Power	CA	GWP provides rebates to commercial and residential customers toward the purchase of Level 2 EVSE. Commercial customers who purchase and install EVSE can receive up to \$2,000 for each charger and up to four rebates. Residential customers who install a charger can receive up to \$500. <u>https://www.glendaleca.gov/government/departments/glendale-water-and- power/electric-vehicles</u>
Los Angeles Department of Water and Power (LADWP)	CA	The Los Angeles Department of Water and Power (LADWP) provides rebates to commercial and residential customers toward the purchase of Level 2 EVSE. Commercial customers who purchase and install EVSE for employee and public use can receive up to \$5,000 for each charger, with up to \$750 in additional rebate funds per extra charge port. Rebates do not cover the cost of installation. Eligible customers may qualify for up to 40 rebate awards depending on the number of parking spaces at the installation site. Residential customers who install wall-mounted chargers can receive up to \$500. EVSE must be installed within the LADWP service area. Rebates are available on a first-come, first-served basis through June 30, 2021, or until funds are exhausted. https://www.ladwp.com/ladwp/faces/ladwp/residential/r-gogreen/r-gg- driveelectric? adf.ctrl-state=ggempvenj 4& afrLoop=243722027642889
Pacific Gas and Electric	CA	Pacific Gas and Electric (PG&E) provides rebates of \$800 to residential customers who purchase or lease an eligible PEV. Residential account holders may apply on behalf of a PEV owner in their household or their tenant in a multifamily household with the vehicle owner's permission. <u>https://www.pge.com/en_US/residential/solar-and- vehicles/options/clean-vehicles/electric/clean-fuel-rebate-for-electric- vehicles.page?WT.mc_id=Vanity_cleanfuelrebate-ev</u>

Table A-2 – Utility EV/EVSE Incentives

Deserver	64	DM/D marine state state success and all the factors of \$250 and and the state of the
Pasadena	CA	PWP residential electric customers are eligible for up to a \$250 rebate when they purchase
Water and		or lease a new or used plug-in electric vehicle (EV). An additional \$250 is available for
Power		eligible PEVs purchased or leased from a Pasadena dealership. Customers participating in
		PWP's income-qualifying programs may also qualify for an additional \$250 rebate, for a
		total of \$750. <u>https://ww5.cityofpasadena.net/water-and-power/residentialevrebate/</u>
		PWP provides rebates of \$600 for residential customers toward the installation of a WiFi
		enabled EVSE, or \$200 toward the installation of a non-WiFi enabled EVSE.
		PWP provides rebates of \$3,000 per port for commercial, workplace, multi-unit dwelling
		(MUD), and fleet customers for the installation of networked Level 2 EVSE, or rebates of
		\$1,500 per port for non-networked Level 2 EVSE. PWP also provides rebates of \$6,000 for
		the installation of direct-current (DC) fast EVSE or Level 2 EVSE installed at select sites.
		https://ww5.cityofpasadena.net/water-and-power/commercialchargerrebate/
Sacramento	CA	SMUD offers residential customers a \$599 rebate or a free Level 2 (240 volt) EVSE. Rebates
Municipal		or chargers are available to SMUD residential customers with the purchase or lease of a
Utility		new plug-in electric vehicle (PEV). To be eligible for the rebate or charger, completed
District		applications must be postmarked within 180 days of the date of purchase or lease of the
(SMUD)		PEV. https://www.smud.org/en/Going-Green/Electric-Vehicles/Residential
		Tev. <u>Inteps.// www.sindd.org/en/doing dreen/licetite venicies/itesidential</u>
		SMUD offers rebates for commercial customers to purchase and install Level 2 EVSE and
		direct current (DC) fast chargers at their business. Eligible applicants may receive up to
		\$120,000 per project for public access DC fast chargers and up to \$1,500 per Level 2 EVSE
		installed at multi-unit dwellings or workplaces. Up to 20 Level 2 EVSE may be installed per
		business location. https://www.smud.org/en/Going-Green/Electric-Vehicles/Business
Sonoma	CA	Qualified Sonoma Clean Power (SCP) customers are eligible to receive a free EVSE that can
Clean Power		be connected to Wi-Fi and communicate with the SCP GridSavvy Community. Customers
		are responsible for shipping and installation costs. Customers may also receive \$5 per
		month for connecting the EVSE to the GridSavvy Community.
		https://sonomacleanpower.org/programs/gridsavvy
Southern	CA	Southern California Edison's (SCE) Clean Fuel Reward Program provides rebates of up to
California		\$1,000 to residential customers who purchase or lease an eligible new or used PEV.
Edison		Residential account holders may apply on behalf of a PEV owner in their household.
		https://evrebates.sce.com/
Gunnison	СО	GCEA provides rebates to residential customers toward the purchase of Level 2 EVSE.
County		Eligible customers who purchase and install EVSE can receive a rebate of 70% of the cost
Electric		of the EVSE, up to \$500. Customers who purchase the EVSE directly through GCEA may
Association		receive a 5% discount on the equipment. <u>https://gcea.coop/ev-rebates</u>
Holy Cross	CO	HCE offers free or discounted Level-2 EVSE for residential and commercial customers,
Energy		respectively. <u>https://www.holycross.com/charge-at-home/</u>
Groton	СТ	Groton Utilities offers a limited number of \$2,000 rebates for the purchase of a new PEV
Utilities		and \$1,000 rebates for the lease of a new PEV. The rebate is available to the first 20
		applicants. Customers may also be eligible for a \$600 rebate for the installation of a
		qualifying Level 2 electric vehicle supply equipment (EVSE).
		http://grotonutilities.com/electric-vehicle-rebate-program/

Norwich	СТ	Norwich Utilities offers electric vehicle rebates: \$500 for purchasing new PHEV, \$1,000 for
Public Utilities		purchasing a new EV, \$250 for purchasing used PHEV, \$500 for purchasing used EV. Charging equipment rebates: \$500 for purchasing a residential use Level 2 EVSE, \$1,500 for purchasing a commercial use Level 2 EVSE for workplace charging or multifamily (4+ units) use, \$2,000 for purchasing a commercial use Level 2 EVSE available to the general public at a commercial or public location. <u>https://norwichpublicutilities.com/residential/electric-vehicle-charging-rebate-program/</u>
Brickell Energy	FL	Brickell Energy's aFLoat Program offers two different incentives to facilitate the installation of EVSE in Florida. Through the aFLoat Host Agreement, Brickell Energy will cover the cost of hardware, network service plans, management service, and warranties. Eligible hosts include commercial real estate property owners and managers. Hosts must cover the cost of installation. The aFLoat Rental Plan offers public and commercial locations the EVSE hardware, network service plan, management service, and warranties at a reduced fee. <u>https://brickellenergy.com/afloat-program/</u>
Duke Energy	FL	Duke Energy offers free Level 2 and direct current (DC) fast EVSE, installation, warranty, and network connection services to its customers through the Park & Plug pilot program. Eligible entities include multi-unit dwellings, workplaces, businesses, and areas along high- traffic corridors. Site hosts are responsible for electricity costs and must agree to participate in the pilot program through December 2022. <u>https://www.duke- energy.com/our-company/florida-future/park-and-plug</u>
Jacksonville Electric Authority	FL	Jacksonville Electric Authority (JEA) offers rebates for the purchase or lease of new PEVs. PEVs with a battery less than 15 kilowatt-hours (kWh) in capacity receive \$500, and PEVs with larger battery capacity are eligible for \$1,000. A copy of a valid Florida vehicle registration, proof of sale, and a recent JEA Electric bill are required. <u>https://www.jea.com/Ways_to_Save/Go_Green/Plug-</u> in_Electric_Vehicles/Electric_Vehicle_Incentives//
Kissimmee Utility Authority (KUA)	FL	KUA provides rebates of \$100 to residential customers for the purchase of a new EV and \$100 for the purchase and installation of a home EVSE. The EV must be registered to the customer's address and a proof of purchase is required. The EVSE must be installed by a licensed electrical contractor and must meet all state and local codes. Rebates are limited to one rebate per vehicle and one EVSE rebate per household. <u>https://kua.com/energy-conservation-and-renewables/kua-rebates-and-participating-contractors/</u>
Orlando Utility Commission	FL	Orlando Utilities Commission (OUC) provides rebates of \$200 to residential customers who purchase or lease an eligible new or preowned PEV. Applicants must apply within six months of the purchase or lease of the PEV. <u>https://www.ouc.com/residential/save- energy-water-money/electric-vehicles-at-home</u>
Georgia Power	GA	Georgia Power offers a rebate to residential customers, businesses, and builders who install Level 2 EVSE. Customers are eligible for a \$250, \$500, and \$100 rebate, respectively, for each dedicated circuit installed through December 31, 2019. <u>https://www.georgiapower.com/residential/save-money-and-energy/products- programs/electric-vehicles/buying-an-ev.html</u>
Aliant Energy	IA, WI	Alliant Energy offers rebates to residential customers who purchase and install Level 2 EVSE. The rebate is \$250 for non-networked EVSE and \$500 for networked EVSE. The EVSE must be purchased and installed between January 1, 2019, and December 31, 2019. <u>https://www.alliantenergy.com/InnovativeEnergySolutions/SmartEnergyProducts/-</u> <u>ElectricVehicles/EVHomeChargersandRebates</u>

	1	
		A rebate is also available to commercial and industrial customers who purchase and install Level 2 EVSE for use by employees, tenants, or the public. The rebate is \$500 for the purchase of a single port EVSE, \$1,000 for a dual port EVSE, and \$1,500 for a dual port networked EVSE. Rebates are available on a first-come, first-served basis.
MidAmerican Energy	IA	MidAmerican Energy provides \$500 rebates to residential customers who buy or lease a new electric vehicle. The company also offers \$1,500 rebates to businesses that purchase and install Level 2 charging station. <u>https://www.midamericanenergy.com/electric-vehicles</u>
Braintree Electric Light Department	MA	BELD offers customers a discount of \$250 for the purchase of a qualified Level 2 EVSE. To qualify, customers must enroll in the Smart Charging Program. <u>https://braintree-ev.ene.org/charging-guide/rebates-and-incentives-charging/</u>
Baltimore Gas and Electric	MD	Baltimore Gas and Electric (BGE) provides rebates to residential and multifamily customers toward the purchase of qualified Level 2 and direct current (DC) fast charging EVSE. BGE offers residential customers a \$300 rebate for a Level 2 smart EVSE. BGE offers customers that own or operate multifamily properties a rebate of 50% of the purchase and installation cost of Level 2 smart EVSE, up to \$5,000 per port, and 50% of the purchase and installation cost of eligible DC fast charging EVSE, up to \$15,000 per port. There is a maximum rebate of \$25,000 per multifamily site. https://www.bge.com/SmartEnergy/InnovationTechnology/Pages/ElectricVehicles.aspx
Delmarva Power	MD	Delmarva Power provides rebates to residential and multifamily customers toward the purchase of qualified Level 2 EVSE. Delmarva Power offers residential customers a \$300 rebate for a Level 2 smart EVSE and offers customers that own or operate multifamily properties a 50% discount on the purchase of eligible Level 2 smart EVSE and a 100% discount on the accompanying installation. <u>https://www.delmarva.com/SmartEnergy/InnovationTechnology/Pages/Electric- VehicleProgramMD.aspx</u>
Рерсо	MD	Pepco provides rebates to residential and multifamily customers toward the purchase of qualified Level 2 EVSE. Pepco offers residential customers a \$300 rebate for a Level 2 smart EVSE. Only chargers purchased and installed after July 1, 2019, are eligible. Pepco offers customers that own or operate multifamily properties a 50% discount on the purchase of eligible Level 2 smart EVSE and a 100% discount on the accompanying installation. <u>https://www.pepco.com/SmartEnergy/InnovationTechnology/Pages/ElectricVehicle- ProgramMD.aspx</u>
Consumers Energy	MI	The Consumers Energy PowerMIDrive program offers rebates to residential and commercial customers who install Level 2 or direct current fast charging (DCFC) EVSE. Residential customers are eligible for a \$500 rebate to install a qualified Level 2 EVSE. Commercial customers installing qualified, publicly accessible EVSE are eligible for rebates up to \$5,000 per Level 2 and up to \$70,000 per DCFC EVSE installed. https://www.consumersenergy.com/residential/programs-and-services/electric-vehicles/powermidrive?utm_campaign=powermidrive&utm_source=powermidrive&utmmedium=vanity-url&utm_content=powermidrive
DTE Energy	MI	DTE Energy offers a \$500 rebate for the installation of a Level 2 EVSE for qualified residential customers that purchase or lease a plug-in electric vehicle (PEV) and enroll in the PEV Charging Rates. <u>https://newlook.dteenergy.com/wps/wcm/connect/dte-web/home/service-request/residential/electric/pev/pev-res-charge-frwd</u>

Indiana	MI	Indiana Michigan Power also provides rebates of up to \$2,500 to residential customers
Michigan		who purchase or lease a new PEV and install a Level 2 EVSE with a separate meter.
Power		Customers must also sign up for the Indiana Michigan Power PEV time-of-use rate. The
		rebate is available to the first 250 qualified customers who submit a completed
		application. https://www.indianamichiganpower.com/info/ElectricCars/MichiganIncentives.aspx
Lansing	MI	BWL offers a reimbursement of up to \$1,000 for the purchase and installation of EVSE for
Board of		customers that have enrolled in the PEV charging rate. The program is limited to the first
Water &		10 qualified residential customers. <u>https://www.lbwl.com/customers/save-money-</u>
Light		energy/plug-electric-vehicles-pev
Connexus	MN	Connexus Energy provides \$500 rebate for installing Level 2 EV charger. Must be enrolled
Energy		in TOU or off-peak rate programs. <u>https://www.connexusenergy.com/save-money-and-</u>
		energy/programs-rebates/electric-vehicle
Dakota	MN	Dakota Electric offers a rebate of up to \$500 for the installation of Level 1 or Level 2
Electric		electric vehicle supply equipment (EVSE). <u>https://www.dakotaelectric.com/wp-</u>
Association		content/uploads/2016/09/EV Programs.pdf
Lake Region	MN	LREC also offers a rebate of up to \$500 for the installation of Level 1 or Level 2 electric
Electric		vehicle supply equipment (EVSE). <u>https://www.lrec.coop/products-service/chargewise</u>
Cooperative		
Otter Tail	MN	Otter Tail Power Company also offers a \$400 rebate for the installation of a Level 2 EVSE.
Power	NC	https://www.otpco.com/ways-to-save/electric-vehicles/
Cape Hatteras	NC	CHEC offers a bill credit of \$100 to residential customers who install a Level 2 EVSE. https://www.chec.coop/electricvehicles
Electric Co-		https://www.chec.coop/electricvenicles
Op		
Randolph	NC	Randolph EMC's Electric Vehicle Utility Program (REVUP) offers rebates for residential
Electric		customers of \$500 towards the purchase of residential Level 2 electric vehicle supply
Membership		equipment (EVSE). To qualify, residents must be a registered owner of an electric vehicle
Corporation		(EV), purchase and install a Wi-Fi connected Level 2 EVSE, and agree to share the data
		collected by the EVSE. Rebates are available to the first 25 applicants.
		https://www.randolphemc.com/content/revup
Omaha	NE	Omaha Public Power District (OPPD) offers residential customers rebates of \$2,500 toward
Public Power		the purchase of a new EV and qualified Level 2 EVSE, \$500 toward the purchase of
District		qualified Level 2 EVSE, and \$100 toward residential installation. Participants must purchase the EVSE through OPPD. <u>https://www.oppd.com/residential/products-</u>
		services/electric-vehicle-ev-rebate-program/
New	NH	NHEC offers rebates of \$1,000 for the purchase or lease of a new or used electric vehicle
Hampshire		(EV), and \$600 for the purchase or lease of a new or used plug-in hybrid electric vehicle.
Electric Co-		The PEV must be purchased or leased between January 1, 2019, and December 31, 2019.
Ор		https://www.nhec.com/drive-electric/#/find/nearest
		NHEC offers rebates for residential customers to install EVSE. Customers may receive a
		rebate of up to \$300 to install EVSE and a separate electric meter.
Nevada	NV	Nevada Energy (NV Energy) provides rebates for the purchase and installation of Level 2
Energy		EVSE and direct current (DC) fast charger stations. Eligible projects include charging for
		fleet, workplace, and multi-unit dwellings. NV Energy offers rebates of 75% of project
		costs, up to \$3,000 per connector, whichever is less, for Level 2 EVSE. NV Energy offers

		rebates of 50% of project costs, up to \$400 per kilowatt or \$40,000 per station, whichever
		is less, for DC fast chargers.
		https://www.nvenergy.com/publish/content/dam/nvenergy/brochures_arch/cleanenergy-
1		/handbooks/2018-2019-electric-vehicle-charging-station-incentives-programs-
		handbook.pdf
American Electric Power	OH	American Electric Power (AEP) Ohio offers financial incentives for the hardware, network services, and installation of EVSE for up to 300 Level 2 and 75 direct current (DC) fast charging stations. Incentives in varying amounts are available to all non-residential customers that have a valid AEP Ohio account. EVSE must be installed at a workplace, government facility, multi-family complex, or other publicly available charging location served by AEO Ohio. <u>https://www.aepohio.com/save/business/ElectricVehicles/</u>
Central Lincoln	OR	Central Lincoln offers residential and commercial customers a one-time rebate of \$250 to purchase a Level 2 EVSE. <u>https://clpud.org/energy-efficiency/electric-cars/level-2-station-rebate/</u>
Emerald People's Utility District (EPUD)	OR	EPUD customers are eligible for a \$100 incentive to register their new or used EV with the Oregon Department of Motor Vehicles. New or used neighborhood electric vehicles and new or used plug-in electric vehicles and plug-in hybrid electric vehicles with at least 2 kilowatt-hours of on-board battery capacity qualify. <u>https://www.epud.org/register-your-ev/</u>
Eugene Water & Electric Board	OR	EWEB offers rebates for residential and commercial customers to install Level 2 EVSE. Eligible residential customers may receive up to \$500, and eligible commercial customers may receive up to \$1,000. <u>http://www.eweb.org/residential-customers/going-</u> <u>green/electric-vehicles/ev-incentives</u>
Duquesne Light Company	PA	 DLC offers rebates to commercial customers for the installation of publicly available Level 2 EVSE. Rebates are available for 100% of make-ready installation costs, up to \$32,000 per site. Eligible projects must include a minimum of four dual-port Level 2 networked EVSE. <u>https://www.duquesnelight.com/energy-money-savings/electric-vehicles</u> DLC also offers a one-time bill credit of \$60 to residential customers who purchase or lease a PEV.
Рерсо	PA, DE	PECO provides rebates of \$50 to residential customers who purchase a new, qualified PEV. https://pecorebateportal.com/electric-vehicles/smart-driver-rebate.html
Austin	TX	Plug-in electric vehicle owners in the Austin Energy service area may be eligible for a
Energy		rebate of 50% of the cost to purchase and install a qualified Level 2 EVSE, up to \$1,200. https://austinenergy.com/ae/green-power/plug-in-austin/home-charging/home-charging
		Austin Energy offers a rebate for commercial customers to install approved EVSE at workplaces. Austin Energy provides a rebate of 50% of the cost to install approved Level 1 or Level 2 EVSE, up to \$4,000 depending on the equipment, and provides rebates up to \$10,000 to workplaces that install a DC fast charger. <u>https://austinenergy.com/ae/greenpower/plug-in-austin/workplace-charging</u>
Rocky Mountain Power	UT	Rocky Mountain Power provides rebates to non-residential and multi-family customers toward the purchase of Level 2 and direct current (DC) fast EVSE. Customers installing Level 2 EVSE may receive a rebate of 75% of equipment cost, up to \$2,500 for single port stations and \$3,500 for multi-port stations. Customers installing DC fast charging EVSE may receive a rebate of 75% of equipment and installation cost, up to \$30,000 for single port stations and \$42,000 for multi-port stations. To receive a rebate, customers installing Level

		 2 EVSE must submit an application within 90 days of the station installation; customers installing DC fast charging EVSE must submit an application for utility approval before purchasing and installing equipment. Customers may also complete an application for a custom grant project; applications must be submitted by April 1, 2019. Rebates and grant funding is available on a first-come, first-served basis. https://www.rockymountainpower.net/savings-energy-choices/electric-vehicles/utah-incentives.html
Burlington Electric Department	VT	BED customers are eligible for a \$1,200 rebate on the purchase or lease of a new qualifying all-electric vehicle (EV) or plug-in hybrid electric vehicle (PHEV). Moderate income customers are eligible for an additional \$600 rebate for an EV or an additional \$300 rebate for a PHEV. Vehicles must have a manufacturer's suggested retail price of less than \$50,000 and be registered in Burlington, VT. Rebates are available through December 31, 2019. <u>https://www.burlingtonelectric.com/ev#rebate</u> BED also offers a rebate of \$400 for the purchase and installation of a qualifying Wifi enabled EVSE for customers that have enrolled in BED's Residential EV Rate.
Green Mountain Power	VT	 GMP residential customers are eligible for a free Level 2 EVSE when they purchase a new all-electric vehicle. GMP provides \$1,500 rebate on a new all-electric vehicles and \$1,000 for new PHEVs. Low and moderate income customers (50K or less for 1-person household or \$85K or less for 2-person households) can qualify for additional \$1,000 rebate. https://greenmountainpower.com/product/ev-rebate/

Source: Alternative Fuel Data Center (AFDC), 2019

			Rebate A	mount (\$)
Utility	State	Type of EVSE	Residential	Commercial
	AR,			
	LA,			
Entergy	MS, TX	Level -2	\$250	
Salt River Project	AZ	Level -2	\$500	
Alameda Municipal Power	CA	Level -2	\$800	
Anaheim Public Utilities	CA	Level -2	\$500	\$500
Burbank Water & Power	CA	Level -2	\$500	\$2,000
Glendale Water & Power	CA	Level -2	\$500	\$2,000
Los Angeles Department of Water &				
Power	CA	Level -2	\$500	\$5,000
Pasadena Water & Power	CA	Networked L2	\$600	\$3,000
		DCFC		\$6,000
Sacramento Municipal Utility District	CA	Level -2	\$599	\$1,500
		DCFC		\$120,000
Sonoma Clean Power	CA	Networked L2	Free EVSE	
Gunnison County Electric Association	CO	Level -2	\$500	
Holy Cross Energy	CO	Level -2	Free EVSE	Free EVSE
Groton Utilities	СТ	Level -2	\$600	
Norwich Public Utilities	СТ	Level -2	\$500	\$2,000
Duke Energy	FL	Level -2		Free EVSE
		DCFC		Free EVSE
Kissimmee Utility Authority	FL	Level -2	\$100	
Georgia Power	GA	Level -2	\$250	\$500
Aliant Energy	IA, WI	Networked L2	\$500	\$1,500
MidAmerican Energy	IA	Level -2		\$1,500
Braintree Electric Light Department	MA	Level -2	\$250	. ,
Baltimore Gas & Electric	MD	Level -2	\$300	\$5,000
		DCFC	,	\$15,000
Delmarva Power	MD	Level -2	\$300	50% off
Рерсо	MD	Level -2	\$300	50% off
Consumers Energy	MI	Level -2	\$500	\$5,000
		DCFC	÷230	\$70,000
DTE Energy	MI	Level -2	\$500	<i>+·•</i> ,000
Lansing Board of Water & Light	MI	Level -2	\$1,000	
Connexus Energy	MN	Level -2	\$500	
Dakota Electric Association	MN	L1 or L2	\$500	
Lake Region Electric Cooperative	MN	L1 or L2	\$500	
Otter Tail Power	MN	Level -2	\$300	

Table A-3 – Utility-provided EVSE Incentives Summary

Cape Hatteras Electric Co-Op	NC	Level -2	\$100	
Randolph Electric Membership				
Cooperation	NC	Level -2	\$500	
Omaha Public Power District	NE	Level -2	\$500	
New Hampshire Electric Co-Op	NH	Level -2	\$300	
Nevada Energy	NV	Level -2		\$3,000
		DCFC		\$40,000
American Electric Power	ОН	Level -2		Varies
		DCFC		Varies
Central Lincoln	OR	Level -2	\$250	\$250
Eugene Water & Electric Board	OR	Level -2	\$500	\$1,000
Duquesne Light Company	PA	4 dual port L2		\$32,000
Austin Energy	ТХ	Level -2	\$1,200	\$4,000
		DCFC		\$10,000
Rocky Mountain Power	UT	L2, multi-port		\$3,500
		DCFC, multi-		
		port		\$42,000
Burlington Electric Department	VT	Networked L2	\$400	
Green Mountain Power	VT	Level -2	Free EVSE	

Source: Alternative Fuel Data Center (AFDC), 2019

		Rebate Amount (\$)		
Utility	State	PHEV	EV	
Pacific Gas & Electric	CA		\$800	
Pasadena Water & Power	CA	\$250	\$250	
Southern California Edison	CA		\$1,000	
Groton Utilities	СТ		\$2,000	
Norwich Public Utilities	СТ	\$500	\$1,000	
Jacksonville Electric Authority	FL	\$500	\$1,000	
Kissimmee Utility Authority	FL		\$100	
Orlando Utility Commission	FL		\$200	
Indiana Michigan Power	MI		\$2,500	
Omaha Public Power District	NE		\$2,500	
New Hampshire Electric Co-Op	NH	\$600	\$1,000	
Emerald People's Utility District	OR	\$100	\$100	
Duquesne Light Company	PA	\$60	\$60	
Рерсо	PA, DE	\$50	\$50	
Burlington Electric Department	VT		\$1,200	
Green Mountain Power	VT	\$1,000	\$1,500	

Table A-4 – Utility-provided PHEV/EV Incentives Summary

Source: Alternative Fuel Data Center (AFDC), 2019

Appendix "C"

DSM Energy Education and Awareness Activities of 2020

Tampa Electric participated in over 13 designated energy education and awareness events across the company's service area in 2020, prior to suspending face-to-face interactions due to COVID. These events do not include the daily interactions of energy education that Tampa Electric Team Members have with customers through email, phone calls, or one-on-one discussions nor with customers that are participating in one of Tampa Electric's Commission approved DSM programs. These events cover educating all ages, income classes and rate classes of customers on energy education and awareness. Several highlighted events include:

- Martin Luther King Day Service Parade
- Lifestyles after 50 Fun Fest Lutz
- Lifestyles after 50 Fun Fest Zephyrhills
- Strawberry Ridge Mobile Home Community Event
- Caribbean Isles Mobile Home Community Event
- Love Hills Community Meeting
- City of Tampa, Black History Celebration
- Farm Night BBQ Community Event
- Tampa Housing Authority Community JL Young Event
- Sun City Center Spring Expo
- Lakes at Countrywood Community Event
- Ruby Lake Homeowners Association Meeting
- Sikes Elementary Web Energy Education

Appendix "D"

Tampa Electric's 2020 Energy Audits Performed by Energy Audit Type

The table below provides the additional detail of "audit information by type" for the Energy Audits performed by Tampa Electric in 2020, as requested from Commission Staff on February 5, 2021.

Tampa Electric's 2020 Energy Audits Performed by Energy Audit Type						
	Walk-Through, BERS, and Computer Assisted	Online	Phone	Total		
Residential	1,514	59,323	443	61,280		
	Walk-Through and Comprehensive	Online	Phone	Total		
Commercial	238	N/A	171	409		